



SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

15539-10-1002

gebafresh

Product group: Ventilation - Technical building equipment / Sanitary facilities




Bartholomäus GmbH

Bartholomäus GmbH
Bachstraße 10
89607 Emerkingen



Product qualities:



Köttner

Helmut Köttner
Scientific Director

Freiburg, 12 March 2026



Product:

gebafresh

SHI Product Passport no.:

15539-10-1002



Contents

 QNG - Qualitätssiegel Nachhaltiges Gebäude	1
 DGNB New Construction 2023	2
 DGNB New Construction 2018	3
 BNB-BN Neubau V2015	4
 EU taxonomy	5
 BREEAM DE Neubau 2018	6
 LEED v4.1	7
Product labels	8
Legal notices	9
Technical data sheet/attachments	10

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

gebafresh

SHI Product Passport no.:

15539-10-1002



QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien			QNG ready - Not relevant for assessment



Product:

gebafresh

SHI Product Passport no.:

15539-10-1002



DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)			Not relevant for assessment

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)			Not relevant for assessment




Product:

gebafresh

SHI Product Passport no.:

15539-10-1002



Bartholomäus GmbH

DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact			Not relevant for assessment



Product:

gebafresh

SHI Product Passport no.:

15539-10-1002



BNB-BN Neubau V2015

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt			Not relevant for assessment



Product:

gebafresh

SHI Product Passport no.:

15539-10-1002



EU taxonomy

The EU Taxonomy classifies economic activities and products according to their environmental impact. At the product level, the EU regulation defines clear requirements for harmful substances, formaldehyde and volatile organic compounds (VOCs). The Sentinel Holding Institut GmbH labels qualified products that meet this standard.

Criteria	Product type	Considered substances	Assessment
DNSH - Pollution prevention and control		Substances according to Annex C	Not relevant for assessment

Verification: Herstellererklärung vom 25.02.2026




Product:

gebafresh

SHI Product Passport no.:

15539-10-1002



Bartholomäus GmbH

BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea o2 Indoor Air Quality			Not relevant for assessment



Product:

gebafresh

SHI Product Passport no.:

15539-10-1002



LEED v4.1

LEED (Leadership in Energy and Environmental Design) is an internationally recognised building certification system developed by the U.S. Green Building Council. It is one of the most widely used sustainability standards for buildings worldwide and is particularly applied in internationally oriented projects. LEED assesses buildings holistically across categories such as energy efficiency, resource conservation, material selection, indoor environmental quality and site sustainability. Depending on the number of points achieved, projects are awarded one of the certification levels: LEED Certified, Silver, Gold or Platinum.

Criteria	Product category	Assessment
EQ Credit: Low-Emitting Materials		Not relevant for assessment



Product:

gebafresh

SHI Product Passport no.:

15539-10-1002



Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



Product:

gebafresh

SHI Product Passport no.:

15539-10-1002



Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren%20f%C3%BCr%20Produkte>

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



Publisher

Sentinel Holding Institut GmbH
Bötzingen Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

Herstellername		geba Bartholomäus GmbH	
Artikel-Nr.			
Modellbezeichnung		Kombi DN 160 V	
Typ des Lüftungsgeräts		NRVU, UVU ohne Filter	
Eingebaute /einzubauende Drehzahlregelung		VSD (stufenlose Drehzahlsteuerung)	
Typ des HRS (heat recovery system)		keine Wärmerückgewinnung	
Thermischer Übertragungsgrad des HRS	$\eta_{t,NRVU}$	-	[%]
Nennluftvolumenstrom	$q_{V,nom}$	0,164	[m³/s]
Elektrische Eingangsleistung	$P_{e,nom}$	0,069	[kW]
Spezifische Ventilatorleistung, intern*	SFP_{int}	-	[Ws/m³]
Anströmgeschwindigkeit	v_{nom}	1,3	[m/s]
Nennaussendruck, statisch	$\Delta p_{s,nom}$	288,2	[Pa]
Druckabfall intern von Lüftungsbauteilen, statisch	$\Delta p_{s,int,nom}$	-	[Pa]
Druckabfall intern von Nichtlüftungsbauteilen, statisch	$\Delta p_{s,add,nom}$	-	[Pa]
Statischer Wirkungsgrad des Zuluftventilators (gemäß VO 327/2011)	$\eta_{es,SUP}$	55,7	[%]
Statischer Wirkungsgrad des Abluftventilators (gemäß VO 327/2011)	$\eta_{es,EHA}$	-	[%]
Äußere Leckluftquote nach DIN EN 308 oder 1886		-	[%]
Innere Leckluftquote nach DIN EN 308		-	[%]
Energieeinstufung des Zuluftfilters (nach EN 779:2012)		-	
Energieeinstufung des Abluftfilters (nach EN 779:2012)		-	
Beschreibung der Filterwarn(-wechsel)anzeige		-	
Gehäuseschallpegel	L_{WA2}	67,6	[dB(A)]
Internetanschrift		www.geba-brandschutz.de	
Bewertung nach Verordnung (EU) 1253/2014		Produkt ist konform 2018	

* für UVU mit Filter: $SFP_{int} = \frac{\Delta p_{s,int}}{\eta_{s,Fan}}$

für BVU: $SFP_{int} = \frac{\Delta p_{s,int SUP}}{\eta_{s,Fan SUP}} + \frac{\Delta p_{s,int EHA}}{\eta_{s,Fan EHA}}$

Herstellername		geba Bartholomäus GmbH	
Artikel-Nr.			
Modellbezeichnung		Kombi DN 200 V	
Typ des Lüftungsgeräts		NRVU, UVU ohne Filter	
Eingebaute / einzubauende Drehzahlregelung		VSD (stufenlose Drehzahlsteuerung)	
Typ des HRS (heat recovery system)		keine Wärmerückgewinnung	
Thermischer Übertragungsgrad des HRS	$\eta_{t,NRVU}$	-	[%]
Nennluftvolumenstrom	$q_{V,nom}$	0,178	[m³/s]
Elektrische Eingangsleistung	$P_{e,nom}$	0,045	[kW]
Spezifische Ventilatorleistung, intern*	SFP_{int}	-	[Ws/m³]
Anströmgeschwindigkeit	v_{nom}	1,4	[m/s]
Nennaussendruck, statisch	$\Delta p_{s,nom}$	154,4	[Pa]
Druckabfall intern von Lüftungsbauteilen, statisch	$\Delta p_{s,int,nom}$	-	[Pa]
Druckabfall intern von Nichtlüftungsbauteilen, statisch	$\Delta p_{s,add,nom}$	-	[Pa]
Statischer Wirkungsgrad des Zuluftventilators (gemäß VO 327/2011)	$\eta_{es,SUP}$	49,4	[%]
Statischer Wirkungsgrad des Abluftventilators (gemäß VO 327/2011)	$\eta_{es,EHA}$	-	[%]
Äußere Leckluftquote nach DIN EN 308 oder 1886		-	[%]
Innere Leckluftquote nach DIN EN 308		-	[%]
Energieeinstufung des Zuluftfilters (nach EN 779:2012)		-	
Energieeinstufung des Abluftfilters (nach EN 779:2012)		-	
Beschreibung der Filterwarn(-wechsel)anzeige		-	
Gehäuseschallpegel	L_{WA2}	70,2	[dB(A)]
Internetanschrift		www.geba-brandschutz.de	
Bewertung nach Verordnung (EU) 1253/2014		Produkt ist konform 2018	

* für UVU mit Filter: $SFP_{int} = \frac{\Delta p_{s,int}}{\eta_{s,Fan}}$

für BVU: $SFP_{int} = \frac{\Delta p_{s,int SUP}}{\eta_{s,Fan SUP}} + \frac{\Delta p_{s,int EHA}}{\eta_{s,Fan EHA}}$

Herstellereklärung EU-Taxonomie Verordnung

Zur Bestätigung der Konformität gemäß Anlage C zur Vermeidung und Verminderung der Umweltverschmutzung gemäß der Delegierten Verordnung (EU) 2023/2486 der Kommission vom 27. Juni 2023.

Hiermit bestätigen wir:

Bartholomäus GmbH

Bachstr.10

89607 Emerkingen

für das folgende Produkt/ die folgenden Produkte:

gebafresh-Kombi Dachhaubenkombination mit Ventilator

Das Produkt/Erzeugnis/mindestens ein Teilerzeugnis enthält Stoffe der Kandidatenliste (Version zum Ausstellungsdatum) oberhalb 0,1 Massen%:	nein
Das Produkt/Erzeugnis/mindestens ein Teilerzeugnis enthält weitere CMR-Stoffe der Kategorie 1A oder 1B, die nicht auf der Kandidatenliste stehen, oberhalb von 0,1 Massen-% in mindestens einem Teilerzeugnis:	nein

Bartholomäus GmbH

Bachstrasse 10
89607 Emerkingen
Telefon 07393 9519-0
Fax 07393 9519-45



Emerkingen, 25.02.2026

Ort, Datum, Unterschrift, Stempel

Ihr Ansprechpartner für Rückfragen:

Name: Vitor Fernandes

Telefon: 07393-9519-122

Email: rf@geba-emerkingen.de

geba
BARTHOLOMÄUS