



SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

14149-10-1017

My Floor Cottage

Product group: Laminate



SWISS KRONO Tec AG
Museggstr. 14
6004 Luzern



Product qualities:



Köttner

Helmut Köttner
Scientific Director

Freiburg, 02 February 2026



Contents

 SHI Product Assessment 2024	1
 QNG - Qualitätssiegel Nachhaltiges Gebäude	2
 DGNB New Construction 2023	3
 DGNB New Construction 2018	4
 BNB-BN Neubau V2015	5
 EU taxonomy	6
 BREEAM DE Neubau 2018	7
Product labels	8
Legal notices	9
Technical data sheet/attachments	10

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

My Floor Cottage

SHI Product Passport no.:

14149-10-1017



SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Harmful substance limit	Assessment
SHI Product Assessment	Wood-based floor coverings	TVOC $\leq 300 \mu\text{g}/\text{m}^3$ Formaldehyd $\leq 36 \mu\text{g}/\text{m}^3$	Indoor Air Quality Certified
Valid until: 26 August 2026			



Product:

My Floor Cottage

SHI Product Passport no.:

14149-10-1017



QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	2.3 Multi-layer wood parquet, bamboo coverings, and floor coverings on wood-based panels	VOC / Emissions / hazardous substances	QNG ready
Verification: Blauer Engel zertifiziert			



Product:

My Floor Cottage

SHI Product Passport no.:

14149-10-1017



DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	Quality level
ENV1.3 Responsible resource extraction	May positively contribute to the overall building score
Verification: FSC; PEFC	

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	47c Wood-based materials in floor coverings	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 4
Verification: Blauer Engel zertifiziert			

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	47c Floor coverings for indoor use (with wooden components)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 4
Verification: Blauer Engel zertifiziert			



Product:

My Floor Cottage

SHI Product Passport no.:

14149-10-1017



DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	47a Industrially manufactured products	Formaldehyde	Quality level 4
Verification: Blauer Engel zertifiziert			



Product:

My Floor Cottage

SHI Product Passport no.:

14149-10-1017



BNB-BN Neubau V2015

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt	zB Wood-based floor coverings – also systems	VOC / hazardous substances	Quality level 5
Verification: Blauer Engel zertifiziert			



Product:

My Floor Cottage

SHI Product Passport no.:

14149-10-1017



EU taxonomy

The EU Taxonomy classifies economic activities and products according to their environmental impact. At the product level, the EU regulation defines clear requirements for harmful substances, formaldehyde and volatile organic compounds (VOCs). The Sentinel Holding Institut GmbH labels qualified products that meet this standard.

Criteria	Product type	Considered substances	Assessment
DNSH - Pollution prevention and control	Floor coverings (including associated adhesives and sealants)	Substances according to Annex C, formaldehyde, carcinogenic VOCs category 1A/1B	EU taxonomy compliant
Verification: Blauer Engel zertifiziert			



Product:

My Floor Cottage

SHI Product Passport no.:

14149-10-1017



BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea 02 Indoor Air Quality	Flooring materials (including floor levelling compounds and resin flooring)	Emissions: Formaldehyde, TVOC, TSVOC, carcinogens	Exemplary quality

Verification: Prüfbericht des Institut Eco-Institut vom 26.08.2024 (Nr. 59317-A001-L)



Product:

My Floor Cottage

SHI Product Passport no.:

14149-10-1017



Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



The Forest Stewardship Council (FSC) label is awarded to products made wholly or partly from wood sourced from responsibly managed and controlled forestry. Health-related aspects of the final product are not part of the FSC assessment.



The PEFC label certifies wood and wood products from sustainably managed forests and requires, among other things, legal origin, protection of forest ecosystems, and social minimum standards in forestry. Environmental organisations consider PEFC's criteria to be less strict than those of FSC, particularly regarding the protection of sensitive forest areas. Health-related aspects of the final product are not part of the PEFC assessment.



The *Blue Angel* ("Blauer Engel") ecolabel, awarded by the German Federal Environment Agency, is one of the oldest and most widely used ecolabels in Germany. It exists in several variants for many different product groups. Since the test criteria, such as threshold values, differ between these variants, it is important to consider each one individually when assessing indoor air quality.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



This product is SHI Indoor Air Quality certified and recommended by Sentinel Holding Institut. Indoor-air-focused construction, renovation, and operation of buildings is made possible by transparent and verifiable criteria thanks to the Sentinel Holding concept.



Product:

My Floor Cottage

SHI Product Passport no.:

14149-10-1017



Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren/C3%BCr%20Produkte>

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



Publisher


Sentinel Holding Institut GmbH
Bötzingen Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

	<p>QUALITÄTSMANAGEMENT</p> <p>HANDBUCH</p>	
<p><i>Qualitätsmanagementsystem</i></p> <p>Technisches Datenblatt</p>		

COTTAGE

1. Produktbeschreibung

- | | |
|-------------------------|--|
| 1.1. Dielenformat | 1380 x 193 x 8 mm / 1380 x 244 x 8 mm / 1380 x 191 x 8 mm |
| 1.2. Verpackung | 8 Dielen pro Paket = 2,131 m ² / 2,694 m ² / 2,109 m ² |
| 1.3. Aufbau | |
| - Oberfläche | Dreidimensional vernetztes Melaminharz mit Korund |
| - Dekor | Dreidimensional vernetztes Melaminharz |
| - Mittellage | Hochverdichtete Holzfaserverplatte, HDF |
| - Gegenzug | Dreidimensional vernetztes Melaminharz |
| 1.4. Verlegung | Mechanisches Verriegelungssystem – Clic-System, neues innovatives Clic-System, 50% Zeitersparnis, schwimmend verlegt nach der Verlegeanweisung |
| 1.5. Klassifizierung | ISO 10874 Klasse 23: Wohnen: Starke Beanspruchung
Klasse 32: Gewerblich: Normale Beanspruchung |
| | nach DIN EN 13329 |
| | EN 14041 CE – Kennzeichnung |
| 1.6. Brandverhalten | EN 13501 C _{fl} – s1 |
| 1.7. Emissionsverhalten | E1 garantiert unter 0,05 ppm |
| 1.8. Gleitverhalten | Technische Klasse DS |
| 1.9. Fussbodenheizung | Wärmedurchlaßwiderstand nach DIN EN 12667 R = 0,07 [(m ² * K)/W] |



COTTAGE

	Eigenschaft	Anforderung	Einheit	Prüfverfahren
1.	Dicke	8	mm	EN 17539
2.	Beanspruchungsklasse	21 - 32		EN 13329
3.	Beständigkeit gegen Abrieb	AC5		ISO 24338 Verfahren A
4.	Beständigkeit gegen Stoßbeanspruchung	kleine Kugel ≥ 35 mm große Kugel ≥ 600 mm		EN 17368 Anhang C
5.	Dickenquellung	≤ 18	%	ISO 24336
6.	Fleckenunempfindlichkeit	Grad 5 (Gruppe 1 bis 2) Grad 4 (Gruppe 3)		EN 438-2
7.	Abhebefestigkeit	≥ 1,25	N/mm ²	EN 311
8.	Verbindungsfestigkeit	Fl 0,2 ≥ 1 Fs 0,2 ≥ 2	kN/m	ISO 24334
9.	Breite der Deckschicht	max ± 0,2	mm	EN 17539
10.	Länge der Deckschicht	l ≤ 1500 mm: Δl ≤ 0,5 l > 1500 mm: Δl ≤ 0,3	mm/m	EN 17539
11.	Rechtwinkligkeit	max ≤ 0,2	mm	EN 17539
12.	Kantengeradheit	max ≤ 0,3	mm/m	EN 17539
13.	Höhenunterschiede	max ≤ 0,15	mm	EN 17539
14.	Fugenöffnungen	max ≤ 0,2	mm	EN 17539
15.	Formaldehyd	≤ 0.05	ppm	EN 717-1

Erstellt (Datum, Unterschrift)	Geprüft und Freigegeben (Datum, Unterschrift)	
QS	01.05.2025 NB	

Herstellerdeklaration

Heiligengrabe, 27. Februar 2024

Herstellwerk SWISS KRONO TEX GmbH & Co. KG
Wittstocker Chaussee 1
16909 Heiligengrabe

Produkte

- Laminatfußboden
- OSB Platten
- MDF/HDF Platten

Hiermit erklären wir, dass nach derzeitigem Kenntnisstand die oben genannten Produkte die Anforderungen aus folgenden Verordnungen und Richtlinien erfüllen.

REACH (Registrierung, Bewertung, Zulassung und Beschränkung chemischer Stoffe)

Unsere Produkte und Verpackungen enthalten keine Stoffe, die in Anhang XIV der Verordnung (EG) Nr. 1907/2006¹ oder auf der Kandidatenliste der besonders besorgniserregenden Stoffe aufgeführt sind und für die aufgrund des Gewichtsanteils eine Mitteilungspflicht besteht.

Stand der SVHC-Kandidatenliste (echa.europa.eu/candidate-list-table): 2024-01-23.

POP (Persistente organische Schadstoffe)

In unseren Produkten und Verpackungen werden keine Stoffe eingesetzt, die nach Art. 3 der Verordnung (EU) Nr. 2019/1021² verboten oder eingeschränkt zugelassen sind.

ROHS (Beschränkung der Verwendung bestimmter gefährlicher Stoffe in Elektro- und Elektronikgeräten)

In unseren Produkten werden keine Stoffe eingesetzt, die gemäß Richtlinie 2011/65/EU³ und delegierter Richtlinie (EU) 2015/863⁴ beschränkt oder verboten sind.

[Datum, Unterschrift Standortleiter und Qualitätsabteilung]

27.02.24

¹ Verordnung (EG) Nr. 1907/2006 des Europäischen Parlaments und des Rates vom 18. Dezember 2006 zur Registrierung, Bewertung, Zulassung und Beschränkung chemischer Stoffe (REACH), zur Schaffung einer Europäischen Agentur für chemische Stoffe, zur Änderung der Richtlinie 1999/45/EG und zur Aufhebung der Verordnung (EWG) Nr. 793/93 des Rates, der Verordnung (EG) Nr. 1488/94 der Kommission, der Richtlinie 76/769/EWG des Rates sowie der Richtlinien 91/155/EWG, 93/67/EWG, 93/105/EWG und 2000/21/EG der Kommission

² Verordnung (EU) 2019/1021 des Europäischen Parlaments und des Rates vom 20. Juni 2019 über persistente organische Schadstoffe

³ Richtlinie 2011/65/EU des europäischen Parlaments und des Rates vom 8. Juni 2011 zur Beschränkung der Verwendung bestimmter gefährlicher Stoffe in Elektro- und Elektronikgeräten

⁴ Delegierte Richtlinie (EU) 2015/863 der Kommission vom 31. März 2015 zur Änderung von Anhang II der Richtlinie 2011/65/EU des Europäischen Parlaments und des Rates hinsichtlich der Liste der Stoffe, die Beschränkungen unterliegen.

URKUNDE

SWISS KRONO TEX GmbH & Co. KG
16909 Heiligengrabe, Deutschland

wird aufgrund des Zeichenbenutzungsvertrages Nr. 27070 zur DE-UZ 176
Ausgabe 2013 das Recht verliehen, für das Produkt

My Floor Laminatfußboden DPL Kollektionen:
Lodge, Cottage, Chalet, Villa, Residence, Castle

das nachstehend abgebildete Umweltzeichen als Ausweis für die besondere
Umweltfreundlichkeit zu führen.



Bonn, den 04. Juli 2025

R. Wollmann

Geschäftsführer
RAL gGmbH



Bundesministerium
für Umwelt, Naturschutz, nukleare Sicherheit
und Verbraucherschutz





FSC[®] CHAIN OF CUSTODY CERTIFICATE

Certificate no.:
DNV-COC-000782/ DNV-CW-000782
Issue Number:
8

Initial certification date:
08 September 2000

Valid:
20 December 2021 – 19 December 2026

The validity of this certificate shall be verified on www.info.fsc.org

This is to certify that the

SWISS KRONO TEX GmbH & Co. KG

Wittstocker Chaussee 1, 16909 Heiligengrabe, Germany

has been found to conform to FSC standard:
FSC-STD-40-004, FSC-STD-40-005

This certificate is valid for the following scope:

Production, processing and sale of panel board products and decor paper (FSC Mix, FSC controlled wood), credit system, transfer system.

A list of the certificated products can be obtained from the FSC database, www.info.fsc.org

This certificate itself does not constitute evidence that a particular product supplied by the certificate holder is FSC-certified (or FSC Controlled Wood). Products offered, shipped or sold by the certificate holder can only be considered covered by the scope of this certificate when the required FSC claim is clearly stated on invoices and shipping documents.

Place and date:
Solna, 16 December 2021

For the issuing office:
DNV - Business Assurance
Elektrogatan 10, 171 54, Solna, Sweden



Ann-Louise Pätt
Management Representative

ZERTIFIKAT

Zertifikatinhaber	SWISS KRONO TEX GmbH & Co. KG Wittstocker Chaussee 1 16909 Heiligengrabe Deutschland
Art der Zertifizierung	Einzelzertifizierung
Regelwerk	Produktkettennachweis von Holzprodukten – Anforderungen (PEFC ST 2002:2020) Richtlinie für die Verwendung der PEFC-Warenzeichen Anforderungen (PEFC ST 2001:2020)
Prüfgrundlage(n)	Zertifizierungsprogramm Produktkettennachweis für Produkte aus nachhaltiger Forstwirtschaft / Chain of Custody (CoC) (2022-01)
Prüfmethode	Kreditmethode
Registernummer	DINC-PEFC-COC-000005
Laufzeit	03.11.2023 – 02.05.2027
Bemerkungen	Weitere Angaben siehe Anhang.

ANHANG

Seite 1 von 1

Zertifikat DINC-PEFC-COC-000005 vom 03.11.2023

Technische Angaben Verwendete Produkte/Produktgruppen:

050601 Mitteldichte Faserplatten (MDF)
050602 Hochdichte Faserplatten (HDF)
050502 Oriented Strand Board (OSB)
090304 Fußböden