



# SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

**13373-10-1074**

## Dichtungsband VKP PLUS

Product group: Adhesive tapes / Joint sealing tapes - Sealing tapes



Adolf Würth GmbH & Co. KG  
Reinhold-Würth-Straße 12-17  
74653 Künzelsau-Gaisbach



### Product qualities:



*Köttner*

Helmut Köttner  
Scientific Director

Freiburg, 02 February 2026



# Contents

 SHI Product Assessment 2024	1
 QNG - Qualitätssiegel Nachhaltiges Gebäude	2
 DGNB New Construction 2023	3
 DGNB New Construction 2018	4
 BNB-BN Neubau V2015	5
 BREEAM DE Neubau 2018	6
Product labels	7
Legal notices	8
Technical data sheet/attachments	9

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

**Dichtungsband VKP PLUS**

SHI Product Passport no.:

**13373-10-1074**



## SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Harmful substance limit	Assessment
SHI Product Assessment	Sealants and adhesives	TVOC $\leq 300 \mu\text{g}/\text{m}^3$ Formaldehyd $\leq 24 \mu\text{g}/\text{m}^3$	Indoor Air Quality Certified

**Valid until: 25 July 2027**



Product:

**Dichtungsband VKP PLUS**

SHI Product Passport no.:

**13373-10-1074**



## QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	not applicable	not applicable	QNG ready - Not relevant for assessment



Product:

**Dichtungsband VKP PLUS**

SHI Product Passport no.:

**13373-10-1074**



## **DGNB New Construction 2023**

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	not applicable		Not relevant for assessment

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	not applicable		Not relevant for assessment



Product:

**Dichtungsband VKP PLUS**

SHI Product Passport no.:

**13373-10-1074**



## **DGNB New Construction 2018**

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	not applicable	not applicable	Not relevant for assessment



Product:

**Dichtungsband VKP PLUS**

SHI Product Passport no.:

**13373-10-1074**



## **BNB-BN Neubau V2015**

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt			Not relevant for assessment



Product:

**Dichtungsband VKP PLUS**

SHI Product Passport no.:

**13373-10-1074**



## BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea 02 Indoor Air Quality			Not relevant for assessment



Product:

**Dichtungsband VKP PLUS**

SHI Product Passport no.:

**13373-10-1074**



# Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



The EMICODE® label, awarded by the German manufacturers' association "GEV – Gemeinschaft Emissionskontrollierte Verlegewerkstoffe, Klebstoffe und Bauprodukte e. V.", is primarily relevant for flooring installation materials. The EMICODE® EC1<sup>PLUS</sup> label, as the premium class, sets significantly stricter emission limits than the other label variants.



This product is SHI Indoor Air Quality certified and recommended by Sentinel Holding Institut. Indoor-air-focused construction, renovation, and operation of buildings is made possible by transparent and verifiable criteria thanks to the Sentinel Holding concept.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



Product:

**Dichtungsband VKP PLUS**

SHI Product Passport no.:

**13373-10-1074**



## Legal notices

(\*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

---

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren%20f%C3%BCr%20Produkte>

---

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



### Publisher

Sentinel Holding Institut GmbH  
Bötzingen Str. 38  
79111 Freiburg im Breisgau  
Germany  
Tel.: +49 761 590 481-70  
[info@sentinel-holding.eu](mailto:info@sentinel-holding.eu)  
[www.sentinel-holding.eu](http://www.sentinel-holding.eu)

**HERSTELLERERKLÄRUNG**
**Projekt**

Firma Adolf Würth GmbH & Co. KG  
 Ansprechpartner Herr Jochen Klingert  
 Telefon 07940-151239  
 E-Mail Jochen.Klingert@wuerth.com

Gewerk \_\_\_\_\_  
 Einbauort \_\_\_\_\_

Produktbezeichnung WÜRTH Fugendichtungsband VKP Plus  
 Anwendung/ Beschreibung Hochwertiges, imprägniertes, vorkomprimiertes  
 BG1-Dichtungsband

Menge/behandelte Fläche/Stückzahl \_\_\_\_\_

VOC Gehalt <1%

Anforderungen	Erfüllt	Bemerkung
Frei von halogenierten Treibmitteln	ja	
Chlorparaffine <0,1%	ja	
SVHC < 0,1% (z.B. TCEP)	ja	
Gehalt Blei und Zinn <0,1%	ja	
Emicode	ja	EC 1 Plus
Frei von HBCD	ja	

**Vorhandene Dokumente**

Sicherheitsdatenblatt \_\_\_\_\_  
 Prüfzeugnisse Emicode, siehe Würth-Online-Shop  
 Sonstiges frei von Halogenen und halogenhaltigen Stoffen



Adolf Würth GmbH & Co. KG  
 Reinhold-Würth-Str. 12-17  
 74655 Künzelsau/Deutschland  
 T +49 7940 15-0 F +49 7940 15-1000  
 info@wuerth.com · www.wuerth.de

27.04.2018  
 Datum

**Lizenzerteilung zur Führung des EMICODE**

Lizenzierungs-Nummer: 8116/09.09.09

Für den Artikel DICHTUNGSBAND VKP PLUS

wird auf Antrag vom 08.06.2017

unter Bezugnahme auf die Einstufung gemäß den nach § 10 der  
GEV-Zeichensatzung festgelegten Richtlinien

namens der Gemeinschaft Emissionskontrollierte Verlegewerkstoffe, Klebstoffe  
und Bauprodukte e.V. für den oben genannten Artikel nach § 5 Abs. 4 der  
GEV-Zeichensatzung die Lizenz zur Führung des GEV-Zeichens



erteilt. Damit erfüllt dieser Artikel die rückseitig aufgeführten Kriterien.  
Die Firma ist ordentliches Mitglied der GEV.

**OM061 25.07.2022**  
gültig bis 25.07.2027

A handwritten signature in blue ink, appearing to read "D. Müller".

Der Geschäftsführer  
Gemeinschaft Emissionskontrollierte Verlegewerkstoffe,  
Klebstoffe und Bauprodukte e.V.  
Völklinger Straße 4 · D-40219 Düsseldorf

## Hinweise zu den Voraussetzungen über die Vergabe der Lizenz für den EMICODE

Das gemäß vorseitiger Lizenz eingestufte Produkt hat nach der Satzung und den Richtlinien des Technischen Beirats der GEV u.a. den folgenden Kriterien zu genügen:

- Das Produkt entspricht allen gesetzlichen Bestimmungen, insbesondere denen des Chemikalienrechtes und seiner Verordnungen.
- Das Produkt ist nach der Definition der TRGS 610 lösemittelfrei, sofern es sich nicht um ein Oberflächenprodukt handelt. Soweit es einer Produktgruppe nach GISCODE zuzuordnen ist, wird diese angegeben.
- Für das Produkt wird ein Sicherheitsdatenblatt nach lokalem Recht in der jeweils aktuellen Fassung erstellt.
- Krebserregende, erbgutverändernde oder fruchtschädigende Stoffe der Klassen 1A und 1B werden dem Produkt bei der Herstellung nicht zugesetzt.
- Die Prüfung des Produktes erfolgt nach der definierten „GEV-Prüfmethode“. Die VOC-Bestimmung wird dabei in einer Prüfkammer nach dem Tenax-Thermodesorptions-Verfahren mit nachgeschalteter GC/MS-Analyse durchgeführt.
- Die Einstufung in EMICODE-Klassen erfolgt entsprechend den nachstehenden Bezeichnungen und TVOC/TSVOC-Konzentrationsbereichen. Zur Produktkennzeichnung ist die zutreffende EMICODE-Klasse zu verwenden:

### 1) Verlegewerkstoffe, Klebstoffe und Bauprodukte

Parameter	EC 1 <sup>PLUS</sup>	EC 1	EC 2
	max. zulässige Konzentration [ $\mu\text{g}/\text{m}^3$ ]		
TVOC nach 3 Tagen	$\leq 750$	$\leq 1000$	$\leq 3000$
TVOC nach 28 Tagen	$\leq 60$	$\leq 100$	$\leq 300$
TSVOC nach 28 Tagen	$\leq 40$	$\leq 50$	$\leq 100$
R-Wert basierend auf AgBB-NIK-Werten nach 28 Tagen	1	-	-
Summe der nicht bewertbaren VOC	$\leq 40$	-	-
Formaldehyd nach 3 Tagen	$\leq 50$	$\leq 50$	$\leq 50$
Acetaldehyd nach 3 Tagen	$\leq 50$	$\leq 50$	$\leq 50$
Summe von Form- und Acetaldehyd	$\leq 0,05$ ppm	$\leq 0,05$ ppm	$\leq 0,05$ ppm
Summe von flüchtigen K1A/K1B Stoffen nach 3 Tagen	$\leq 10$	$\leq 10$	$\leq 10$
Jeder flüchtige K1A/K1B Stoff nach 28 Tagen	$\leq 1$	$\leq 1$	$\leq 1$

### 2) Oberflächenbehandlungsmittel für Parkett, mineralische Böden und elastische Bodenbeläge

Parameter	EC 1 <sup>PLUS</sup>	EC 1	EC 2
	max. zulässige Konzentration [ $\mu\text{g}/\text{m}^3$ ]		
Summe TVOC + TSVOC nach 28 Tagen	$\leq 100$ davon max. 40 SVOC	$\leq 150$ davon max. 50 SVOC	$\leq 450$ davon max. 100 SVOC
Formaldehyd nach 3 Tagen	$\leq 50$	$\leq 50$	$\leq 50$
Acetaldehyd nach 3 Tagen	$\leq 50$	$\leq 50$	$\leq 50$
Jeder flüchtige K1A/K1B Stoff nach 3 Tagen	$\leq 10$	$\leq 10$	$\leq 10$
Jeder flüchtige K1A/K1B Stoff nach 28 Tagen	$\leq 1$	$\leq 1$	$\leq 1$