



# SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

**14819-10-1002**

## AWCLICK30

Product group: Design floors - Vinyl



Associated Weavers Europe NV/SA  
Weverijstraat 1  
9600 Ronse



### Product qualities:











*Köttner*

Helmut Köttner  
Scientific Director  
Freiburg, 12 May 2026



## Contents

 SHI Product Assessment 2024	1
 QNG - Qualitätssiegel Nachhaltiges Gebäude	2
 DGNB New Construction 2023	3
 DGNB New Construction 2018	4
 BNB-BN Neubau V2015	5
 EU taxonomy	6
 BREEAM DE Neubau 2018	7
 LEED v4.1	8
Product labels	9
Legal notices	10
Technical data sheet/attachments	11

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

**AWCLICK30**

SHI Product Passport no.:

**14819-10-1002**



## SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Harmful substance limit	Assessment
SHI Product Assessment	Other floor coverings	TVOC $\leq 160 \mu\text{g}/\text{m}^3$ Formaldehyd $\leq 10 \mu\text{g}/\text{m}^3$	Indoor Air Quality Certified
Valid until: 25 June 2027			



Product:

**AWCLICK30**

SHI Product Passport no.:

**14819-10-1002**



## QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	2.2 Resilient floor coverings – including multilayer systems	VOC / Emissions / hazardous substances / polycyclic aromatic hydrocarbons (PAH) / SVHC / heavy metals	QNG ready
<b>Verification:</b> Prüfbericht des Instituts Eurofins Product Testing vom 25.06.2025 (Nr. 392-2025-00003501_A_EN). Herstellererklärung vom 30.01.2026.			



Product:

**AWCLICK30**

SHI Product Passport no.:

**14819-10-1002**



## DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	7 Floor coverings (Resilient floor coverings)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 3
<b>Verification:</b> Prüfbericht des Instituts Eurofins Product Testing vom 25.06.2025 (Nr. 392-2025-00003501_A_EN). Herstellererklärung vom 30.01.2026.			

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	7 Floor coverings for indoor use (elastic floor coverings)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 3
<b>Verification:</b> Prüfbericht des Instituts Eurofins Product Testing vom 25.06.2025 (Nr. 392-2025-00003501_A_EN). Herstellererklärung vom 30.01.2026.			



Product:

**AWCLICK30**

SHI Product Passport no.:

**14819-10-1002**



## DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	7 Floor coverings (Resilient floor coverings)	VOC / SVOC / hazardous substances	Quality level 4
<b>Verification:</b> Prüfbericht des Instituts Eurofins Product Testing vom 25.06.2025 (Nr. 392-2025-00003501_A_EN). Herstellererklärung vom 30.01.2026.			



Product:

**AWCLICK30**

SHI Product Passport no.:

**14819-10-1002**



## **BNB-BN Neubau V2015**

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt	2a Elastic floor coverings – with and without bonded underlay or insulation layer	VOC / hazardous substances / heavy metals	Quality level 3

**Verification:** Prüfbericht des Instituts Eurofins Product Testing vom 25.06.2025 (Nr. 392-2025-00003501\_A\_EN). Herstellererklärung vom 30.01.2026.



Product:

**AWCLICK30**

SHI Product Passport no.:

**14819-10-1002**



## EU taxonomy

The EU Taxonomy classifies economic activities and products according to their environmental impact. At the product level, the EU regulation defines clear requirements for harmful substances, formaldehyde and volatile organic compounds (VOCs). The Sentinel Holding Institut GmbH labels qualified products that meet this standard.

Criteria	Product type	Considered substances	Assessment
DNSH - Pollution prevention and control	Floor coverings (including associated adhesives and sealants)	Substances according to Annex C, formaldehyde, carcinogenic VOCs category 1A/1B	EU taxonomy compliant

**Verification:** Prüfbericht des Instituts Eurofins Product Testing vom 25.06.2025 (Nr. 392-2025-00003501\_A\_EN). Herstellererklärung vom 30.01.2026.



Product:

**AWCLICK30**

SHI Product Passport no.:

**14819-10-1002**



## BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea 02 Indoor Air Quality	Flooring materials (including floor levelling compounds and resin flooring)	Emissions: Formaldehyde, TVOC, TSVOC, carcinogens	Exemplary quality

**Verification:** Prüfbericht des Instituts Eurofins Product Testing vom 25.06.2025 (Nr. 392-2025-00003501\_A\_EN).



Product:

**AWCLICK30**

SHI Product Passport no.:

**14819-10-1002**



## LEED v4.1

LEED (Leadership in Energy and Environmental Design) is an internationally recognised building certification system developed by the U.S. Green Building Council. It is one of the most widely used sustainability standards for buildings worldwide and is particularly applied in internationally oriented projects. LEED assesses buildings holistically across categories such as energy efficiency, resource conservation, material selection, indoor environmental quality and site sustainability. Depending on the number of points achieved, projects are awarded one of the certification levels: LEED Certified, Silver, Gold or Platinum.

Criteria	Product category	Considered substances	Assessment
EQ Credit: Low-Emitting Materials	Bodenbeläge	Emissionen: Formaldehyd, VOC, Krebserregende Stoffe	compliant
<b>Verification:</b> Prüfbericht des Instituts Eurofins Product Testing vom 25.06.2025 (Nr. 392-2025-00003501_A_EN).			



Product:

**AWCLICK30**

SHI Product Passport no.:

**14819-10-1002**



## Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



This product is SHI Indoor Air Quality certified and recommended by Sentinel Holding Institut. Indoor-air-focused construction, renovation, and operation of buildings is made possible by transparent and verifiable criteria thanks to the Sentinel Holding concept.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



Product:

**AWCLICK30**

SHI Product Passport no.:

**14819-10-1002**



## Legal notices

(\*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

---

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren/Pr%C3%BCfverfahren%20f%C3%BCr%20Produkte>

---

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar

### Publisher

Sentinel Holding Institut GmbH  
Bötzingen Str. 38  
79111 Freiburg im Breisgau  
Germany  
Tel.: +49 761 590 481-70  
[info@sentinel-holding.eu](mailto:info@sentinel-holding.eu)  
[www.sentinel-holding.eu](http://www.sentinel-holding.eu)



# AW30 Click

Acoustic SPC - Clickvinyl - Lame vinyle - Designboden

## Technical Specification - Technische Spezifikationen - Spécifications techniques - Technische specificaties

<b>Description</b> - Beschreibung - Description - Omschrijving	Rigid core SPC	
<b>Thickness</b> - Gesamtdicke - Epaisseur - Dikte	EN ISO 24337	4.20 mm + 1 mm IXPE acoustic backing
<b>Total Weight</b> - Flächengewicht - Poids Totale - Totaal gewicht	EN ISO 23997	ca. 8670 g/m <sup>2</sup>
<b>Wearlayer</b> - Nuttschicht - Couche d'usure - Slijtlaag	EN ISO 24340	0.30 mm
<b>Locking System</b> - Verschlussystem - Système de verrouillage - Vergrendelingsysteem	Unilin®	
<b>Bevels</b> - Gefasste Kanten - Chanfrein - Afgeschuinde kanten	Micro Bevel 4 Sides	
<b>Surface</b> - Oberfläche - Surface - Toplaag	Ultra Mat	
<b>Classification</b> - Eignungsklasse - Classe d'usage - Gebruiksklasse	EN ISO 10874	23 Domestic Heavy - 31 Commercial Moderate



## Performance - Leistungen - Prestaties

<b>Reaction to fire</b> - Brandverhalten - Classement feu - Brandklasse	EN 13501-1	Bfl-S1
<b>Slip resistance</b> - Rutschfest - Glissance - Antislip	EN 13893	DS
<b>Slip restraint</b> (dynamic coefficient of friction) - Rutschhemmung - Résistance au glissement - Slipweerstand	DIN 51130	R9
<b>Thermal resistance R value</b> - Wärmedurchlasswiderstand R - Résistance thermique R - Wamtedoorlaatweerstand R	EN 12664	0,076 (m <sup>2</sup> .K)/W
<b>Underfloor heating</b> - Bodenheizung - Chauffage par le sol - Vloerverwarming	EN ISO 12524	Yes, max. 27°C
<b>Electrostatic performance</b> - Antistatik - Accumulation de charges électrostatiques - Electrostatische propensiteit	EN 1815	< 2 kV
<b>Residual indentation</b> - Eindrückverhalten - Poinçonnement rémanent - Restindruk	EN ISO 24343-1	< 0.2 mm pass
<b>Dimensional stability</b> - Massänderung - Stabilité dimensionnelle - Dimensionele stabiliteit	EN ISO 23999	≤ 0.10%
<b>Curling</b> - Schüsselung - Incurvation - Krulling	EN ISO 23999	pass
<b>Castor chair resistance</b> - Stuhlrollenfestigkeit - Résistance aux chaises à roulettes - Bestand tegen stoelwielen	EN 425	pass, Type W
<b>Colour fastness</b> - Farbechtheit - Solidité de la couleur - Kleurechtheid	EN ISO 105-B02	> 6
<b>Impact sound insulation</b> - Trittschallverbesserungsmaß - Efficacité acoustique - Kontaktgeluidisolatie	EN ISO 717-2	17dB (ΔLw)
<b>Chemical / Stain resistance</b> - Fleckenbeständigkeit - Résistance aux taches - Vlekbestendigheid	EN ISO 26987	pass
<b>Indoor AIR quality</b> - French VOC regulation	ISO 16000	A+ certified
<b>Content of pentachlorophenol</b>		PCP under detection limit
<b>Formaldehyde emissions</b> (28 days test)	EN ISO 717-1	Class E1
<b>Phthalate free</b>		Yes
<b>CE marking</b>	EN 14041:2011	

## Packaging - Verpackung - Emballage - Verpakking

<b>Size and packaging wood</b>	EN ISO 24342	181x1220 mm	10 planks / carton = 2.20 m <sup>2</sup> / carton (Uniclic)
<b>Size and packaging wood</b>	EN ISO 24342	230x1500 mm	6 planks / carton = 2.07 m <sup>2</sup> / carton (Unipush)

The technical data is correct at the time of printing. - 03/2025





**SUBJECT: QNG declaration**

The content of the LVT product range of Associated Weavers meets the following criteria:

- SVHC < 0.10%
- CMR Substances Category 1A/1B < 0.1%
- Reproductive Toxic Phthalates < 0.1%
- No Tin, Cadmium, and Lead Stabilizers
- Chlorinated Paraffins (SCCPs + MCCPs + LCCPs) < 0.10%

This confirms that our LVT products are manufactured in compliance with current European chemical regulations and customer safety requirements.

Rev. 0.0 30/01/2026