



# SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

**14999-10-1002**

## DeRo VZ


Product group: Window accessories - Roller shutter Systems / External blinds



Denk Rolladentechnik GmbH  
Dirnaich 7  
84140 Gangkofen



### Product qualities:



*Köttner*

**Helmut Köttner**  
Scientific Director  
Freiburg, 02 February 2026



# Contents

|  |   |
|--|---|
| ■ QNG - Qualitätssiegel Nachhaltiges Gebäude | 1 |
| ■ DGNB New Construction 2023                 | 2 |
| ■ DGNB New Construction 2018                 | 3 |
| ■ BNB-BN Neubau V2015                        | 4 |
| ■ BREEAM DE Neubau 2018                      | 5 |
| Product labels                               | 6 |
| Legal notices                                | 7 |
| Technical data sheet/attachments             | 8 |

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

**DeRo VZ**

SHI Product Passport no.:

**14999-10-1002**



## QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

| Criteria   | Pos. / product group | Considered substances | QNG assessment                             |
|--|----------------------|-----------------------|--|
| 3.1.3<br>Schadstoffvermeidung in<br>Baumaterialien | not applicable       | not applicable        | QNG ready - Not relevant for<br>assessment |



Product:

**DeRo VZ**

SHI Product Passport no.:

**14999-10-1002**



## DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

| Criteria   | No. / Relevant building components / construction materials / surfaces | Considered substances / aspects | Quality level               |
|--|--|---------------------------------|-----------------------------|
| ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition) |  |                                 | Not relevant for assessment |

| Criteria   | No. / Relevant building components / construction materials / surfaces | Considered substances / aspects | Quality level               |
|--|--|---------------------------------|-----------------------------|
| ENV 1.2 Local environmental impact, 29.05.2025 (4th edition) | not applicable   |                                 | Not relevant for assessment |



Product:

**DeRo VZ**

SHI Product Passport no.:

**14999-10-1002**



## DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

| Criteria                           | No. / Relevant building components / construction materials / surfaces | Considered substances / aspects | Quality level               |
|------------------------------------|--|---------------------------------|-----------------------------|
| ENV 1.2 Local environmental impact |  |                                 | Not relevant for assessment |



Product:

**DeRo VZ**

SHI Product Passport no.:

**14999-10-1002**



## **BNB-BN Neubau V2015**

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

| Criteria                            | Pos. / product type | Considered substance group | Quality level               |
|-------------------------------------|---------------------|----------------------------|-----------------------------|
| 1.1.6 Risiken für die lokale Umwelt |                     |                            | Not relevant for assessment |



Product:

**DeRo VZ**

SHI Product Passport no.:

**14999-10-1002**



## BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

| Criteria                  | Product category | Considered substances | Quality level               |
|---------------------------|------------------|-----------------------|-----------------------------|
| Hea 02 Indoor Air Quality |                  |                       | Not relevant for assessment |



Product:

**DeRo VZ**

SHI Product Passport no.:

**14999-10-1002**



## Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.





Product:

**DeRo VZ**

SHI Product Passport no.:

**14999-10-1002**



## Legal notices

(\*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

---

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren/C3%BCr%20Produkte>

---

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



### Publisher

Sentinel Holding Institut GmbH  
Bötzingen Str. 38  
79111 Freiburg im Breisgau  
Germany  
Tel.: +49 761 590 481-70  
[info@sentinel-holding.eu](mailto:info@sentinel-holding.eu)  
[www.sentinel-holding.eu](http://www.sentinel-holding.eu)

# Vollziegel – Rollladenkasten DENK VZR

Vollziegelrollladenkasten nach DIN 4108 Bbl. 2:2006-03  
ohne inneren Montagedeckel zur Rollladenmontage von außen.

Fabrikat: DENK VZR

Revisionsöffnung: 76 mm

Ballenraum: 210 mm

Selbsttragender Rollladenkasten gefertigt aus einer einteiligen  
Hohlkammerziegelschale.

Äußere Rollladenkasten Abschlussschiene 18 mm.

Innenauskleidung aus NEOPOR-Schale (Dämmwert mind. 0,31)

incl. Zusatzisolierung auf der Außenseite für eine höhere Winddichtigkeit  
und zum Schutz des Rollladens sowie im Auflagerbereich!

Gurtaustritt vorbereitet für Steckleitrolle.

Wärmegeädämter Stirndeckel aus verleimter Spanplatte mit verstellbaren,  
verzinkten Lagerhaltern aus Stahl.


Auflagerisolierung nach EnEV

Kastentiefe: 36 cm; 42 cm und 49 cm

Kastenhöhe: 30 cm

Maximale Fertigungslänge: 600 cm (Fertigmaß)

**Kasten ist nicht statisch tragend (Druck- und Windlast)!**



## Vollziegel – Jalousiekasten DENK VZJ

Vollziegeljalousiekasten nach DIN 4108 Bbl. 2:2006-03  
ohne inneren Montagedeckel zur Raffstoremontage von außen.

Fabrikat: DENK VZJ

Revisionsöffnung: 125 mm

Schachthöhe: 26 cm

Selbstragender Jalousiekasten gefertigt aus einer einteiligen  
Hohlkammerziegelschale. (Innenrevision aus Ziegel).

Äußere Rollladenkasten Abschlussschiene 18 mm.

Innenauskleidung aus NEOPOR-Schale (Dämmwert mind. 0,31)

incl. Zusatzisolierung auf der Außenseite für eine höhere Winddichtigkeit  
und zum Schutz der Jalousie!

Wärmegeädmmter Stirndeckel aus verleimter Spanplatte

Kastentiefe: 36 cm; 42 cm und 49 cm

Kastenhöhe: 30 cm

Maximale Fertigungslänge: 600 cm (Fertigmaß)

**Kasten ist nicht statisch tragend (Druck- und Windlast)!**

