



SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

15139-10-1003

HERBA EXKLUSIV, natur, lackiert, geölt

Product group: Interior construction - Doors & Gates - Interior doors



Herrmann Bär GmbH
Oberndorfer Str. 19 - 21
91472 Ipsheim



Product qualities:



Köttner

Helmut Köttner
Scientific Director
Freiburg, 02 February 2026



Product:

HERBA EXKLUSIV, natur, lackiert, geölt

SHI Product Passport no.:

15139-10-1003



Contents

■ SHI Product Assessment 2024	1
■ QNG - Qualitätssiegel Nachhaltiges Gebäude	2
■ DGNB New Construction 2023	3
■ DGNB New Construction 2018	5
■ BNB-BN Neubau V2015	6
■ EU taxonomy	7
■ BREEAM DE Neubau 2018	8
Product labels	9
Legal notices	10
Technical data sheet/attachments	10

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

HERBA EXKLUSIV, natur, lackiert, geölt

SHI Product Passport no.:

15139-10-1003



SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Harmful substance limit	Assessment
SHI Product Assessment	Other products	TVOC $\leq 300 \mu\text{g}/\text{m}^3$ Formaldehyd $\leq 24 \mu\text{g}/\text{m}^3$	Indoor Air Quality Certified
Valid untill: 31 August 2026			



Product:

HERBA EXKLUSIV, natur, lackiert, geölt

SHI Product Passport no.:

15139-10-1003



QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	not applicable	not applicable	QNG ready - Not relevant for assessment



Product:

HERBA EXKLUSIV, natur, lackiert, geölt

SHI Product Passport no.:

15139-10-1003



DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	47 Coated and uncoated wood-based materials: particle board, blockboard, veneer panels, fibreboard	Formaldehyde emissions	Quality level 4

Verification: für DE-UZ 76 oder Formaldehyd $\leq 0,08$ ppm (entspricht $0,103 \text{ mg/m}^3$) durch Eco Zertifikat vom 07.08.2025 / Nr. ID 0817-33806-002.

Criteria	Assessment
ENV1.1 Climate action and energy (*)	May positively contribute to the overall building score

Verification: Erfahrungswerte des Herstellers.

Criteria	Assessment
SOC1.1 Thermal comfort (*)	May positively contribute to the overall building score

Verification: ja, wenn die Tür offen oder geschlossen ist.

Criteria	Assessment
SOC1.3 Sound insulation and acoustic comfort (*)	May positively contribute to the overall building score

Verification: ja, wenn die Tür offen oder geschlossen ist.



Criteria	Assessment
SOC1.2 Indoor air quality (*)	May positively contribute to the overall building score
Verification: SHI-Schadstoffgeprüft	

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	Coated and uncoated wood-based materials	VVOC, VOC, SVOC emissions	Quality level 4
Verification: für DE-UZ 76 oder Formaldehyd $\leq 0,08$ ppm (entspricht $0,103 \text{ mg/m}^3$) durch Eco Zertifikat vom 07.08.2025 / Nr. ID 0817-33806-002.			



Product:

HERBA EXKLUSIV, natur, lackiert, geölt

SHI Product Passport no.:

15139-10-1003



DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	47a Industrially manufactured products	Formaldehyde	Quality level 4
Verification: Eco-Institut Zertifikat vom 07.08.2025 / Nr. ID 0817-33806-002.			



Product:

HERBA EXKLUSIV, natur, lackiert, geölt

SHI Product Passport no.:

15139-10-1003



BNB-BN Neubau V2015

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt	23 Oils and waxes	VOC / hazardous substances	Quality level 5
Verification: bzgl. Nr. 23 und Nr. 3a für Einhaltung BIMSChV bzw. TA-Luft durch Herstellerbestätigung vom 11.07.2024.			



Product:

HERBA EXKLUSIV, natur, lackiert, geölt

SHI Product Passport no.:

15139-10-1003



EU taxonomy

The EU Taxonomy classifies economic activities and products according to their environmental impact. At the product level, the EU regulation defines clear requirements for harmful substances, formaldehyde and volatile organic compounds (VOCs). The Sentinel Holding Institut GmbH labels qualified products that meet this standard.

Criteria	Product type	Considered substances	Assessment
DNSH - Pollution prevention and control		Substances according to Annex C	EU taxonomy compliant
Verification: für keine Stoffe mit Einstufung CMR 1A / 1B und SVHC $\leq 0,1\%$ durch Eco Zertifikat vom 07.08.2025/ Nr. ID 0817-33806-002.			



Product:

HERBA EXKLUSIV, natur, lackiert, geölt

SHI Product Passport no.:

15139-10-1003



BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea 02 Indoor Air Quality	Wood-based products	Emissions: Formaldehyde, TVOC, TSVOC, carcinogens	Exemplary quality
Verification: durch Eco Zertifikat vom 07.08.2025 / Nr. ID 0817-33806-002			



Product:

HERBA EXKLUSIV, natur, lackiert, geölt

SHI Product Passport no.:

15139-10-1003



Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



This product is SHI Indoor Air Quality certified and recommended by Sentinel Holding Institut. Indoor-air-focused construction, renovation, and operation of buildings is made possible by transparent and verifiable criteria thanks to the Sentinel Holding concept.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



The privately owned eco-INSTITUT certifies low-emission, low-odour and low-pollutant construction and cleaning products, furnishings and furniture on the basis of its strict test criteria and precisely documented certification conditions.



Product:

HERBA EXKLUSIV, natur, lackiert, geölt

SHI Product Passport no.:

15139-10-1003



Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfkriterien%20f%C3%BCr%20Produkte>

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



Publisher

Sentinel Holding Institut GmbH
Bötzingen Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

ZERTIFIKAT / CERTIFICATE

Zertifizierte Produkte
Certified products

HERBA EXKLUSIV - natur - lackiert - geölt

Produktart
Product type

Tür

Hersteller / Vertrieb
Manufacturer / Distributor

**HERBA-Zimmertüren Herrmann Bär GmbH
Oberndorfer Str. 21
91472 Ipsheim**

Zertifizierungsnummer
Certification number

0817-33806-002

Prüfberichtsnummer
Number of test report

**59393-A001-A007-eIL-G II
59393-A001-A007-L
60264-A001-A003-L**

Prüfumfang
Test program

Laborprüfung auf gesundheitlich bedenkliche Emissionen und Inhaltsstoffe.
Tested on hazardous emissions and components.

Prüfergebnis
Test result

Die untersuchten Produkte erfüllen die Anforderungen des eco-INSTITUT-Label-Programms sowie der Prüfkriterien eIL 07.01 (03/2024) Fenster, Türen, Trennwände. Einzelheiten siehe zugehöriges Gutachten.

The products tested meet the requirements of the eco-INSTITUT-Label programme and the test criteria eIL 07.01 (03/2024) Windows, doors, partition walls. For further details see the respective report.

Gültigkeit / Überwachung bis
Validity / Monitoring until

08/2026

Köln, 07.08.2025

eco-INSTITUT Germany GmbH
Schanzenstr. 6-20
Carlswerk 1.19
D-51063 Köln



Dr. Frank Kuebart



Nora Rasch



eco-institut.de
eco-institut-label.de

INFORMATION ZUM ZERTIFIKAT

Die wichtigsten Fakten zum eco-INSTITUT-Label

- **Anerkanntes Qualitätssiegel** für Bau- und Einrichtungsprodukte, Möbel, Reinigungsmittel, Matratzen und Bettwaren
- **Empfohlen** von führenden unabhängigen Verbrauchermedien (z. B. WDR Haushalts-Check, Magazin ÖKO-TEST, label-online.de)
- Kennzeichnet Produkte, die **besonders schadstoff- und emissionsarm** sind
- Prüfumfang: **1. Dokumentenprüfung** (Volldeklaration), **2. Laborprüfung** (umfangreiche Untersuchungen auf Emissionen, Inhaltsstoffe und Geruch)
- **Gültigkeit: 2 Jahre**; jährliche Konformitätsprüfung; zur Verlängerung nach 2 Jahren komplette Neuprüfung erforderlich
- **Transparenz** beim Prüfablauf, bei den Prüfkriterien und den Kosten (weiterführende Informationen unter www.eco-institut-label.de)

Was deckt das Label ab bzw. wo wird es anerkannt?

Das Hauptmerkmal der eco-INSTITUT-Label-Kriterien ist die **ausführliche Liste von VOC-Emissionsanforderungen** für kritische Substanzgruppen und Einzelsubstanzen. Diese basiert unter anderem auf der jeweils aktuellen NIK-Wert-Liste des AgBB, umfasst aber auch die deutschen Innenraumrichtwerte RW I.

Die Emissionsprüfungen erfolgen gemäß EN 16516 i. d. R. nach 3 und 28 Tagen. Durch die strengen eco-INSTITUT-Label-Kriterien werden die Emissionsanforderungen an Produkte bei anderen **nationalen und internationalen Bewertungsprogrammen** abgedeckt bzw. anerkannt, wie z. B. ...

- ✓ **AgBB Schema Deutschland** (Ausschuss für die gesundheitliche Bewertung von Bauprodukten)
- ✓ **Landesbauordnungen/MVV TB Deutschland:** Anforderungen an bauliche Anlagen bezüglich des Gesundheitsschutzes (ABG)
- ✓ **Belgische VOC-Verordnung**
- ✓ **Französische VOC-Verordnung** Klasse A sowie **französische KMR-Verordnung**
- ✓ **Breeam und HQM International** (außer „paints & varnishes“): Hea 02 Indoor air quality
- ✓ **BVB Schweden** (Byggsvarube dömningen): VOC emissions
- ✓ **Danish Indoor Climate Labelling**
- ✓ **DGNB International** (ENV1.2 – Risiken für die lokale Umwelt; 2018): Emissionsnachweis der Zeilen 6, 7, 8, 9, 11, 13, 20, 23, 47a, 48 – Neubau Gebäude und Innenraum Kriterienmatrix (Anlage 1) und der Zeilen 1 und 2 – Innenraum Kriterienmatrix (Anlage 2)
- ✓ **eco-bau Schweiz** (Kriterium Lösemittel)
- ✓ **EGGbi Europäische Gesellschaft für gesundes Bauen und Innenraumhygiene** (Zitat: „[...] umfangreichsten und völlig transparenten Kriterienkatalog aller Gütezeichen [...])“
- ✓ **EU Taxonomieverordnung (EU) 2023/2486** 7.1 Neubau, 7.2 Gebäuderenovierung, 5) Vermeidung und Verminderung der Umweltverschmutzung, Formaldehyd und krebserzeugende VOC
- ✓ **GOLS Global Organic Latex Standard**
- ✓ **Italienisches Green Public Procurement** (I Criteri ambientali minimi – CAM)
- ✓ **LEED v4.1** Option 2 und **LEED v4** for projects outside the U.S.; EQ credit low-emitting materials: VOC emissions requirements (bei Formaldehyd-emissionen nach 28 Tagen < 10 µg/m³)
- ✓ **QNG Qualitätssiegel Nachhaltiges Gebäude** (3.1.3 Schadstoffvermeidung in Baumaterialien): Teil- oder Komplettanforderungen an SVHC, VOC-Emissionen und Inhaltsstoffe Pos. 1, 2, 3.1, 3.2, 4.1, 4.2, 4.3, 4.5, 5.7, 5.8, 5.9, 6, 7.5, 9, 12.4
- ✓ **WELL International** (International WELL Building Institute)

Die Liste ist nicht abschließend.
Stand: November 2024

INFORMATION ON THE CERTIFICATE

The most important facts about the eco-INSTITUT label

- **Recognised quality seal** for construction and furnishing products, furniture, cleaning products, mattresses and bedding
- **Identifies products** that are particularly **low in pollutants and emissions**
- **Validity: 2 years**; annual conformity test; complete reassessment required for renewal after 2 years
- **Recommended** by leading independent consumer media (e.g. WDR Haushalts-Check, ÖKO-TEST Magazine, label-online.de)
- **Test scope: 1. Document inspection** (full declaration), **2. Laboratory testing** (extensive tests for emissions, substances and odour)
- **Transparency** in the test sequence, the test criteria and the costs (further information at www.eco-institut-label.de)

What does the label cover and where is it recognised?

The main feature of the eco-INSTITUT label criteria is the **detailed list of VOC emission requirements** for critical substance groups and individual substances. This is based, among other things, on the current list of NIK values from the AgBB, but also includes the German Indoor Guide Values RW I.

Emission tests are usually carried out after 3 and 28 days in accordance with EN 16516. Due to the strict eco-INSTITUT label criteria, emission requirements for products are covered or recognised in other **national and international evaluation programmes**, such as ...

- ✓ **AgBB scheme Germany** (Committee for Health-related Evaluation of Building Products)
- ✓ **DGNB International** (ENV1.2 – Local environmental impact; 2018): Emission evidence from rows 6, 7, 8, 9, 11, 13, 20, 23, 47a, 48 – New buildings and interior criteria matrix (Appendix 1) and rows 1 and 2 – Interior criteria matrix (Appendix 2)
- ✓ **GOLS Global Organic Latex Standard**
- ✓ **State Building Codes/MVV TB Germany:** Requirements for structural installations regarding health protection (ABG)
- ✓ **eco-bau Switzerland** (solvent criterion)
- ✓ **Italian Green Public Procurement** (I Criteri ambientali minimi – CAM)
- ✓ **Belgian VOC regulation**
- ✓ **EGGbi European Society for Healthy Building and Indoor Hygiene** (quote: „[...] most comprehensive and completely transparent catalogue of criteria of all quality labels [...]“)
- ✓ **LEED v4.1** Option 2 and **LEED v4** for projects outside the U.S.; EQ credit low-emitting materials: VOC emissions requirements (formaldehyde emissions after 28 days < 10 µg/m³)
- ✓ **French VOC regulation** Class A and **French CMR regulation**
- ✓ **EU Taxonomy Regulation (EU) Standard 2023/2486** 7.1 New construction, 7.2 Building renovation, 5) Pollution prevention and control, formaldehyde and carcinogenic VOCs
- ✓ **QNG German Quality label Sustainable Building** (3.1.3 Prevention of pollutants in building materials): Partial or complete requirements for SVHC, VOC emissions and contents Pos. 1, 2, 3.1, 3.2, 4.1, 4.2, 4.3, 4.5, 5.7, 5.8, 5.9, 6, 7.5, 9, 12.4
- ✓ **Breeam and HQM International** (except „paints & varnishes“): Hea 02 Indoor air quality
- ✓ **WELL International** (International WELL Building Institute)
- ✓ **BVB Sweden** (Byggsvarube domningen): VOC emissions
- ✓ **Danish Indoor Climate Labelling**

The list is not exhaustive.
Last updated: November 2024

HERBA-Zimmertüren Oberndorfer Str. 21 91472 Ipsheim 09846 / 415 info@zimmertueren.de www.zimmertueren.de	Technisches Datenblatt Stand 2024	
<i>Zimmertürelemente in Schreinerqualität, einbaufertig zusammengebaut.</i> Modell: EXKLUSIV – gefälztes Element		
Beschreibung Exklusiv-Türblatt mit Exklusiv-Mittellage		
Oberfläche:	Echtholz furniert, natur lackiert, Profi White oder Profi Colour lackiert, umweltfreundlicher, schadstofffreier Wasserlack, alternativ geölt	
Konstruktionsmerkmale:	Abmessungen: nach DIN 18101, sowie Sondermaße	
Türblattstärke:	ca. 40 mm	
Kante:	Rundkante oder preisgleich eckig, dreiseitig echtholzfurniert oder Profi White bzw. Colour	
Absperrung:	Hartfaser- oder HDF-Platten ca. 3 mm	
Rahmen:	Rahmen aus Massivholz umlaufend, aufrecht und unten quer doppelt	
Mittellage:	Exklusiv-Mittellage – natürliche, ökologische Holzfaserplatte	
Verleimung:	schadstofffrei mit PVAC-Weißleim (D 3)	
Bänder:	2 Stück Einbohrbänder SIMONS V 0026 WF	
Schloss:	Bb-Schloss nach DIN 18251, Klasse 2, zweitourig	
Beschreibung Exklusiv-Türzarge (immer fertig zusammengebaut)		
Oberfläche:	Echtholz furniert natur lackiert; Profi White oder Profi Colour lackiert, umweltfreundlicher, schadstofffreier Wasserlack, alternativ geölt	
Konstruktionsmerkmale:	Abmessungen: nach DIN 18101, sowie Sondermaße, fertig zusammengebaut	
Verkleidungen:	60mm eckig	
Futterbrett:	22mm Tischlerplatte	
Dichtung:	TPE Dichtung eingezogen	
Schließblech:	Standard-Schließblech: stabiles zweitouriges Schließblech, erhöhte Stabilität durch zwei zusätzliche Befestigungswinkel, die an der Futterrückseite verschraubt werden	
Bandtaschen & Bänder:	2 Bandtaschen V 3612 vernickelt 2 Stück Einbohrbänder SIMONS V 4400 WF	
Verstellbereich:	bei Wandstärke 70 bis 90mm: -0/+10mm bei Wandstärke über 90mm: -5/+15 mm	
Weitere Mehrleistungen und Ausführungen auf Anfrage		