



SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

12065-10-1014

Kährs 3-Schicht Parkett Supreme

Product group: Parquet - Floor coverings / Wall coverings



Kährs Parkett Deutschland GmbH & Co. KG
Konrad-Adenauer-Str. 15
72072 Tübingen



Product qualities:



Köttner

Helmut Köttner
Scientific Director
Freiburg, 02 February 2026



Product:

Kährs 3-Schicht Parkett Supreme

SHI Product Passport no.:

12065-10-1014

Kährs®

Contents

 SHI Product Assessment 2024	1
 QNG - Qualitätssiegel Nachhaltiges Gebäude	2
 DGNB New Construction 2023	3
 DGNB New Construction 2018	4
Product labels	5
Legal notices	6
Technical data sheet/attachments	7

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar

SGS

SGS
TÜV
SAAR



Product:

Kährs 3-Schicht Parkett Supreme

SHI Product Passport no.:

12065-10-1014

Kährs®

SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Harmful substance limit	Assessment
SHI Product Assessment	Wood-based floor coverings	TVOC $\leq 300 \mu\text{g}/\text{m}^3$ Formaldehyd $\leq 36 \mu\text{g}/\text{m}^3$	Indoor Air Quality Certified
Valid untill: 23 March 2027			



Product:

Kährs 3-Schicht Parkett Supreme

SHI Product Passport no.:

12065-10-1014

Kährs®



QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	2.3 Multi-layer wood parquet, bamboo coverings, and floor coverings on wood-based panels	VOC / Emissions / hazardous substances	QNG ready
Verification: Herstellererklärung vom 07.01.2025 sowie auf Grundlage des Prüfbericht eurofins (NR. 392-2023-00476501_I_EN) vom 21.11.2023.			



Product:

Kährs 3-Schicht Parkett Supreme

SHI Product Passport no.:

12065-10-1014

Kährs®

DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	47c Wood-based materials in floor coverings	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 4
Verification: Nachweis Einhaltung Emission nach 28. Tg ≤ DE-UZ 176 durch Prüfbericht eurofins (NR. 392-2023-00476501_I_EN) vom 21.11.2023. Konformitätserklärung vom 16.01.2025 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt			

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	47c Floor coverings for indoor use (with wooden components)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 4
Verification: Nachweis Einhaltung Emission nach 28. Tg ≤ DE-UZ 176 durch Prüfbericht eurofins (NR. 392-2023-00476501_I_EN) vom 21.11.2023. Konformitätserklärung vom 16.01.2025 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt			



Product:

Kährs 3-Schicht Parkett Supreme

SHI Product Passport no.:

12065-10-1014

Kährs®

DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	47a Industrially manufactured products	Formaldehyde	Quality level 4
Verification: Nachweis Einhaltung Emission nach 28. Tg ≤ DE-UZ 176 durch Prüfbericht eurofins (NR. 392-2023-00476501_I_EN) vom 21.11.2023. Konformitätserklärung vom 16.01.2025 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt			



Product:

Kährs 3-Schicht Parkett Supreme

SHI Product Passport no.:

12065-10-1014

Kährs®

Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



This product is SHI Indoor Air Quality certified and recommended by Sentinel Holding Institut. Indoor-air-focused construction, renovation, and operation of buildings is made possible by transparent and verifiable criteria thanks to the Sentinel Holding concept.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



Product:

Kährs 3-Schicht Parkett Supreme

SHI Product Passport no.:

12065-10-1014



Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren/C3%BCf%C3%BCr%20Produkte>

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



Publisher

Sentinel Holding Institut GmbH
Bötzingen Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

Eiche Straw

Aufbau 3-Schicht
Besonderheiten handgehobelt, 4-seitig gefast
Nutzschicht bis zu 3,5 mm
(Aufgrund der Handhobelung kann die Nutzschichtdicke auf der Diele zwischen 3,5 mm und 2 mm variieren)

Mittellage / Gegenzug
Verbindung
Design
Fußbodenheizung
Sortierung (nach Werksnorm)
Beschreibung

Nadelholz / Echtholz
Woodloc 5G
1-Stab
geeignet
Dynamic
Rustikale Sortierung mit allen natürlichen Farbvariationen. Große und teilweise gespachtelte Äste und Risse.

Artikelnummer	Oberfläche	Abmessung (mm)	Dielen / Paket	m ² / Paket	kg / Paket
151XCDEFZKW195	Naturöl	1900 x 190 x 15	6	2,17	17,4

Pakete können eine Lage geteilte Dielen enthalten.



Der Originalboden kann vom Bild abweichen. Holz ist ein Naturmaterial. Die Sortierung dieses Produkts ist nicht willkürlich, jedoch den natürlichen Schwankungen in Farbe und Struktur ausgesetzt. Bei Handhobelndielen sind aufgrund der Hobelung Höhenunterschiede zwischen den Dielen von > 0,2 mm möglich.





HERSTELLERERKLÄRUNG

QNG – Schadstoffvermeidung in Baumaterialien

(Version 1.3, Korrekturfassung v. 14.09.2023)

Hiermit bestätigen wir:

Kährs Parkett Deutschland GmbH & Co. KG

Konrad-Adenauer-Straße 15

72072 Tübingen

für das folgende Produkt / die folgenden Produkte:

Kährs 3-Schicht Parkett Supreme

Kollektionen: Artisan, Da Capo, Royal, Tempest, Avanti, Piacente, Rifugio

Nach Position 2.3 *Mehrschichtiges Holzparkett, Bambusbeläge und Bodenbeläge auf Holzwerkstoff-Trägerplatten:*

Das Produkt/ Erzeugnis/ mindestens ein Teilerzeugnis enthält Stoffe der Kandidatenliste (Version zum Ausstellungsdatum) oberhalb 0,1 Massen%:

nein

Einhaltung des AgBB-Schemas

ja

Geräuchertes Holz: Ammoniak_{28d} ≤ 0,10 mg/m³

ja

Tübingen, 7. Jan. 2025

Ort, Datum, Unterschrift, Stempel

 **Kährs Parkett**
Deutschland GmbH & Co. KG
Konrad-Adenauer-Str. 15
72072 Tübingen

Ihr Ansprechpartner für Rückfragen:

Name: Sebastian Fleck Telefon: 07071/9193-220 Mailadresse: Sebastian.Fleck@kahrs.com