



SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

12065-10-1019

Kährs 2-Schicht Parkett


Product group: Parquet - Floor coverings / Wall coverings



Kährs Parkett Deutschland GmbH & Co. KG
Konrad-Adenauer-Str. 15
72072 Tübingen



Product qualities:



Köttner

Helmut Köttner
Scientific Director

Freiburg, 02 February 2026



Product:

Kährs 2-Schicht Parkett

SHI Product Passport no.:

12065-10-1019

Kährs®

Contents

■ QNG - Qualitätssiegel Nachhaltiges Gebäude	1
■ DGNB New Construction 2023	2
■ DGNB New Construction 2018	3
Product labels	4
Legal notices	5
Technical data sheet/attachments	6

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

Kährs 2-Schicht Parkett

SHI Product Passport no.:

12065-10-1019

Kährs®



QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	2.3 Multi-layer wood parquet, bamboo coverings, and floor coverings on wood-based panels	VOC / Emissions / hazardous substances	QNG ready
Verification: Einhaltung AgBB-Schema nachgewiesen durch Prüfbericht EPH (Nr. 2117175/2024/1 vom 06.09.2024). Die Bewertung QNG-ready gilt ausschließlich für nicht geräucherte Produktvarianten!			



Product:

Kährs 2-Schicht Parkett

SHI Product Passport no.:

12065-10-1019

Kährs®

DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	47c Wood-based materials in floor coverings	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 3
Verification: Einhaltung AgBB-Schema nachgewiesen durch Prüfbericht EPH (Nr. 2117175/2024/1 vom 06.09.2024)			

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	47c Floor coverings for indoor use (with wooden components)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 3
Verification: Einhaltung AgBB-Schema nachgewiesen durch Prüfbericht EPH (Nr. 2117175/2024/1 vom 06.09.2024)			



Product:

Kährs 2-Schicht Parkett

SHI Product Passport no.:

12065-10-1019

Kährs®

DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	47a Industrially manufactured products	Formaldehyde	Quality level 4
Verification: Formaldehyd $\leq 0,05$ ppm nachgewiesen durch Prüfbericht EPH (Nr. 2117175/2024/1 vom 06.09.2024)			



Product:

Kährs 2-Schicht Parkett

SHI Product Passport no.:

12065-10-1019

Kährs®

Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



Product:

Kährs 2-Schicht Parkett

SHI Product Passport no.:

12065-10-1019



Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren/kriterien%20f%C3%BCr%20Produkte>

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



Publisher

Sentinel Holding Institut GmbH
Bötzingen Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

Eiche AB, Naturöl

Aufbau
Besonderheiten
Nutzschicht
Trägermaterial
Verbindung
Design
Fußbodenheizung

2-Schicht
gebürstet, 4-seitig gefast
ca. 3,6 mm
Birkensperrholz
Nut-Feder
Maxistab
geeignet

Sortierung
Beschreibung

AB
Diese Holzsortierung beinhaltet die ruhigen und weniger kontrastreichen Teile des Holzes. Splintfrei und weitgehend astfrei (vereinzelt sind Punkstäbe möglich).
Die Sortierung entspricht mindestens den Vorgaben des Sortierungsmerkmals O(Kreis) gemäß EN13489:2014

Artikelnummer	Oberfläche	Abmessung (mm)	Dielen / Paket	m ² / Paket	kg / Paket
111PABEKFOKE180	Naturöl	1800 x 180 x 11	8	2,59	103,60



Der Originalboden kann vom Bild abweichen. Holz ist ein Naturmaterial. Die Sortierung dieses Produkts ist nicht willkürlich, jedoch den natürlichen Schwankungen in Farbe und Struktur ausgesetzt.



