



SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

12065-10-1032

Kährs Ranch & Hacienda

Product group: Vinyl - Floor coverings / Wall coverings



Kährs Parkett Deutschland GmbH & Co. KG
Konrad-Adenauer-Str. 15
72072 Tübingen



Product qualities:



Köttner

Helmut Köttner
Scientific Director

Freiburg, 02 February 2026



Kährs®

Contents

 SHI Product Assessment 2024	1
 QNG - Qualitätssiegel Nachhaltiges Gebäude	2
 DGNB New Construction 2023	3
 DGNB New Construction 2018	4
 BNB-BN Neubau V2015	5
 BREEAM DE Neubau 2018	6
Product labels	7
Legal notices	8
Technical data sheet/attachments	9

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar

SGS

SGS
TÜV
S A A R



Product:

Kährs Ranch & Hacienda

SHI Product Passport no.:

12065-10-1032

Kährs®

SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Harmful substance limit	Assessment
SHI Product Assessment	Other floor coverings	TVOC $\leq 160 \mu\text{g}/\text{m}^3$ Formaldehyd $\leq 10 \mu\text{g}/\text{m}^3$	Indoor Air Quality Certified
Valid untill: 28 June 2026			



Product:

Kährs Ranch & Hacienda

SHI Product Passport no.:

12065-10-1032

Kährs®

QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	2.2 Resilient floor coverings – including multilayer systems	VOC / Emissions / hazardous substances / polycyclic aromatic hydrocarbons (PAH) / SVHC / heavy metals	QNG ready
Verification: Herstellererklärung vom 07.01.2025 sowie auf Grundlage des Emissionsprüfbericht Eurofins vom 07. Juni 2024 Nr. 392-2024-00175301_A_EN. Konformitätserklärung vom 01.07.2024 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt.			



Product:

Kährs Ranch & Hacienda

SHI Product Passport no.:

12065-10-1032

Kährs®

DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	7 Floor coverings (Resilient floor coverings)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 1
Verification: für SVHC $\leq 0,1$ % durch Herstellererklärung vom 16.11.2023. Für AgBB oder hochwertiger durch Emissionsprüfbericht Eurofins vom 07. Juni 2024 Nr. 392-2024-00175301_A_EN.			

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	7 Floor coverings for indoor use (elastic floor coverings)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 1
Verification: für SVHC $\leq 0,1$ % durch Herstellererklärung vom 16.11.2023. Für AgBB oder hochwertiger durch Emissionsprüfbericht Eurofins vom 07. Juni 2024 Nr. 392-2024-00175301_A_EN.			



Product:

Kährs Ranch & Hacienda

SHI Product Passport no.:

12065-10-1032

Kährs®

DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	7 Floor coverings (Resilient floor coverings)	VOC / SVOC / hazardous substances	Quality level 1
Verification: für SVHC $\leq 0,1$ % durch Herstellererklärung vom 16.11.2023. Für AgBB oder hochwertiger durch Emissionsprüfbericht Eurofins vom 07. Juni 2024 Nr. 392-2024-00175301_A_EN.			



Product:

Kährs Ranch & Hacienda

SHI Product Passport no.:

12065-10-1032

Kährs®

BNB-BN Neubau V2015

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt	2a Elastic floor coverings – with and without bonded underlay or insulation layer	VOC / hazardous substances / heavy metals	Quality level 3

Verification: Herstellererklärung vom 07.01.2025 sowie auf Grundlage des Emissionsprüfbericht Eurofins vom 07. Juni 2024 Nr. 392-2024-00175301_A_EN. Konformitätserklärung vom 01.07.2024 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt.



Product:

Kährs Ranch & Hacienda

SHI Product Passport no.:

12065-10-1032

Kährs®

BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea 02 Indoor Air Quality	Flooring materials (including floor levelling compounds and resin flooring)	Emissions: Formaldehyde, TVOC, TSVOC, carcinogens	Exemplary quality
Verification: durch Emissionsprüfbericht von Eurofins Product Testing Denmark A/S vom 07.06.2024 Nr. 392-2024-00175301_A_EN. Konformitätserklärung vom 01.07.2024 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt.			



Product:

Kährs Ranch & Hacienda

SHI Product Passport no.:

12065-10-1032

Kährs®

Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



This product is SHI Indoor Air Quality certified and recommended by Sentinel Holding Institut. Indoor-air-focused construction, renovation, and operation of buildings is made possible by transparent and verifiable criteria thanks to the Sentinel Holding concept.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



Product:

Kährs Ranch & Hacienda

SHI Product Passport no.:

12065-10-1032



Kährs®

Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren/kriterien%20f%C3%BCr%20Produkte>

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



Publisher

Sentinel Holding Institut GmbH
Bötzingen Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu



TECHNISCHE DATEN

KÄHRS LUXURY TILES

RANCH UND HACIENDA KOLLEKTIONEN



Rigid Click Wood 1220 x 228 x 5 x 0.55 mm
2,5 m²/Paket, 40 Paket/Palette

PRODUKT

Click LVT Rigid Core SPC+ IXPE	EN ISO 10582	Elastischer Bodenbelag
Joint		Click joint
Klassifizierung	EN ISO 10874	23/33

SPEZIFIKATIONEN

Dicke		EN ISO 24337	5,0 mm (integrierte IXPE Schalldämmung)
Gewicht		EN ISO 24342	8,2 kg/m ²
Verschleißschicht		EN ISO 24346	0,55 mm

PRODUKTEIGENSCHAFTEN

EIGENSCHAFTEN	TESTMETHODE	ERGEBNIS
Umwelt- und Raumluft-zertifizierungen		M1, FloorScore, A+
Brandklasse	 EN 13501-1	B _{f1} -s1
Resteindruck	 EN ISO 24343-1	< 0,2 mm (integrierte IXPE Schalldämmung)
Dimensionsstabilität	 EN ISO 23999 (80 °C/6 h)	< 0,1 %
Farbbeständigkeit	 EN ISO 105-B02	≥ 6
Gleitreibungswiderstand Rutschsicherheit / -hemmung	 EN 13893 DIN 51130	DS (> 0,3) R10
Elektrostatishes Verhalten	 EN 1815	< 2 kV (antistatisch)
Abrieb und Kratzbeständigkeit	 EN 16094	Bestanden, mit gutem Ergebnis
Chemikalienbeständigkeit	 EN ISO 26987	Bestanden, mit gutem Ergebnis
Wärmedurchlasswiderstand	 EN 12664:2001	0,032 m ² K/W
Stuhlrolleneignung	 EN 425	Geeignet
Fußbodenheizung	 	Geeignet (max +27 °C)
Beständigkeit gegen Bakterien- und Pilzwachstum		Gut
Trittschallschutz	 EN ISO 10140	ΔL _w = 19 dB (integrierte IXPE Schalldämmung)

HERSTELLERERKLÄRUNG

QNG – Schadstoffvermeidung in Baumaterialien

(Version 1.3, Korrekturfassung v. 14.09.2023)

Hiermit bestätigen wir:

Kährs Parkett Deutschland GmbH & Co. KG

Konrad-Adenauer-Straße 15

72072 Tübingen

für das folgende Produkt / die folgenden Produkte:

Kährs LT Vinylböden Ranch & Hacienda

Nach Position 2.2 *Elastische Bodenbeläge – auch mehrschichtige Systeme:*

Das Produkt/ Erzeugnis/ mindestens ein Teilerzeugnis enthält Stoffe der Kandidatenliste (Version zum Ausstellungsdatum) oberhalb 0,1 Massen%:	nein
Einhaltung des AgBB-Schemas	ja
Reproduktionstoxische Phthalate < 0,10 %	ja
keine Zinn-, Cadmium- und Bleistabilisatoren	ja

Tübingen, 7. Januar 2025

Ort, Datum, Unterschrift, Stempel

 **Kährs Parkett**
Deutschland GmbH & Co. KG
Konrad-Adenauer-Str. 15
72072 Tübingen

Ihr Ansprechpartner für Rückfragen:

Name: Sebastian Fleck Telefon: 07071/9193-220 Mailadresse: Sebastian.Fleck@kahrs.com