



# SHI-PRODUKTPASS

Produkte finden - Gebäude zertifizieren

SHI-Produktpass-Nr.:

**15131-10-1005**

## FrogTape Delicate-Surface

Warengruppe: Abdeckband - Malerband - Masking Tape



Kip GmbH  
Schlavenhorst 9  
46395 Bocholt










### Produktqualitäten:



*Köttner*  
Helmut Köttner  
Wissenschaftlicher Leiter  
Freiburg, den 26.11.2025



## Inhalt

 SHI-Produktbewertung 2024	1
 QNG - Qualitätssiegel Nachhaltiges Gebäude	2
 DGNB Neubau 2023	3
 DGNB Neubau 2018	4
 BNB-BN Neubau V2015	5
 EU-Taxonomie	6
 BREEAM DE Neubau 2018	7
Produktsiegel	8
Rechtliche Hinweise	9
Technisches Datenblatt/Anhänge	10

Wir sind stolz darauf, dass die SHI-Datenbank, die erste und einzige Datenbank für Bauprodukte ist, die ihre umfassenden Prozesse sowie die Aktualität regelmäßig von dem unabhängigen Prüfunternehmen SGS-TÜV Saar überprüfen lässt.





Produkt:

**FrogTape Delicate-Surface**

SHI Produktpass-Nr.:

**15131-10-1005**



## SHI-Produktbewertung 2024

Seit 2008 etabliert die Sentinel Holding Institut GmbH (SHI) einen einzigartigen Standard für schadstoffgeprüfte Produkte. Experten führen unabhängige Produktprüfungen nach klaren und transparenten Kriterien durch. Zusätzlich überprüft das unabhängige Prüfunternehmen SGS regelmäßig die Prozesse und Aktualität.

Kriterium	Produktkategorie	Schadstoffgrenzwert	Bewertung
SHI-Produktbewertung	Dichtstoffe und Klebstoffe	TVOC $\leq 300 \mu\text{g}/\text{m}^3$ Formaldehyd $\leq 24 \mu\text{g}/\text{m}^3$	Schadstoffgeprüft
Gültig bis: 18.10.2026			



Produkt:

**FrogTape Delicate-Surface**

SHI Produktpass-Nr.:

**15131-10-1005**



## QNG - Qualitätssiegel Nachhaltiges Gebäude

Das Qualitätssiegel Nachhaltiges Gebäude, entwickelt durch das Bundesministerium für Wohnen, Stadtentwicklung und Bauwesen (BMWSB), legt Anforderungen an die ökologische, soziokulturelle und ökonomische Qualität von Gebäuden fest. Das Sentinel Holding Institut prüft Bauprodukte gemäß den QNG-Anforderungen für eine Zertifizierung und vergibt das QNG-ready Siegel. Das Einhalten des QNG-Standards ist Voraussetzung für den KfW-Förderkredit. Für bestimmte Produktgruppen hat das QNG derzeit keine spezifischen Anforderungen definiert. Diese Produkte sind als nicht bewertungsrelevant eingestuft, können jedoch in QNG-Projekten genutzt werden.

Kriterium	Pos. / Bauproduktgruppe	Betrachtete Stoffe	QNG Freigabe
3.1.3 Schadstoffvermeidung in Baumaterialien	nicht zutreffend	nicht zutreffend	QNG-ready nicht bewertungsrelevant



Produkt:

**FrogTape Delicate-Surface**

SHI Produktpass-Nr.:

**15131-10-1005**



## **DGNB Neubau 2023**

Das DGNB-System (Deutsche Gesellschaft für Nachhaltiges Bauen) bewertet die Nachhaltigkeit von Gebäuden verschiedener Art. Das System ist sowohl anwendbar für private und gewerbliche Großprojekte als auch für kleinere Wohngebäude. Die Version 2023 setzt hohe Standards für ökologische, ökonomische, soziokulturelle und funktionale Aspekte während des gesamten Lebenszyklus eines Gebäudes.

Kriterium	Pos. / Relevante Bauteile / Baumaterialien / Flächen	Betrachtete Stoffe / Aspekte	Qualitätsstufe
ENV 1.2 Risiken für die lokale Umwelt, 03.05.2024 (3. Auflage)			nicht bewertungsrelevant

Kriterium	Pos. / Relevante Bauteile / Baumaterialien / Flächen	Betrachtete Stoffe / Aspekte	Qualitätsstufe
ENV 1.2 Risiken für die lokale Umwelt, 29.05.2025 (4. Auflage)	nicht zutreffend		nicht bewertungsrelevant



Produkt:

**FrogTape Delicate-Surface**

SHI Produktpass-Nr.:

**15131-10-1005**



## **DGNB Neubau 2018**

Das DGNB-System (Deutsche Gesellschaft für Nachhaltiges Bauen) bewertet die Nachhaltigkeit von Gebäuden verschiedener Art. Das System ist sowohl anwendbar für private und gewerbliche Großprojekte als auch für kleinere Wohngebäude.

Kriterium	Pos. / Relevante Bauteile / Bauelemente / Materialien / Flächen	Betrachtete Stoffe / Aspekte	Qualitätsstufe
ENV 1.2 Risiken für die lokale Umwelt			nicht bewertungsrelevant



Produkt:

**FrogTape Delicate-Surface**

SHI Produktpass-Nr.:

**15131-10-1005**



## **BNB-BN Neubau V2015**

Das Bewertungssystem Nachhaltiges Bauen ist ein Instrument zur Bewertung von Büro- und Verwaltungsgebäuden, Unterrichtsgebäuden, Laborgebäuden sowie Außenanlagen in Deutschland. Das BNB wurde vom damaligen Bundesministerium für Umwelt, Naturschutz, Bau und Reaktorsicherheit (BMUB) entwickelt und unterliegt heute dem Bundesministerium für Wohnen, Stadtentwicklung und Bauwesen.

Kriterium	Pos. / Bauprodukttyp	Betrachtete Schadstoffgruppe	Qualitätsniveau
1.1.6 Risiken für die lokale Umwelt			nicht bewertungsrelevant



Produkt:

**FrogTape Delicate-Surface**

SHI Produktpass-Nr.:

**15131-10-1005**



## EU-Taxonomie

Die EU-Taxonomie klassifiziert wirtschaftliche Aktivitäten und Produkte nach ihren Umweltauswirkungen. Auf der Produktebene gibt es gemäß der EU-Verordnung klare Anforderungen zu Formaldehyd und flüchtigen organischen Verbindungen (VOC). Die Sentinel Holding Institut GmbH kennzeichnet qualifizierte Produkte, die diesen Standard erfüllen.

Kriterium	Produkttyp	Betrachtete Stoffe	Bewertung
DNSH - Vermeidung und Verminderung der Umweltverschmutzung		Stoffe nach Anlage C	EU-Taxonomie konform
<b>Nachweis:</b> "SVHC < 0,1%, CMR Stoffe Kategorie 1A / 1B < 0,1%" laut Herstellererklärung vom 04.04.2025			





Produkt:

**FrogTape Delicate-Surface**

SHI Produktpass-Nr.:

**15131-10-1005**



## BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) ist ein britisches Gebäudebewertungssystem, welches die Nachhaltigkeit von Neubauten, Sanierungsprojekten und Umbauten einstuft. Das Bewertungssystem wurde vom Building Research Establishment (BRE) entwickelt und zielt darauf ab, ökologische, ökonomische und soziale Auswirkungen von Gebäuden zu bewerten und zu verbessern.

Kriterium	Produktkategorie	Betrachtete Stoffe	Qualitätsstufe
Hea 02 Qualität der Innenraumluft			nicht bewertungsrelevant



Produkt:

**FrogTape Delicate-Surface**

SHI Produktpass-Nr.:

**15131-10-1005**



## Produktsiegel

In der Baubranche spielt die Auswahl qualitativ hochwertiger Materialien eine zentrale Rolle für die Gesundheit in Gebäuden und deren Nachhaltigkeit. Produktlabels und Zertifikate bieten Orientierung, um diesen Anforderungen gerecht zu werden. Allerdings besitzt jedes Zertifikat und Label eigene Prüfkriterien, die genau betrachtet werden sollten, um sicherzustellen, dass sie den spezifischen Bedürfnissen eines Bauvorhabens entsprechen.



Produkte mit dem QNG-ready Siegel des Sentinel Holding Instituts eignen sich für Projekte, für welche das Qualitätssiegel Nachhaltiges Gebäude (QNG) angestrebt wird. QNG-ready Produkte erfüllen die Anforderungen des QNG Anhangdokument 3.1.3 "Schadstoffvermeidung in Baumaterialien". Das KfW-Kreditprogramm Klimafreundlicher Neubau mit QNG kann eine höhere Fördersumme ermöglichen.



Dieses Produkt ist schadstoffgeprüft und wird vom Sentinel Holding Institut empfohlen. Gesundes Bauen, Modernisieren und Betreiben von Immobilien erfolgt dank des Sentinel Holding Konzepts nach transparenten und nachvollziehbaren Kriterien.



Das Zeichen des Forest Stewardship Council zeichnet Holz und holzhaltige (Misch-)Produkte aus, die aus nachhaltiger überwachter Forstwirtschaft stammen. Gesundheitliche Kriterien spielen keine Rolle.



Produkt:

**FrogTape Delicate-Surface**

SHI Produktpass-Nr.:

**15131-10-1005**



## Rechtliche Hinweise

(\* ) Die Kriterien dieses Steckbriefs beziehen sich auf das gesamte Bauobjekt. Die Bewertung erfolgt auf der Ebene des Gebäudes. Im Rahmen einer sachgemäßen Planung und fachgerechten Installation können einzelne Produkte einen positiven Beitrag zum Gesamtergebnis der Bewertung leisten. Das Sentinel Holding Institut stützt sich einzig auf die Angaben des Herstellers.

---

Alle Kriterien finden Sie unter:

<https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren/kriterien%20f%C3%BCr%20Produkte>

---

Wir sind stolz darauf, dass die SHI-Datenbank, die erste und einzige Datenbank für Bauprodukte ist, die ihre umfassenden Prozesse sowie die Aktualität regelmäßig von dem unabhängigen Prüfunternehmen SGS-TÜV Saar überprüfen lässt.



### Herausgeber

Sentinel Holding Institut GmbH  
Bötzingen Str. 38  
79111 Freiburg im Breisgau  
Tel.: +49 761 59048170  
info@sentinel-holding.eu  
www.sentinel-holding.eu

**Kip GmbH** • Schlavenhorst 9 • D-46395 Bocholt

Sentinel Holding Institut GmbH  
Bötzinger Straße 38  
79111 Freiburg i. Br

T +49 (0)2871 23466-0  
F +49 (0)2871 23466-2310  
info@kip-tape.com  
www.kip-tape.com

Unser Zeichen: CW

Datum: 04.04.2025

### Bestätigung REACH

Mit diesem Schreiben möchten wir Sie über die REACH-Verordnung und diesbezüglichen Maßnahmen unserer Firma informieren.

Die Produkte Kip 205 und Frogtape Masking Tape sind nach dem Artikel 3(3) der REACH Verordnung (EC) 1907/2006 (REACH) ein „Erzeugnis“. Erzeugnisse sind nicht Gegenstand der Anforderungen für Sicherheitsdatenblätter, wie sie im Artikel 33(1) der gleichen Verordnung beschrieben werden.

Wir liefern nur Produkte, welche nicht Gegenstand einer beabsichtigten Freisetzung von chemischen Stoffen sind, als Stoffgemisch klassifiziert sind oder Gegenstand des Vorregistrierungs- oder Registrierungsprozesses sind. Nichts desto trotz stehen wir im engen Kontakt mit unseren Vorlieferanten und relevante Rohstoffe wurden vorregistriert oder sind in Erwartung das Registrierungsverfahrens wenn notwendig zu durchlaufen. Von daher wird unsere Lieferfähigkeit nicht negativ von REACH beeinflusst.

Unsere Produkte enthalten, laut dem Verzeichnis der zulassungspflichtigen Stoffe (ECHA Kandidatenliste Stand Januar 2025), Fassung der Bekanntmachung vom 28. Oktober 2008 (REACH Artikel 59), keine „besonders Besorgnis erregenden Stoffe“ und keine CMR-Stoffe (Kategorie 1A/1B) in einer Konzentration über 0,1% (w/w).

Die Kip GmbH wird weiterhin Aktualisierung der Liste der „besonders besorgniserregenden Stoffe“ (ECHA Kandidatenliste) und der Anhänge XIV und XVII überwachen.

Mit freundlichen Grüßen,



i.A. Christian Würz

## FrogTape® brand Painter's Tape - Delicate Surface

This product is defined as an "article" by the US OSHA Hazardous Communication Standard 29 CFR 1910.1200 and by Article 3(3) of Regulation (EC) 1907/2006 (REACH) and is therefore not subject to Safety Data Sheet requirements.

### Directive 2011/65/EU & 2015/863/EU (Restriction of Hazardous Substances-RoHS)

This product is RoHS compliant and does not exceed the limits per the RoHS Directive: Cadmium (Cd) (CAS# 7440-43-9): 0.01%; Mercury (Hg) (CAS# 7439-97-6): 0.1%; Lead (Pb) (CAS# 7439-92-1): 0.1%; Hexavalent chromium (Cr6+) (CAS# 18540-29-9): 0.1%; Polybrominated biphenyls (PBB): 0.1%; Polybrominated diphenyl ethers (PBDE): 0.1%; Bis(2-Ethylhexyl) phthalate (DEHP) (CAS# 117-81-7): 0.1%; Benzyl butyl phthalate (BBP) (CAS# 85-68-7): 0.1%; Dibutyl phthalate (DBP) (CAS# 84-74-2): 0.1%; Diisobutyl phthalate (DIBP) (CAS# 84-69-5): 0.1%.

### US Coalition of Northeast Governors (CONEG) Model Toxics in Packaging Legislation

This product complies with adopted US Model Toxics in Packaging Legislations, there is no intentionally added lead, cadmium, hexavalent chromium or mercury, and the sum total concentration of these substances in this product does not exceed 100 ppm by weight.

### Directive 94/62/EC Packaging and Packaging Waste

This product complies with the EU Packaging Directive 94/62/EC Legislation as there is no intentionally added lead, cadmium, hexavalent chromium or mercury, and the sum total concentration of these substances in this product does not exceed 100 ppm by weight.

### EU Directive 1907/2006 - REACH Substances of Very High Concern (SVHC)

This product does not contain any "substances of very high concern" (SVHC) in a concentration above 0.1% (w/w) identified by Article 59 of REACH (REACH Annex XIV) as of the date of this document noted in the footer.

### EU Directive 1907/2006 - REACH Restricted

This product is not subject to an Annex XVII restriction under REACH.

### TSCA PBT Chemicals Section 6(h)

This product does not contain substances identified by Toxic Substance Control Act 1976 (TSCA), section 6(h). Decabromodiphenyl Ether (decaBDE) (CAS 1163-19-5); Phenol Isopropylated Phosphate (3:1) (PIP 3:1) (CAS 68937-41-7); 2,4,6-Tri-tert-butylphenol (2,4,6-TTBP) (CAS 732-26-3); Hexachlorobutadiene (HCBd) (CAS 87-68-3); Pentachlorothiophenol (PCTP) (CAS 133-49-3).

### California Proposition 65

This product does not contain chemicals known to the State of California to cause cancer or reproductive harm ("Proposition 65 Chemicals") at levels which would require a warning.

### FDA Compliance

This product is not appropriate for use in applications where the product could potentially become a direct or indirect food additive.

### Conflict Minerals

This product does not contain Gold, Tungsten, Tantalum, Tin, Cobalt, Mica conflict minerals as intentionally added raw materials or in the manufacturing process. Shurtape products are outside the scope of the SEC's Conflict Minerals Rule (Dodd-Frank Section 1502). Raw materials used to manufacture this product are not sourced from Democratic Republic of Congo or adjoining countries.

### Social Compliance

Shurtape Technologies, LLC and their subsidiaries are committed to providing products to our customers manufactured in an ethical manner utilizing ethically sourced materials and products. Shurtape will not tolerate child labor, human trafficking, indentured servitude, or forced or coerced labor of any kind in its manufacturing facilities, distribution centers, sales locations, or their supply chain. For additional information, please visit <https://shurtapetech.com/about/social-compliance>.

### Animal Testing

Shurtape Technologies, LLC and their subsidiaries do not perform animal testing.

### Latex

This product is manufactured in a facility that utilizes natural rubber. As such, trace latex contamination is possible. Please refer to the TDS for the specific composition of this product.

### Allergens

This product does not contain materials based on or derived from milk, eggs, wheat, fish, crustaceans, soybeans, tree nuts, sesame, or peanuts nor are any of these materials used in the manufacturing process.

### Asbestos

Shurtape Technologies, LLC and their subsidiaries do not use asbestos as a raw material or in any manufacturing process.

### PFAS

Pressure sensitive tapes and consumer products from Shurtape do not use Per- and polyfluoroalkyl substances (PFAS), a broad range of thousands of substances, including perfluorooctane sulfonic acid (PFOS) or perfluorooctanoic acid (PFOA), as an intentionally added raw material. Shurtape is in the process of surveying their supply chain to gather additional information.

We certify that the above information and statements are valid and correct to the best of our knowledge and belief, based on supplier information and formulation as of the date of this document noted in the footer. As regulations are ever changing, this document will be updated semi-annually. This regulatory letter is intended to answer the most common regulatory questions and is not an exhaustive summary of all regulations that may apply to this product. The determination of the suitability of the final use of the product is the sole responsibility of the customer. For more information, please contact your customer service representative.

This document is electronically generated and valid without signature.

# CF 160



## FROGTAPE® BRAND PAINTER'S TAPE - DELICATE SURFACE

### TYPICAL APPLICATIONS

- For interior use on finished wood, freshly painted walls and trim (24 hours old), coated wallpaper, laminate, vinyl, primed wall board, cabinets and floors

### PRODUCT FEATURES

- Premium grade, delicate surface FrogTape® brand painter's tape
- Low adhesion, solvent-free adhesive system
- Treated with PaintBlock® Technology that seals tape edges for very sharp paint lines
- 60-day clean removal from indoor surfaces
- \*Test before use on all surfaces and when using solvent-based coatings; FrogTape® was designed for use with latex paint; May not be compatible with all floor surfaces - consult floor manufacturer for guidance

### CONSTRUCTION

Backing: Washi paper backing

Adhesive: Synthetic rubber-based adhesive

### STANDARD WIDTHS

0.94 in; 1.41 in; 1.88 in  
24 mm; 36 mm; 48 mm

### STANDARD LENGTH

60.1 yd  
55 m

Lead times may apply. Please contact Shurtape customer service for information related to stock and non-stock sizes and colors.

### STANDARD CORE SIZE

3 in

### APPLICABLE STANDARDS

NA

### STORAGE & USAGE CONDITIONS

Tape should be stored in its original packaging in a cool, dry area away from direct sunlight and should be used within 12 months of date of shipment. Surfaces to which tape is applied should be clean, dry and free of grease, oil or other contaminants.

### COLOR



### PHYSICAL PROPERTIES

	STANDARD	METRIC
Adhesion to Stainless Steel	25 oz/in width	2.74 N/10 mm
Elongation	5.0%	5.0%
Tensile	19 lbs/in width	33.3 N/10 mm
Thickness	3.3 mils	0.08 mm

Physical and performance characteristics shown above are obtained from tests recommended by PSTC, ASTM, government agencies or Shurtape Technologies, LLC, Quality Assurance and Technical Service departments and do not represent a guarantee of product performance. Individual rolls may vary slightly from these averages. The user should determine whether the product is fit for a particular purpose and is suitable for the user's method of application before use.



The mark of responsible forestry  
FSC® C154304

\*Test before use on all surfaces and when using solvent-based coatings; FrogTape® was designed for use with latex paint; May not be compatible with all floor surfaces - consult floor manufacturer for guidance



Preferred by Nature hereby certifies that

## Shurtape Technologies, LLC

1506 Highland AVE NE  
Hickory, North Carolina 28601  
United States

conform with the following standards:

FSC-STD-40-003 V2-1  
FSC-STD-40-004 V3-1  
FSC-STD-50-001 V2-1 EN

The certificate is valid from 03 January 2025 to 02 January 2030  
Certificate version date: 02 January 2025

### Certification scope

Multisite Chain of Custody

### Certificate registration code

NC-COC-041031

### FSC® license code

FSC-C154304



Justinas Janulaitis  
Management board member  
Filosoofi 31, Tartu, Estonia

Specific information regarding products and/or sites is listed in the appendix(es) of this certificate. The validity and exact scope covered by this certificate shall always be verified at [www.info.fsc.org](http://www.info.fsc.org). The physical printed certificate remains the property of Preferred by Nature OU and shall be returned upon request.

Appendix A: Scope of Shurtape Technologies, LLC  
FSC Chain of Custody Certificate  
NC-COC-041031

(The list below shows products handled by the network of Participating Sites)

Product type	Trade name	Output FSC claims
P7.6	Envelopes	FSC Mix
P7.7	Special Paper tapes	FSC Mix; FSC Mix Credit



**Appendix B: Scope of Shurtape Technologies, LLC**  
**FSC Chain of Custody Certificate**  
**NC-COC-041031**

No	Site name	Address	Sub-code
1	Shurtape Technologies - Hickory	1506 Highland AVE NE Hickory North Carolina 28601 United States	NC-COC-041031-1
2	Stony Point Manufacturing	8510 NC-90 Stony Point North Carolina 28678 United States	NC-COC-041031-1
3	Catawba Distribution Center	3422 Catawba Industrial Pl Catawba NC 28609 United States	NC-COC-041031-1
4	ShurTech Brands	32150 Just Imagine Dr. Avon Ohio 44107 United States	NC-COC-041031-2
5	Kip Tape and Shurtape Distribution	Schlavenhorst 9 Bocholt North Carolina D-46395 Germany	NC-COC-041031-4
6	Shurtape UK	Ground Floor, Unit 2, Grovelands Business Centre, Boundary Way Hemel Hempstead Hertfordshire HP2 7TE UK United Kingdom	NC-COC-041031-5
7	Shurtape Distribution Center - Phoenix	725 N 73rd Ave # 112 Phoenix Arizona 85043 United States	NC-COC-041031-6
8	Shurtape Distribution Center - OKC	8301 N I- 35 Service Rd. Oklahoma City Oklahoma 7313 United States	NC-COC-041031-7