



SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

12278-10-1003

Natura Parkett (Classic-Line, Design-Line, Modern-Line, Grand-Line, Black-Line)

Product group: Parquet



Natura Flooring GmbH & Co. KG
Brauckstraße 38
58454 Witten



Product qualities:



Köttner

Helmut Köttner
Scientific Director

Freiburg, 07 May 2026



Product:








Natura Parkett (Classic-Line, Design-Line, Modern-Line, Grand-Line, Black-Line)

SHI Product Passport no.:

12278-10-1003



Contents

 SHI Product Assessment 2024	1
 QNG - Qualitätssiegel Nachhaltiges Gebäude	2
 DGNB New Construction 2023	3
 DGNB New Construction 2018	4
 BNB-BN Neubau V2015	5
 EU taxonomy	6
 BREEAM DE Neubau 2018	7
Product labels	8
Legal notices	9
Technical data sheet/attachments	10

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

Natura Parkett (Classic-Line, Design-Line, Modern-Line, Grand-Line, Black-Line)

SHI Product Passport no.:

12278-10-1003



SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Harmful substance limit	Assessment
SHI Product Assessment	Wood-based floor coverings	TVOC $\leq 300 \mu\text{g}/\text{m}^3$ Formaldehyd $\leq 36 \mu\text{g}/\text{m}^3$	Indoor Air Quality Certified
Valid until: 19 March 2028			



Product:

Natura Parkett (Classic-Line, Design-Line, Modern-Line, Grand-Line, Black-Line)

SHI Product Passport no.:

12278-10-1003



QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	2.3 Multi-layer wood parquet, bamboo coverings, and floor coverings on wood-based panels	VOC / Emissions / hazardous substances	QNG ready
Verification: Herstellererklärung vom 28.04.2026, nachgewiesen durch Prüfbericht des Instituts Eurofins Testing Technology (Shenzhen) Co., Ltd vom 19.03.2026			



Product:

Natura Parkett (Classic-Line, Design-Line, Modern-Line, Grand-Line, Black-Line)

SHI Product Passport no.:

12278-10-1003



DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	47c Wood-based materials in floor coverings	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 4
Verification: Prüfbericht des Instituts Eurofins Testing Technology (Shenzhen) Co., Ltd vom 19.03.2026			

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	47c Floor coverings for indoor use (with wooden components)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 4
Verification: Prüfbericht des Instituts Eurofins Testing Technology (Shenzhen) Co., Ltd vom 19.03.2026			



Product:

Natura Parkett (Classic-Line, Design-Line, Modern-Line, Grand-Line, Black-Line)

SHI Product Passport no.:

12278-10-1003



DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	47a Industrially manufactured products	Formaldehyde	Quality level 4

Verification: Prüfbericht des Instituts Eurofins Testing Technology (Shenzhen) Co., Ltd vom 19.03.2026



Product:

Natura Parkett (Classic-Line, Design-Line, Modern-Line, Grand-Line, Black-Line)

SHI Product Passport no.:

12278-10-1003



BNB-BN Neubau V2015

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt	2b Wood-based floor coverings – also systems	VOC / hazardous substances	Quality level 3

Verification: Herstellererklärung vom 28.04.2026, nachgewiesen durch Prüfbericht des Instituts Eurofins Testing Technology (Shenzhen) Co., Ltd vom 19.03.2026



Product:

Natura Parkett (Classic-Line, Design-Line, Modern-Line, Grand-Line, Black-Line)

SHI Product Passport no.:

12278-10-1003



EU taxonomy

The EU Taxonomy classifies economic activities and products according to their environmental impact. At the product level, the EU regulation defines clear requirements for harmful substances, formaldehyde and volatile organic compounds (VOCs). The Sentinel Holding Institut GmbH labels qualified products that meet this standard.

Criteria	Product type	Considered substances	Assessment
DNSH - Pollution prevention and control	Floor coverings (including associated adhesives and sealants)	Substances according to Annex C, formaldehyde, carcinogenic VOCs category 1A/1B	EU taxonomy compliant

Verification: Herstellererklärung vom 28.04.2026, nachgewiesen durch Prüfbericht des Instituts Eurofins Testing Technology (Shenzhen) Co., Ltd vom 19.03.2026



Product:

Natura Parkett (Classic-Line, Design-Line, Modern-Line, Grand-Line, Black-Line)

SHI Product Passport no.:

12278-10-1003



BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea 02 Indoor Air Quality	Flooring materials (including floor levelling compounds and resin flooring)	Emissions: Formaldehyde, TVOC, carcinogens	Normal quality

Verification: Prüfbericht des Instituts Eurofins Testing Technology (Shenzhen) Co., Ltd vom 19.03.2026



Product:

Natura Parkett (Classic-Line, Design-Line, Modern-Line, Grand-Line, Black-Line)

SHI Product Passport no.:

12278-10-1003



Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



This product is SHI Indoor Air Quality certified and recommended by Sentinel Holding Institut. Indoor-air-focused construction, renovation, and operation of buildings is made possible by transparent and verifiable criteria thanks to the Sentinel Holding concept.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



Product:

Natura Parkett (Classic-Line, Design-Line, Modern-Line, Grand-Line, Black-Line)

SHI Product Passport no.:

12278-10-1003



Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren%20f%C3%BCr%20Produkte>

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



Publisher

Sentinel Holding Institut GmbH
Bötzingen Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

Produktinformation

2-Schicht-Multiboard Eiche Nut & Feder



Produkt	2-Schicht-Multiboard Eiche Nut & Feder
Holzart	europ. Eiche
Botanische Bezeichnung	Quercus robur
Verwendungszweck	Bodenbelag für trockene Innenräume / EN 14342:2013
Aufbau	Nutzschicht ca. 3 mm Eiche, 11 mm Eukalyptus Multiplex
Verbindung	Nut & Feder
Abmessung - Paketinhalt	14 x 125 x 600 mm - 1,200 m²
Palette	64 Pakete/76,800 m²
Sortierungen	Select, Markant
Fase	4-seitige Mikrofase 0,7 mm
Kleber	Dynea
Öl	Oxidativ-beschichtet
Flächengewicht pro m ²	9.62 kg
Holzfeuchte	ca. 9,7% +/- 1 mm
Verpackung	Schwarzer Karton und Folie rundum gegen Feuchtigkeit, mit Kopfetiketten (Produktinformationen)
Wärmeleitfähigkeit	0,1335 W/(mK)
Brandverhalten (DIN EN 13501-1)	Dfl-S1
Formaldehydklasse	E1
Formaldehydemissionen (DIN EN 171-1)	< 0.020 mg/m³
VOC-Emissionen (AgBB-Schema)	< 1,0 mg/m³
Gehalt an Pentachlorophenol	< 5 ppm
Dauerhaftigkeit (biologisch)	Gebrauchsklasse 1
Unsere Parkettböden erfüllen die hohen Anforderungen des AgBB-Schemas für das Siegel „Qualität nachhaltiges Bauen“ (QNG)	

Produktinformation

3-Schicht-Parkett Landhausdielen Eiche 2G Drop Down



Produkt	3-Schicht Landhausdielen 2G Drop Down
Holzart	europ. Eiche
Botanische Bezeichnung	Quercus robur
Verwendungszweck	Bodenbelag für trockene Innenräume / EN 14342:2013
Aufbau	Nutzschicht ca. 3 mm Eiche (bei 15 mm ca. 4 mm) / Mittellage 9 mm Hevea sowie Gegenzug 2 mm aus Eukalyptus
Verbindung	Välinge 2G Drop Down
Abmessung - Paketinhalt	14 x 150 x 1900 mm (1-2 Lage gestoßen) - 2.280 m² 14 x 190 x 1900 mm (1-2 Lagen gestoßen) - 2.888 m² 14 x 220 x 2200 mm (1-2 Lagen gestoßen) - 2.904 m² 15 x 260 x 2200 mm (1 Lage gestoßen) - 2,860 m² (max. 25% Kurzlängen)
Palette	14 x 150 x 1900 mm -48 Pakete/109.440 m² 14 x 190 x 1900 mm -40 Pakete/115.520 m² 14 x 220 x 2200 mm-40 Pakete/116.160 m² 15 x 260 x 2200 mm-40 Pakete/114.400 m²
Sortierungen	Natur, Markant, Rustikal, Country
Fase	4-seitige Mikrofase 0,7 mm
Kleber	Dynea
Öl	Oxidativ-beschichtet
Flächengewicht pro m ²	14 mm: 9,62 kg / 15 mm: 10,30 kg
Holzfeuchte	ca. 9,7% +/- 1 mm
Verpackung	Schwarzer Karton und Folie rundum gegen Feuchtigkeit, mit Kopfetiketten (Produktinformationen)
Wärmeleitfähigkeit	0,1335 W/(mK)
Brandverhalten (DIN EN 13501-1)	Cfl-S1
Formaldehydklasse	E1
Formaldehydemissionen (DIN EN 171-1)	< 0.020 mg/m³
VOC-Emissionen (AgBB-Schema)	< 1,0 mg/m³
Gehalt an Pentachlorophenol	< 5 ppm
Dauerhaftigkeit (biologisch)	Gebrauchsklasse 1
Unsere Parkettböden erfüllen die hohen Anforderungen des AgBB-Schemas für das Siegel „Qualität nachhaltiges Bauen“ (QNG)	

Kontakt Christian Cordt

E-Mail cc@natura-flooring.de

Telefon 023021851233

Datum 28.04.2026

Thema Herstellererklärung

**Herstellererklärung zu AgBB-Schema
und REACH Verordnung**

Konformität AgBB-Bewertungsschema 2024

Hiermit bestätigen wir Ihnen, dass die von uns gelieferten Produkte der Kollektionen Classic-Line, Black-Line, Modern-Line, Design-Line und Grand-Line

besonders emissionsarm sind und dem aktuellen AgBB-Standard (Ausschuss zur gesundheitlichen Bewertung von Bauprodukten) entsprechen.

VO (EG) Nr. 1907/2006 (REACH-Verordnung), Informationspflichten nach Art. 33

Hiermit teilen wir Ihnen mit, dass in den folgenden von uns gelieferten Erzeugnissen keine besonders besorgniserregenden Stoffe (SVHC) der Kandidatenliste (Stand: Datum) über 0,1 % gemäß Art. 33 der REACH-Verordnung (Verordnung (EG) Nr. 1907/2006) enthalten sind:

Gesamte Kollektionen Classic-Line, Black-Line, Modern-Line, Design-Line und Grand-Line

Die Lieferanten von Erzeugnissen, die in unseren Produkten in relevanter Größenordnung verarbeitet werden, sind ebenfalls verpflichtet, uns unaufgefordert zu informieren, sofern in den von ihnen gelieferten Produkten ein SVHC-Stoff über 0,1 % enthalten ist. Sofern wir eine entsprechende Information von unseren Lieferanten erhalten und dadurch Kenntnis erlangen, dass damit auch in unseren Produkten die 0,1-Massenprozentsschwelle für einen SVHC-Stoff überschritten wird, werden wir Sie informieren.

Mit freundlichen Grüßen



Tobias Oelfke
Geschäftsführer