



SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

15576-10-1000

TrennfixPRO

Product group: Trockenbau - Divider strips

newtape
solutions for challenges

NewTape d.o.o
Gospodarska 10
44316 Velika Ludina



Product qualities:



Köttner
Helmut Köttner
Scientific Director
Freiburg, 02 December 2025



Product:

TrennfixPRO

SHI Product Passport no.:

15576-10-1000

newtape
solutions for challenges

Contents

■ QNG - Qualitätssiegel Nachhaltiges Gebäude	1
■ DGNB New Construction 2023	2
■ DGNB New Construction 2018	3
■ BNB-BN Neubau V2015	4
■ EU taxonomy	5
■ BREEAM DE Neubau 2018	6
Product labels	7
Legal notices	8
Technical data sheet/attachments	9

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar

SGS

TÜV
SAAR

Product:

TrennfixPRO

SHI Product Passport no.:

15576-10-1000

newtape
solutions for challenges

■ QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	not applicable	not applicable	QNG ready - Not relevant for assessment



Product:

TrennfixPRO

SHI Product Passport no.:

15576-10-1000

newtape
solutions for challenges

DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	not applicable		Not relevant for assessment

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	not applicable		Not relevant for assessment

Product:

TrennfixPRO

SHI Product Passport no.:

15576-10-1000

newtape
solutions for challenges

DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	not applicable	not applicable	Not relevant for assessment

Product:

TrennfixPRO

SHI Product Passport no.:

15576-10-1000

newtape
solutions for challenges

BNB-BN Neubau V2015

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt			Not relevant for assessment



Product:

TrennfixPRO

SHI Product Passport no.:

15576-10-1000

newtape
solutions for challenges

EU taxonomy

The EU Taxonomy classifies economic activities and products according to their environmental impact. At the product level, the EU regulation defines clear requirements for harmful substances, formaldehyde and volatile organic compounds (VOCs). The Sentinel Holding Institut GmbH labels qualified products that meet this standard.

Criteria	Product type	Considered substances	Assessment
DNSH - Pollution prevention and control		Substances according to Annex C	EU taxonomy compliant
Verification: Herstellererklärung EU-Taxonomie vom 29.09.2025			

Product:

TrennfixPRO

SHI Product Passport no.:

15576-10-1000

newtape
solutions for challenges

BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea o2 Indoor Air Quality			Not relevant for assessment



Product:

TrennfixPRO

SHI Product Passport no.:

15576-10-1000

newtape
solutions for challenges

Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



Product:

TrennfixPRO

SHI Product Passport no.:

15576-10-1000

newtape
solutions for challenges

Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfkriterien%20f%C3%BCr%20Produkte>

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



Publisher

Sentinel Holding Institut GmbH
Bötzinger Str. 38
79111 Freiburg im Breisgau
Tel.: +49 761 59048170
info@sentinel-holding.eu
www.sentinel-holding.eu

TrennfixPRO

Trennstreifen für Anchlussfugen

Produktbeschreibung

NewTape TrenntixPRO ist ein spezialbeschichteter Papierstreifen in 65 mm Breite mit Haftklebstoff an einem Rand.

Technische Daten

- Empfohlene Verarbeitungstemperatur: +10 °C bis +30 °C
- Kondenswasserbeständigkeit: sehr hoch
- Klebestreifen: 9 - 10 mm

Eigenschaften

- Gebrauchsfertig
- Leicht anzubringen
- Formstabil auch bei hoher Feuchtigkeit
- Rückstandsfrei ablösbar
- Hohe Klebkraft zuverlässig + stabil

Anwendungsbereich

- Als Trennstreifen bei An schlüssen von Trockenbauflächen an massiven Bauteilen.
- Als Trennstreifen bei An schlüssen von Holzbauf lächen an massiven Bauteilen.
- Zwischen Trockenbauflächen zur Erzielung einer gleitenden Trennung.
- Als Trennung von Putzflächen an stelle eines Kellenschnitts.



Technisches Datenblatt

Stand: 04.2023

Die Angaben in diesem Datenblatt geben wir nach bestem Wissen. Sie beruhen auf den bewährten Ergebnissen aus der Anwendungspraxis und den Entwicklungs freigaben aus durch geführten Versuchen. Die Qualitätsmerkmale und Spezifikationen werden regelmäßig geprüft. Für dieses Produkt ist ein Hauptanwendungsbereich definiert. Aufgrund der vielseitigen Produkteigenschaften können sich weitere Anwendungsmöglichkeiten ergeben, für die der Anwender die alleinige Verantwortung übernimmt. In diesem Fall empfehlen wir vor jedem Gebrauch eine gründliche Eignungsprüfung des Anwenders durchzuführen. Unser Produktmanagement steht Ihnen gerne beratend zur Seite.

NewTape d.o.o.
Gospodarska ulica 10
44316 Velika Ludina
Croatia

Tel: +385 91 600 33 35
Mail: office@newtape.hr
www.newtape.hr

ABSCHNITT 1: Bezeichnung des Stoffs beziehungsweise des Gemischs und des Unternehmens

1.1 Produktidentifikator

Handelsname: TrennfixPRO

1.2 Relevante identifizierte Verwendungen des Stoffs oder Gemischs und Verwendungen, von denen abgeraten wird

Keine weiteren relevanten Informationen verfügbar.

Verwendung des Stoffes / des Gemisches: Selbstklebender Papiertrennstreifen

1.3 Einzelheiten zum Lieferanten, der das Sicherheitsdatenblatt bereitstellt

Hersteller/Lieferant:

NewTape d.o.o.

Gospodarska ulica 10

44316 Velika Ludina

Kroatien

Tel +385 91 600 33 35

ABSCHNITT 2: Mögliche Gefahren

2.1 Einstufung des Stoffs oder Gemischs

Einstufung gemäß Verordnung (EG) Nr. 1272/2008:

Das Produkt ist gemäß CLP-Verordnung nicht eingestuft.

2.2 Kennzeichnungselemente

Kennzeichnung gemäß Verordnung (EG) Nr. 1272/2008: entfällt

Gefahrenpiktogramme: entfällt

Signalwort: entfällt

Gefahrenhinweise: entfällt

2.3 Sonstige Gefahren

ABSCHNITT 3: Zusammensetzung/Angaben zu Bestandteilen

Chemische Charakterisierung: Gemische

Beschreibung:

Einseitig siliconiertes Papier + Haftschmelzklebstoff auf Basis synthetischen Kautschuks.

ABSCHNITT 4: Erste-Hilfe-Maßnahmen

4.1 Beschreibung der Erste-Hilfe-Maßnahmen

Allgemeine Hinweise: Keine besonderen Maßnahmen erforderlich.

Nach Einatmen: Frischluftzufuhr, bei Beschwerden Arzt aufsuchen.

Nach Hautkontakt: Mit Wasser und Seife abwaschen.

Nach Augenkontakt:

Augen bei geöffnetem Lidspalt mehrere Minuten unter fließendem Wasser ausspülen und Arzt konsultieren.

Nach Verschlucken:

Mund ausspülen und reichlich Wasser nachtrinken.

Ärztlicher Behandlung zuführen.

4.2 Wichtigste akute und verzögert auftretende Symptome und Wirkungen

Keine weiteren relevanten Informationen verfügbar.

4.3 Hinweise auf ärztliche Soforthilfe oder Spezialbehandlung

Keine weiteren relevanten Informationen verfügbar.

ABSCHNITT 5: Maßnahmen zur Brandbekämpfung

5.1 Löschmittel

Geeignete Löschmittel: Alle Löschmittel geeignet.

Aus Sicherheitsgründen ungeeignete Löschmittel: Keine.

5.2 Besondere vom Stoff oder Gemisch ausgehende Gefahren

Bei einem Brand kann freigesetzt werden:

Kohlenmonoxid (CO)

Kohlendioxid (CO₂)

5.3 Hinweise für die Brandbekämpfung

Besondere Schutzausrüstung: Keine besonderen Maßnahmen erforderlich.

ABSCHNITT 6: Maßnahmen bei unbeabsichtigter Freisetzung

6.1 Personenbezogene Vorsichtsmaßnahmen, Schutzausrüstungen und in Notfällen anzuwendende Verfahren

Nicht erforderlich.

6.2 Umweltschutzmaßnahmen

Keine besonderen Maßnahmen erforderlich.

6.3 Methoden und Material für Rückhaltung und Reinigung

Mechanisch aufnehmen.

6.4 Verweis auf andere Abschnitte

Informationen zur sicheren Handhabung siehe Abschnitt 7.

Informationen zur persönlichen Schutzausrüstung siehe Abschnitt 8.

Informationen zur Entsorgung siehe Abschnitt 13.

ABSCHNITT 7: Handhabung und Lagerung

7.1 Schutzmaßnahmen zur sicheren Handhabung

Vor Hitze und direkter Sonnenbestrahlung schützen.
Für gute Raumbelüftung sorgen.

Hinweise zum Brand- und Explosionsschutz: Zündquellen fernhalten - nicht rauchen.

7.2 Bedingungen zur sicheren Lagerung unter Berücksichtigung von Unverträglichkeiten

Anforderung an Lagerräume und Behälter: Keine besonderen Anforderungen.

Zusammenlagerungshinweise: Nicht erforderlich.

Weitere Angaben zu den Lagerbedingungen:

Trocken lagern.
Vor Hitze und direkter Sonnenbestrahlung schützen.
Lagertemperatur: 10-30 °C

7.3 Spezifische Endanwendungen Keine weiteren relevanten Informationen verfügbar.

ABSCHNITT 8: Begrenzung und Überwachung der Exposition/Persönliche Schutzausrüstungen

8.1 Zu überwachende Parameter

Bestandteile mit arbeitsplatzbezogenen, zu überwachenden Grenzwerten:

Das Produkt enthält keine relevanten Mengen von Stoffen mit arbeitsplatzbezogenen, zu überwachenden Grenzwerten.

Zusätzliche Hinweise:

Als Grundlage dienten die bei der Erstellung gültigen Listen.
SUVA Gesundheitsschutz: Grenzwerte am Arbeitsplatz

8.2 Begrenzung und Überwachung der Exposition

Allgemeine Schutz- und Hygienemaßnahmen:

Die üblichen Vorsichtsmaßnahmen beim Umgang mit Chemikalien sind zu beachten.

Persönliche Schutzausrüstung:

Atemschutz: Nicht erforderlich.

Handschutz: Nicht erforderlich.

Augenschutz: Nicht erforderlich.

Körperschutz: Arbeitsschutzkleidung

ABSCHNITT 9: Physikalische und chemische Eigenschaften

9.1 Angaben zu den grundlegenden physikalischen und chemischen Eigenschaften

Allgemeine Angaben

Form: Fest
Farbe: Cremefarben
Geruch: Schwach

Zustandänderung:

Schmelzpunkt/Schmelzbereich: Nicht bestimmt
Siedepunkt/Siedebreit: Nicht bestimmt
Erweichungstemperatur/-bereich: 130 °C

Flammpunkt: > 200 °C

Selbstentzündlichkeit: Das Produkt ist nicht selbstentzündlich

Explosionsgefahr: Das Produkt ist nicht explosionsgefährlich.

Dichte: 100-120g/m²

Löslichkeit in / Mischbarkeit mit

Wasser: unlöslich

9.2 Sonstige Angaben

Keine weiteren relevanten Informationen verfügbar

ABSCHNITT 10: Stabilität und Reaktivität

10.1 Reaktivität Keine weiteren relevanten Informationen verfügbar.

10.2 Chemische Stabilität

Thermische Zersetzung / zu vermeidende Bedingungen:

Keine Zersetzung bei bestimmungsgemäßer Lagerung und Handhabung.

10.3 Möglichkeit gefährlicher Reaktionen Keine gefährlichen Reaktionen bekannt.

10.4 Zu vermeidende Bedingungen Keine weiteren relevanten Informationen verfügbar.

10.5 Unverträgliche Materialien Keine weiteren relevanten Informationen verfügbar.

10.6 Gefährliche Zersetzungsprodukte Keine gefährlichen Zersetzungsprodukte bekannt.

ABSCHNITT 11: Toxikologische Angaben**11.1 Angaben zu toxikologischen Wirkungen**

Akute Toxizität Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Primäre Reizwirkung:**Ätz-/Reizwirkung auf die Haut**

Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Schwere Augenschädigung/-reizung

Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Sensibilisierung der Atemwege/Haut

Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

CMR-Wirkungen (krebszeugende, erbgutverändernde und fortpflanzungsgefährdende Wirkung)

Keimzell-Mutagenität Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Karzinogenität Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Reproduktionstoxizität Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Spezifische Zielorgan-Toxizität bei einmaliger Exposition

Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Spezifische Zielorgan-Toxizität bei wiederholter Exposition

Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Aspirationsgefahr Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

ABSCHNITT 12: Umweltbezogene Angaben**12.1 Toxizität**

Aquatische Toxizität: Keine weiteren relevanten Informationen verfügbar.

12.2 Persistenz und Abbaubarkeit Keine weiteren relevanten Informationen verfügbar.

12.3 Bioakkumulationspotenzial Keine weiteren relevanten Informationen verfügbar.

12.4 Mobilität im Boden Keine weiteren relevanten Informationen verfügbar.

Weitere ökologische Hinweise:

Allgemeine Hinweise: Ein Eintrag in die Umwelt ist zu vermeiden.

12.5 Ergebnisse der PBT- und vPvB-Beurteilung

PBT: Nicht anwendbar.

vPvB: Nicht anwendbar.

12.6 Andere schädliche Wirkungen Keine weiteren relevanten Informationen verfügbar.

ABSCHNITT 13: Hinweise zur Entsorgung**13 Verfahren der Abfallbehandlung**

Empfehlung: Entsorgung gemäß den behördlichen Vorschriften.

Europäisches Abfallverzeichnis:

20 03 01 gemischte Siedlungsabfälle

Ungereinigte Verpackungen:**Empfehlung:**

Kontaminierte Verpackungen sind optimal zu entleeren, sie können dann nach entsprechender Reinigung einer Wiederverwertung zugeführt werden.

ABSCHNITT 14: Angaben zum Transport

14.1 UN-Nummer	entfällt
ADR, IMDG, IATA	
14.2 Ordnungsgemäße UN-Versandbezeichnung	
ADR:	entfällt
IMDG, IATA	entfällt
14.3 Transportgefahrenklassen	
ADR, IMDG, IATA	
Klasse:	entfällt
14.4 Verpackungsgruppe	
ADR, IMDG, IATA	entfällt
14.5 Umweltgefahren	Nicht anwendbar
14.6 Besondere Vorsichtsmaßnahmen für den Verwender	Nicht anwendbar
14.7 Massengutbeförderung gemäß Anhang II des MARPOL-Übereinkommens und gemäß IBC-Code	Nicht anwendbar
UN "Model Regulation":	entfällt

ABSCHNITT 15: Rechtsvorschriften**15.1 Vorschriften zu Sicherheit, Gesundheits- und Umweltschutz/spezifische Rechtsvorschriften für den Stoff oder das Gemisch Richtlinie 2012/18/EU**

Namentlich aufgeführte gefährliche Stoffe - ANHANG I Keiner der Inhaltsstoffe ist enthalten.

Nationale Vorschriften:

Wassergefährdungsklasse: Keine Daten verfügbar.

15.2 Stoffsicherheitsbeurteilung Eine Stoffsicherheitsbeurteilung wurde nicht durchgeführt.ABSCHNITT 16: Sonstige Angaben

Die Angaben stützen sich auf den heutigen Stand unserer Kenntnisse, sie stellen jedoch keine Zusicherung von Produkteigenschaften dar und begründen kein vertragliches Rechtsverhältnis.

Datenblatt ausstellender Bereich:

NewTape d.o.o., Gospodarska ulica 10, 44316 Velika Ludina, Kroatien

Abkürzungen und Akronyme:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

* Daten gegenüber der Vorversion geändert

DECLARATION

According to the declarations of our producers, referring to the following product:

TrennfixPRO 65 mm x 50 m

we confirm that they are manufactured according to the recognized technical rules and regulations for paper production by using exclusive raw and complementary materials according to current technical quality standards for production of these paper grades.

Furthermore, we can confirm, that for producing this paper grade no substances:

- **PVC**
- **PBDE**
- **SVHC**
- **TCEP**
- **Chlorparaffine**

are used neither as a part of the recipe (NIAS, not intentionally added substance) nor we aspect to find it in used raw and complementary materials.

Therefore, to the best of our knowledge and taking into consideration above mentioned product characteristics, the paper, if it is used unmodified, does not contain human or environment risking amounts of this substance.

REACH Konformitätserklärung zur Richtlinie EG/1907/2006

Producer:

NEWTAPE d.o.o.
Gospodarska ulica 10
44316 Velika Ludina
Croatia

We hereby inform you that the following products supplied by us do not contain any substances of very high substances of very high concern (SVHC) on the candidate list (as of 23.01.2024) above 0.1 % according to Art. 33 of the REACH Regulation (Regulation (EC) No. 1907/2006).

The EU suppliers of products that are processed in our products in relevant quantities are also obliged to inform us without being asked if the products they supply contain an SVHC substance above 0.1% is contained in the products they supply. If we receive information in this regard from our suppliers and thereby become aware that the 0.1 mass percentage threshold for an SVHC substance is also exceeded in our products SVHC substance is exceeded in our products, we will inform you.

We will also obtain written confirmation from all relevant EU suppliers that no SVHC substances > 0.1 % are contained in the products supplied.

We make separate agreements with all non-EU suppliers of products that are processed in our products in a relevant order of magnitude. we conclude separate agreements. In these agreements, we obtain written assurance that we will be immediately informed immediately if the 0.1 mass percentage threshold for an SVHC substance is exceeded in a product supplied to us. is exceeded.

MANUFACTURER'S DECLARATION EU-TAXONOMY REGULATION

Confirmation of compliance according to Annex C for the prevention and reduction of environmental pollution in accordance with the Delegated Regulation (EU) 2023/2486 of the Commission of June 27, 2023.

We hereby confirm:

NewTape d.o.o.

Gospodarska ulica 10

HR-44316 Velika Ludina

For the following product(s):

TrennfixPRO 65

The product/item/at least one sub-product contains substances from the Candidate List (version as of the date of issue) above 0.1% by weight:

no

The product/item/at least one sub-product contains other CMR substances of category 1A or 1B, which are not on the Candidate List, above 0.1% by weight in at least one sub-product:

no

Velika Ludina, 29.09.2025


solutions for challenges
NewTape d.o.o.
Gospodarska ulica 10
44316 Velika Ludina - Hrvatska
www.newtape.hr · office@newtape.hr
Tel: +385 91 600 33 35 · OIB: 99088119630

Place, Date, Signature, Company stamp

Your contact for further inquiries:

Name: Perica Rajkovic Phone: _____

Email address: office@newtape.hr