



SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

14605-10-1004

Era

Product group: Carpet / Tapestry



OSCHWALD Boden aus Natur GmbH
Rudolf-Blessing-Str. 7
79183 Waldkirch



Product qualities:



Köttner

Helmut Köttner
Scientific Director

Freiburg, 02 February 2026



Product:

Era

SHI Product Passport no.:

14605-10-1004



Contents

■ SHI Product Assessment 2024	1
Product labels	2
Legal notices	3
Technical data sheet/attachments	4

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

Era

SHI Product Passport no.:

14605-10-1004



SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Harmful substance limit	Assessment
SHI Product Assessment	Textile floor coverings	TVOC $\leq 100 \mu\text{g}/\text{m}^3$ Formaldehyd $\leq 4 \mu\text{g}/\text{m}^3$	Indoor Air Quality Certified
Valid untill: 10 May 2026			



Product:

Era

SHI Product Passport no.:

14605-10-1004



Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



Product:

Era

SHI Product Passport no.:

14605-10-1004



Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren/kriterien%20f%C3%BCr%20Produkte>

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



Publisher

Sentinel Holding Institut GmbH
Bötzingen Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu



CREATUFT N.V. / TASIBEL N.V.

Industrielaan 16

B - 8520 Kuurne (Belgium)

TEL +32 (0)56 35 44 44

FAX +32 (0)56 35 41 30

www.creatuft.be / www.tasibel.be

Era: Technische Daten

- **Antistatisch:** ja, da natürliche Rohstoffe
- **Brennverhalten:** (Cft-s1) schwer entflammbar für Objektbereich
- **Gesamtgewicht/m²:** ca. 2.250 g
- **Gesamthöhe:** ca. 6,5 mm
- **Herstellungsverfahren:** Tufting
- **Kett- und Schussfaden:** —
- **Komfortklasse:** LC-2 gut
- **Mottenschutzrüstung:** nein, bei Bedarf bitte Mittel anfragen
- **Noppenzahl/m² (Faserreihen):** ca. 80.000
- **Nutzschicht:** 100 % unbehandelte Schurwolle
- **Poleinsatzgewicht/m²:** ca. 1.000 g
- **Polhöhe (Nutzschicht):** ca. 5,0 mm
- **Qualitätseinstufungen:** 22+ / 31
- **Rückengewebe:** Jute
- **Standardbreite in cm** 400, bei **ERA natur** auch 500
- **Standardrollenlänge:** 25 lfm
- **Teilung:** 5/32 loop
- **Trärgewebe:** Jute/Baumwolle
- **Verklebung:** Naturlatex
- **Verwendete Farben:** naturgefärbt
- **Wärmedurchlasswiderstand:** 0,120 qm K/W
- **Zusatznutzen:** Fußbodenheizung

Elena - Textiler Bodenbelag - Polteppich gem. EN 1307:2014

Version 1

EN 14041			 	---	---	DOP: 1020-125465
NB: 0493			 	---		Creatuft N.V. Industrielaan 16 B - 8520 Kuurne
ZUR NUTZUNG ALS BODENBELAG IN GEBÄUDEN.						

Version 2

EN 14041
DOP: 1020-125465
NB: 0493
18


 
 

ZUR NUTZUNG ALS BODENBELAG IN GEBÄUDEN.
Creatuft N.V. / Industrielaan 16 / B - 8520 Kuurne

Version 3

EN 14041
DOP: 1020-125465
NB: 0493
18

   


ZUR NUTZUNG ALS BODENBELAG IN GEBÄUDEN.
Creatuft N.V. Industrielaan 16 B - 8520 Kuurne

Creatuft N.V. - Industrielaan 16 - B - 8520 Kuurne