



SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

15452-10-1002

Vinylboden SPC XXL Klickvinyl

Product group: Vinyl - Floor coverings / Wall coverings



PARKETT OSTER
Kronacher Str. 133
90765 Fürth



Product qualities:



Köttner

Helmut Köttner
Scientific Director

Freiburg, 02 February 2026



Product:

Vinylboden SPC XXL Klickvinyl

SHI Product Passport no.:

15452-10-1002



Contents

■ QNG - Qualitätssiegel Nachhaltiges Gebäude	1
■ DGNB New Construction 2023	2
■ DGNB New Construction 2018	3
Product labels	4
Legal notices	5
Technical data sheet/attachments	6

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

Vinylboden SPC XXL Klickvinyl

SHI Product Passport no.:

15452-10-1002



QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	2.2 Resilient floor coverings – including multilayer systems	VOC / Emissions / hazardous substances / polycyclic aromatic hydrocarbons (PAH) / SVHC / heavy metals	QNG ready
Verification: Prüfbericht TFI Nr. 25-000048-08 vom 06.05.2025 und Herstellererklärung vom 20.08.2025			



Product:

Vinylboden SPC XXL Klickvinyl

SHI Product Passport no.:

15452-10-1002



DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	7 Floor coverings (Resilient floor coverings)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 3
Verification: Prüfbericht TFI Nr. 25-000048-08 vom 06.05.2025 und Herstellererklärung vom 20.08.2025			

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	7 Floor coverings for indoor use (elastic floor coverings)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 3
Verification: Prüfbericht TFI Nr. 25-000048-08 vom 06.05.2025 und Herstellererklärung vom 20.08.2025			



Product:

Vinylboden SPC XXL Klickvinyl

SHI Product Passport no.:

15452-10-1002



DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	7 Floor coverings (Resilient floor coverings)	VOC / SVOC / hazardous substances	Quality level 4

Verification: Prüfbericht TFI Nr. 25-000048-08 vom 06.05.2025 und Herstellererklärung vom 20.08.2025



Product:

Vinylboden SPC XXL Klickvinyl

SHI Product Passport no.:

15452-10-1002



Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



Product:

Vinylboden SPC XXL Klickvinyl

SHI Product Passport no.:

15452-10-1002



Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren%20f%C3%BCr%20Produkte>

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



Publisher

Sentinel Holding Institut GmbH
Bötzingen Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

Konformitätserklärung zur REACH Verordnung (EG 1907/2006), SVHC-Kandidatenliste vom 21.01.2025

Sehr geehrte Damen und Herren,

als Hersteller von Vinylböden sind wir gemäß REACH Verordnung ein nachgeschalteter Anwender (Produzent von Erzeugnissen). Nach Auskunft unserer Lieferanten sind in den von uns verwendeten Materialien nachfolgende Stoffe nicht enthalten, bzw. es werden die maximal zulässigen Grenzwerte eingehalten:

- SVHC < 0,10 %
- CMR-Stoffe der Kategorie 1A/1B < 0,1%
- reproduktionstoxische Phthalate < 0,1 %
- keine Zinn-, Cadmium- und Bleistabilisatoren
- Chlorparaffine (SCCPs + MCCPs + LCCPs) < 0,10 %

Mit unseren Lieferanten ist vereinbart, dass nur REACH- und RoHS-konforme Produkte an uns geliefert werden. Ist die Konformität nicht eingehalten, sind unsere Lieferanten verpflichtet uns hierüber umgehend zu informieren.

Fürth, 20.08.2025

 **PARKETT
OSTER**
Parkett Oster
Kronacher Str. 133
90765 Fürth

info@Parkett-Oster.de • www.Parkett-Oster.de

Constantin Oster
Geschäftsführer

Vinylboden Rigid SPC | mit integrierter Trittschalldämmung

Oberflächenvergütung	PUR
Belagsart	Heterogen, PVC
Maße	1830x230x6 mm
Nutzschicht	0,5 mm
Verlegung	schwimmend
Fase	4-seitig gefast
Struktur	Synchronprägung in Echtholzstruktur

