



SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

13103-10-1040

PROTEKTOR Korrosionsschutzprofile Metall

Product group: Korrosion protection - Metal profiles - Drywall Profiles



PROTEKTORWERK Florenz Maisch GmbH & Co. KG
Viktoriastr. 58
76571 Gaggenau



Product qualities:





SENTINEL HOLDING
INSTITUT



Köttner

Helmut Köttner
Scientific Director

Freiburg, 02 February 2026

SENTINEL INSIDE

sustainable solutions for the real estate and construction industry

www.sentinel-holding.eu



Product:

PROTEKTOR Korrosionsschutzprofile Metall

SHI Product Passport no.:

13103-10-1040



Contents

■ QNG - Qualitätssiegel Nachhaltiges Gebäude	1
■ BREEAM DE Neubau 2018	2
Product labels	3
Legal notices	4
Technical data sheet/attachments	5

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

PROTEKTOR Korrosionsschutzprofile Metall

SHI Product Passport no.:

13103-10-1040



QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	not applicable	not applicable	QNG ready - Not relevant for assessment



Product:

PROTEKTOR Korrosionsschutzprofile Metall

SHI Product Passport no.:

13103-10-1040



BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea 02 Indoor Air Quality			Not relevant for assessment



Product:

PROTEKTOR Korrosionsschutzprofile Metall

SHI Product Passport no.:

13103-10-1040



Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



Product:

PROTEKTOR Korrosionsschutzprofile Metall

SHI Product Passport no.:

13103-10-1040



Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren/C3%BCr%20Produkte>

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



Publisher

Sentinel Holding Institut GmbH
Bötzingen Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

PRODUKTDATENBLATT



Abschlussprofil für den Innen- und Außenputz

6 mm

Art.-Nr. 2135



Stand: 23.01.2024 | 11:01



Bezeichnung	Abschlussprofil für den Innen- und Außenputz 6 mm
Beschreibung	Das PROTEKTOR Abschlussprofil aus Edelstahl ist geeignet für den Innen- und Außenputz ab 6 mm.
Produktbereich	Innenputz Feuchträume Außenputz
Produktkategorie	Abschlussprofile Feuchträume bis W2-I Feuchträume bis W3-I Abschlussprofile
Mörtelarten	Silikatputz, Armierungsputz organisch, Dämmputz, Einlagenputz / Monocouche, Innenputz – Gips- und gipshaltige Mörtel, Innenputz - Gipsputz, Innenputz - Kalkputz, Kalkzementputz, Innenputz - Lehmputz, Sanierputz
Putzdicke	6 mm
Werkstoff	Edelstahl
EN-Norm	EN 13658-1
Produktlänge	250 cm
Einsatzgebiete	Für Feuchträume mit Wassereinwirkungsklasse bis W3-I.
Brandverhalten	A1
Verpackungseinheit	25 STB / 220 BUN
Merkblatt	* Merkblatt Planung und Anwendung von metallischen Putzprofilen; Herausgeber: Europäischer Fachverband Europrofiles, www.europrofiles.com , * Merkblatt Putz und Trockenbau in Feuchträumen; Herausgeber: Zentralverband des Deutschen Baugewerbes, www.zdb.de , * Merkblatt Winterbaustellen; Herausgeber: Bundesverband der Gipsindustrie e.V., www.gips.de

Das vorliegende Produktdatenblatt entspricht dem aktuellen Entwicklungsstand unserer Produkte und verliert bei Erscheinen einer Neuausgabe seine Gültigkeit. Vergewissern Sie sich, dass Sie jeweils die neueste Ausgabe dieser Information verwenden. Gewährleistung und Haftung richten sich bei Lieferung nach unseren allgem. Geschäftsbedingungen. Beachten Sie bitte die Anwendungs- Montage- und Lagerrichtlinien.

PRODUKTDATENBLATT

Abschlussprofil für den Innen- und Außenputz

6 mm

Art.-Nr. 2135



Alle Angaben ohne Gewähr. Technische Änderungen vorbehalten! Produktabbildungen können vom Lieferprodukt abweichen.
Ausschreibungstexte, Montagehinweise und Leistungserklärungen (soweit gesetzl. vorgeschrieben) finden Sie auf unserer Homepage. Bitte achten Sie der Umwelt zuliebe auf eine fachgerechte Entsorgung!