



# SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

**13103-10-1079**

## PROTEKTOR Korrosionsschutzprofile Metall beschichtet

Product group: Metal profiles - Drywall Profiles - Korrosion protection



PROTEKTORWERK Florenz Maisch GmbH & Co. KG  
Viktoriastr. 58  
76571 Gaggenau



### Product qualities:





**SENTINEL HOLDING  
INSTITUT**



*Köttner*

**Helmut Köttner**  
Scientific Director

Freiburg, 02 February 2026

**SENTINEL INSIDE**

sustainable solutions for the real estate and construction industry

[www.sentinel-holding.eu](http://www.sentinel-holding.eu)



Product:

**PROTEKTOR Korrosionsschutzprofile Metall  
beschichtet**

SHI Product Passport no.:

**13103-10-1079**



## Contents

|                                              |   |
|----------------------------------------------|---|
| ■ QNG - Qualitätssiegel Nachhaltiges Gebäude | 1 |
| ■ BREEAM DE Neubau 2018                      | 2 |
| Product labels                               | 3 |
| Legal notices                                | 4 |
| Technical data sheet/attachments             | 5 |

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

**PROTEKTOR Korrosionsschutzprofile Metall  
beschichtet**

SHI Product Passport no.:

**13103-10-1079**



## QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

| Criteria                                           | Pos. / product group | Considered substances | QNG assessment                             |
|----------------------------------------------------|----------------------|-----------------------|--------------------------------------------|
| 3.1.3<br>Schadstoffvermeidung in<br>Baumaterialien | not applicable       | not applicable        | QNG ready - Not relevant for<br>assessment |



Product:

**PROTEKTOR Korrosionsschutzprofile Metall  
beschichtet**

SHI Product Passport no.:

**13103-10-1079**



## **BREEAM DE Neubau 2018**

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

| Criteria                  | Product category | Considered substances | Quality level               |
|---------------------------|------------------|-----------------------|-----------------------------|
| Hea 02 Indoor Air Quality |                  |                       | Not relevant for assessment |



Product:

**PROTEKTOR Korrosionsschutzprofile Metall  
beschichtet**

SHI Product Passport no.:

**13103-10-1079**



## Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.

---



Product:

**PROTEKTOR Korrosionsschutzprofile Metall  
beschichtet**

SHI Product Passport no.:

**13103-10-1079**



## Legal notices

(\*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

---

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren%20f%C3%BCr%20Produkte>

---

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



### Publisher



Sentinel Holding Institut GmbH  
Bötzingen Str. 38  
79111 Freiburg im Breisgau  
Germany  
Tel.: +49 761 590 481-70  
[info@sentinel-holding.eu](mailto:info@sentinel-holding.eu)  
[www.sentinel-holding.eu](http://www.sentinel-holding.eu)

# PRODUKTDATENBLATT

Putzlehre für den Innenputz  
ab 6 mm, Alu  
Art.-Nr. 9003



Stand: 12.10.2023 | 04:10



|                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Bezeichnung</b>        | Putzlehre für den Innenputz ab 6 mm, Alu                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Beschreibung</b>       | Die PROTEKTOR Putzlehre aus Aluminium mit weißer Grundbeschichtung für den Innenputz ab 6 mm. In gewerblichen Küchen und Feuchträumen, Schwimmbädern sowie bei Sanierputzen sind Edelstahlprofile einzubauen.                                                                                                                                                                                                                                                            |
| <b>Produktbereich</b>     | Innenputz   Feuchträume                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Produktkategorie</b>   | Putzlehren   Feuchträume bis W2-I                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Mörtelarten</b>        | Silikatputz, Armierungsputz organisch, Dämmputz, Einlagenputz / Monocouche, Innenputz – Gips- und gipshaltige Mörtel, Innenputz - Gipsputz, Innenputz - Kalkputz, Kalkzementputz, Innenputz - Lehmputz                                                                                                                                                                                                                                                                   |
| <b>Putzdicke</b>          | 6 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Werkstoff</b>          | Aluminium, mit weißer Grundbeschichtung                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>EN-Norm</b>            | EN 13658-1                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Produktlänge</b>       | 260 cm; 300 cm                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Einsatzgebiete</b>     | Für Feuchträume mit Wassereinwirkungsklasse bis W2-I.                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Brandverhalten</b>     | E                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Produktfarbe</b>       | 10, weiß                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Verpackungseinheit</b> | 50 STB / 100 BUN                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Merkblatt</b>          | * Merkblatt Planung und Anwendung von metallischen Putzprofilen; Herausgeber: Europäischer Fachverband Europrofiles, <a href="http://www.europrofiles.com">www.europrofiles.com</a> , * Merkblatt Putz und Trockenbau in Feuchträumen; Herausgeber: Zentralverband des Deutschen Baugewerbes, <a href="http://www.zdb.de">www.zdb.de</a> , * Merkblatt Winterbaustellen; Herausgeber: Bundesverband der Gipsindustrie e.V., <a href="http://www.gips.de">www.gips.de</a> |

Das vorliegende Produktdatenblatt entspricht dem aktuellen Entwicklungsstand unserer Produkte und verliert bei Erscheinen einer Neuausgabe seine Gültigkeit. Vergewissern Sie sich, dass Sie jeweils die neueste Ausgabe dieser Information verwenden. Gewährleistung und Haftung richten sich bei Lieferung nach unseren allgem. Geschäftsbedingungen. Beachten Sie bitte die Anwendungs- Montage- und Lagerrichtlinien.



# PRODUKTDATENBLATT

Putzlehre für den Innenputz  
ab 6 mm, Alu  
Art.-Nr. 9003



Alle Angaben ohne Gewähr. Technische Änderungen vorbehalten! Produktabbildungen können vom Lieferprodukt abweichen.  
Ausschreibungstexte, Montagehinweise und Leistungserklärungen (soweit gesetzl. vorgeschrieben) finden Sie auf unserer Homepage. Bitte achten Sie der Umwelt zuliebe auf eine fachgerechte Entsorgung!