



SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

15085-10-1003

R-TUBE

Product group: Ventilation



ROOS GmbH
Ohlenfeldstraße 4-6
56154 Boppard



Product qualities:



Köttner

Helmut Köttner
Scientific Director
Freiburg, 02 February 2026



Contents

■ QNG - Qualitätssiegel Nachhaltiges Gebäude	1
■ DGNB New Construction 2023	2
■ DGNB New Construction 2018	4
■ BNB-BN Neubau V2015	5
■ EU taxonomy	6
■ BREEAM DE Neubau 2018	7
Product labels	8
Legal notices	9
Technical data sheet/attachments	9

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

R-TUBE

SHI Product Passport no.:

15085-10-1003



QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	not applicable	not applicable	QNG ready - Not relevant for assessment



Product:

R-TUBE

SHI Product Passport no.:

15085-10-1003



DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	not applicable		Not relevant for assessment

Criteria	Assessment
ECO1.1 Life cycle cost (*)	May positively contribute to the overall building score

Criteria	Assessment
ENV1.1 Climate action and energy (*)	May positively contribute to the overall building score

Criteria	Assessment
SOC1.1 Thermal comfort (*)	May positively contribute to the overall building score

Criteria	Assessment
SOC1.3 Sound insulation and acoustic comfort (*)	May positively contribute to the overall building score

Criteria	Assessment
TEC1.4 Use and integration of building technology (*)	May positively contribute to the overall building score



Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	not applicable		Not relevant for assessment



Product:

R-TUBE

SHI Product Passport no.:

15085-10-1003



DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	not applicable	not applicable	Not relevant for assessment



Product:

R-TUBE

SHI Product Passport no.:

15085-10-1003



BNB-BN Neubau V2015

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt			Not relevant for assessment



Product:

R-TUBE

SHI Product Passport no.:

15085-10-1003



EU taxonomy

The EU Taxonomy classifies economic activities and products according to their environmental impact. At the product level, the EU regulation defines clear requirements for harmful substances, formaldehyde and volatile organic compounds (VOCs). The Sentinel Holding Institut GmbH labels qualified products that meet this standard.

Criteria	Product type	Considered substances	Assessment
DNSH - Pollution prevention and control		Substances according to Annex C	EU taxonomy compliant

Verification: für keine Stoffe mit Einstufung CMR 1A und 1B sowie SVHC $\leq 0,1\%$ durch Herstellererklärung vom 14. Mai. 2024.



Product:

R-TUBE

SHI Product Passport no.:

15085-10-1003



BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea 02 Indoor Air Quality			Not relevant for assessment



Product:

R-TUBE

SHI Product Passport no.:

15085-10-1003



Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



Product:

R-TUBE

SHI Product Passport no.:

15085-10-1003



Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren/C3%BCr%20Produkte>

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



Publisher

Sentinel Holding Institut GmbH
Bötzingen Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

Technische Daten

R-TUBE®

Luftleistung	60m³/h
Wärmebereitstellungsgrad	> 93,3 %
Wandstärke	35 cm
Eigengeräusch	17,5 dB

	Stufe	R-Tube 60	R-Tube 40
Luftleistung	1	11 m³/h	11 m³/h
	2	21 m³/h	21 m³/h
	3	30 m³/h	30 m³/h
	4	60 m³/h	42 m³/h
Eigengeräusch	1	< 17,5 dB(A)	< 17,5 dB(A)
	2	< 27 dB(A)	< 27 dB(A)
	3	< 30 dB(A)	< 30 dB(A)
	4	< 38 dB(A)	< 35 dB(A)
Filterklasse:	G3 / F7 optional		
Leistungsaufnahme System	1	< 2,7 Watt	< 2,7 Watt
	2	< 3,3 Watt	< 3,3 Watt
	3	< 4,6 Watt	< 4,6 Watt
	4	< 15,7 Watt	< 7,6 Watt
Wärmebereitstellungsgrad lt. DIBT	1	93,7%	93,7%
	2	82,3%	82,3%
	3	75,4%	75,4%
	4	65,8%	69,4%
Minimale Wandstärke	350 mm (inkl. Putz)		
Ø Wanddurchführung	160 mm		
Innenblende	25,5 cm x 44,5 cm x 9,5 (BxHxT)		
Außengitter	29 cm x 29 cm (BxH)		
Energieeffizienzklasse (SEV)	A bei Verwendung des optionalen Luftfeuchtesensors. B ohne Verwendung des optionalen Luftfeuchtesensors.		

Änderungen vorbehalten

Hauptsitz:
ROOS GmbH
 Ohlenfeldstraße 4-6
 56154 Boppard-Buchholz
 Tel. 0 67 42/80 02-0
 Fax 0 67 42/80 02-40
 e-mail: info@roos-gmbh.de

Büro Nordwest
 ROOS GmbH
 Mühlen Schmidthausen 1
 58566 Kierspe
 Tel. 0 23 53/70 03 10
 Fax 0 23 53/70 03 23
 e-mail: kierspe@roos-gmbh.de

Büro Ost
 ROOS GmbH
 Dieselstraße 12
 08371 Glauchau
 Industriegeb. Nordwest
 Tel. 0 37 63/17 93-0
 Fax 0 37 63/17 93-30
 e-mail: glauchau@roos-gmbh.de

Büro Süd
 ROOS GmbH
 Tölzer Straße 37
 82031 Grünwald b. München
 Telefon +49 (0) 89 26010450
 e-mail: bayern@roos-gmbh.de

Internet: www.roos-gmbh.de



Herstellererklärung

Aussteller:

ROOSGmbH
Ohlenfeldstr. 4-6
D-56154 Boppard-Buchholz
Germany

Produkt:

Raumlüftungsgerät mit Wärmerückgewinnung

Handelsbezeichnung:

R-Tube

Das genannte Produkt enthält:

- keine Zinn-, Cadmium- und Bleistabilisatoren
- reproduktionstoxische Phthalat Weichmacher mit einem Anteil $\leq 0,10$ %
- und falls vorhanden für Weich-PVC: reproduktionstoxische Phthalat Weichmacher mit einem Anteil $< 0,1$ %
- keine Stoffe mit Einstufung CMR 1A / 1B
- SVHC $\leq 0,1\%$

Boppard, 14.05.2024

Aussteller