



SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

15118-10-1006

LVT flooring 2.5 mm dryback

Product group: Floor coverings / Wall coverings - Vinyl

Rigid
— FLOORS
& WALLS

Rigid Floors & Walls
Sprietstraat 326
8792 Waregem



Product qualities:



Köttner

Helmut Köttner
Scientific Director

Freiburg, 02 February 2026



Product:

LVT flooring 2.5 mm dryback

SHI Product Passport no.:

15118-10-1006

Rigid
— FLOORS
& WALLS

by 

Contents

 SHI Product Assessment 2024	1
 QNG - Qualitätssiegel Nachhaltiges Gebäude	2
 DGNB New Construction 2023	3
 DGNB New Construction 2018	4
 BNB-BN Neubau V2015	5
 EU taxonomy	6
 BREEAM DE Neubau 2018	7
Product labels	8
Legal notices	9
Technical data sheet/attachments	10

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

LVT flooring 2.5 mm dryback

SHI Product Passport no.:

15118-10-1006

Rigid
— FLOORS
& WALLS

by **Integno**

SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Harmful substance limit	Assessment
SHI Product Assessment	Other floor coverings	TVOC $\leq 160 \mu\text{g}/\text{m}^3$ Formaldehyd $\leq 10 \mu\text{g}/\text{m}^3$	Indoor Air Quality Certified
Valid until: 29 October 2027			



Product:

LVT flooring 2.5 mm dryback

SHI Product Passport no.:

15118-10-1006

Rigid
— FLOORS
& WALLS

by leigno

QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	2.2 Resilient floor coverings – including multilayer systems	VOC / Emissions / hazardous substances / polycyclic aromatic hydrocarbons (PAH) / SVHC / heavy metals	QNG ready
Verification: Prüfbericht des Instituts Normtec Product Testing vom 23.06.2023. Herstellereklärung vom 29.10.2025			



Product:

LVT flooring 2.5 mm dryback

SHI Product Passport no.:

15118-10-1006

Rigid
— FLOORS
& WALLS

by **legno**

DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	7 Floor coverings (Resilient floor coverings)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 3
Verification: Prüfbericht des Instituts Normtec Product Testing vom 23.06.2023. Herstellereklärung vom 29.10.2025			

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	7 Floor coverings for indoor use (elastic floor coverings)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 3
Verification: Prüfbericht des Instituts Normtec Product Testing vom 23.06.2023. Herstellereklärung vom 29.10.2025			



Product:

LVT flooring 2.5 mm dryback

SHI Product Passport no.:

15118-10-1006

Rigid
— FLOORS
& WALLS

by leigno

DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	7 Floor coverings (Resilient floor coverings)	VOC / SVOC / hazardous substances	Quality level 4

Verification: Prüfbericht des Instituts Normtec Product Testing vom 23.06.2023.
Herstellereklärung vom 29.10.2025



Product:

LVT flooring 2.5 mm dryback

SHI Product Passport no.:

15118-10-1006

Rigid
— FLOORS
& WALLS

by 

BNB-BN Neubau V2015

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt	2a Elastic floor coverings – with and without bonded underlay or insulation layer	VOC / hazardous substances / heavy metals	Quality level 3
Verification: Prüfbericht des Instituts Normtec Product Testing vom 23.06.2023. Herstellereklärung vom 29.10.2025			



Product:

LVT flooring 2.5 mm dryback

SHI Product Passport no.:

15118-10-1006

Rigid
— FLOORS
& WALLS

by **legno**

EU taxonomy

The EU Taxonomy classifies economic activities and products according to their environmental impact. At the product level, the EU regulation defines clear requirements for harmful substances, formaldehyde and volatile organic compounds (VOCs). The Sentinel Holding Institut GmbH labels qualified products that meet this standard.

Criteria	Product type	Considered substances	Assessment
DNSH - Pollution prevention and control	Floor coverings (including associated adhesives and sealants)	Substances according to Annex C, formaldehyde, carcinogenic VOCs category 1A/1B	EU taxonomy compliant
Verification: Prüfbericht des Instituts Normtec Product Testing vom 23.06.2023. Herstellereklärung vom 29.10.2025			



Product:

LVT flooring 2.5 mm dryback

SHI Product Passport no.:

15118-10-1006

Rigid
— FLOORS
& WALLS

by **legno**

BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea 02 Indoor Air Quality	Flooring materials (including floor levelling compounds and resin flooring)	Emissions: Formaldehyde, TVOC, TSVOC, carcinogens	Exemplary quality
Verification: Prüfbericht des Instituts Normtec Product Testing vom 23.06.2023.			



Product:

LVT flooring 2.5 mm dryback

SHI Product Passport no.:

15118-10-1006

Rigid
— FLOORS
& WALLS

by Lalegno

Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



This product is SHI Indoor Air Quality certified and recommended by Sentinel Holding Institut. Indoor-air-focused construction, renovation, and operation of buildings is made possible by transparent and verifiable criteria thanks to the Sentinel Holding concept.



Product:

LVT flooring 2.5 mm dryback

SHI Product Passport no.:

15118-10-1006

Rigid
— FLOORS
& WALLS

by 

Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren/C3%BCr%20Produkte>

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



Publisher

Sentinel Holding Institut GmbH
Bötzingen Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

Rigid FLOORS & WALLS

by lalegno 

Declaration of Conformity

Declaration of Conformity to Environmental

To Whom It May Concern,

We issues this statement regarding our product:2.5mm LVT Dry Back Vinyl Flooring.It is hereby confirmed that the aforementioned product is in conformity with the restrictions specified in Annex XVII of the EU REACH Regulation (EC) No 1907/2006,as amended.Our verification indicates:

-The concentration of each SVHC included in the REACH Candidate List does not exceed 0.10%(by weight).

-The concentration of any CMR Category 1A or 1B substance is maintained below the Generic Concentration Limits stipulated in REACH Annex XVII (0.1% for carcinogens/mutagens,0.3%for reproductive toxins)

-The product formulation does not contain and is manufactured without the intentional addition of tin,cadmium,or lead-based stabilizers.

-The content of reprotoxic phthalates in the product is less than 0.10%.

-The total concentration of chlorinated paraffins(encompassing SCCPs, MCCPs,and LCCPs)is less than 0.10%(by weight).

This statement is supported by a technical dossier containing supplier declarations a no test reports and is accurate to the best of our knowledge on the date of issue.

For Rigid Floors and Walls,

29/10/2025

Rigid floors bvba

Sprietestraat 326

8792 WAREGEM – BELGIUM

Tel. +32 56 540 160

BE 0717 940 154 – RPR Gent, afdeling Kortrijk