



SHI-PRODUKTPASS

Produkte finden - Gebäude zertifizieren

SHI-Produktpass-Nr.:

15305-10-1004

VELUX Modular rooflights UVL, UFL, UVM, UFM


Warengruppe: Skylight - Fenster



VELUX A/S
Aadalsvej 99
2970 Hørsholm



Produktqualitäten:



Köttner

Helmut Köttner
Wissenschaftlicher Leiter
Freiburg, den 03.04.2025



Produkt:

**VELUX Modular rooflights UVL, UFL,
UVM, UFM**

SHI Produktpass-Nr.:

15305-10-1004

VELUX®

Inhalt

 Qualitätssiegel Nachhaltiges Gebäude	1
 DGNB Neubau 2023	2
 DGNB Neubau 2018	5
 BNB-BN Neubau V2015	6
 BREEAM DE Neubau 2018	7
Produktsiegel	8
Rechtliche Hinweise	9
Technisches Datenblatt/Anhänge	8

Wir sind stolz darauf, dass die SHI-Datenbank, die erste und einzige Datenbank für Bauprodukte ist, die ihre umfassenden Prozesse sowie die Aktualität regelmäßig von dem unabhängigen Prüfunternehmen SGS-TÜV Saar überprüfen lässt.

SGS

SGS
TÜV
SAAR



Produkt:

**VELUX Modular rooflights UVL, UFL,
UVM, UFM**

SHI Produktpass-Nr.:

15305-10-1004



Qualitätssiegel Nachhaltiges Gebäude

Das Qualitätssiegel Nachhaltiges Gebäude, entwickelt durch das Bundesministerium für Wohnen, Stadtentwicklung und Bauwesen (BMWSB), legt Anforderungen an die ökologische, soziokulturelle und ökonomische Qualität von Gebäuden fest. Das Sentinel Holding Institut prüft Bauprodukte gemäß den QNG-Anforderungen für eine Zertifizierung und vergibt das QNG-ready Siegel. Das Einhalten des QNG-Standards ist Voraussetzung für den KfW-Förderkredit. Für bestimmte Produktgruppen hat das QNG derzeit keine spezifischen Anforderungen definiert. Diese Produkte sind als nicht bewertungsrelevant eingestuft, können jedoch in QNG-Projekten genutzt werden.

Allgemeine Anwendung

Kriterium	Pos. / Bauproduktgruppe	Betrachtete Stoffe	QNG Freigabe
3.1.3 Schadstoffvermeidung in Baumaterialien	nicht zutreffend	nicht zutreffend	nicht bewertungsrelevant
Bewertungsdatum: 03.04.2025			

Holzanteil

Kriterium	Bewertung
ANF2-WG1 Nachhaltige Materialgewinnung	Kann Gesamtbewertung positiv beeinflussen
Nachweis: PEFC zertifiziert	
Bewertungsdatum: 03.04.2025	



Produkt:

**VELUX Modular rooflights UVL, UFL,
UVM, UFM**

SHI Produktpass-Nr.:

15305-10-1004

VELUX®

DGNB Neubau 2023

Das DGNB-System (Deutsche Gesellschaft für Nachhaltiges Bauen) bewertet die Nachhaltigkeit von Gebäuden verschiedener Art. Das System ist sowohl anwendbar für private und gewerbliche Großprojekte als auch für kleinere Wohngebäude. Die Version 2023 setzt hohe Standards für ökologische, ökonomische, soziokulturelle und funktionale Aspekte während des gesamten Lebenszyklus eines Gebäudes.

Allgemeine Anwendung

Kriterium	Bewertung
ECO 1.1 Gebäudebezogene Kosten im Lebenszyklus	Kann Gesamtbewertung positiv beeinflussen
Nachweis: An improved u-value can contribute to more energy efficient building components. Sloped roof windows, flat roof windows and other Velux windows can result in less frequent use of electric light. Use of window's opening can also increase ventilation. Further detailing can be completed with more case-to-case information.	
Bewertungsdatum: 25.03.2025	

Kriterium	Bewertung
ECO 2.6 Klimaresilienz	Kann Gesamtbewertung positiv beeinflussen
Nachweis: Velux Products provide natural cooling and ventilation, see documentation of windows application. Materials providing heat protection are the individual window's glazing and implementation of various accessories.	
Bewertungsdatum: 25.03.2025	

Kriterium	Bewertung
ENV 1.1 Klimaschutz und Energie	Kann Gesamtbewertung positiv beeinflussen
Nachweis: Some of the products include PV cells. This generates PV panels on both the roof and in the product./Connected to ECO 1.1 as well as an implementation of the automation of the windows and Velux Active./ We offer products which operated through electric/solar powered sources, which results in an automatised product package.	
Bewertungsdatum: 25.03.2025	



Kriterium	Bewertung
SOC 1.1 Thermischer Komfort	Kann Gesamtbewertung positiv beeinflussen
Nachweis: The opening of the windows introduce fresh air into the building + offering of various shading and glazing materials resulting in a solar protection	
Bewertungsdatum: 25.03.2025	

Kriterium	Bewertung
SOC 1.3 Schallschutz und akustischer Komfort	Kann Gesamtbewertung positiv beeinflussen
Nachweis: We offer some products with high sound properties as well as external accessories	
Bewertungsdatum: 25.03.2025	

Kriterium	Bewertung
SOC 1.4 Visueller Komfort	Kann Gesamtbewertung positiv beeinflussen
Nachweis: Connected to ECO 1.1	
Bewertungsdatum: 25.03.2025	

Kriterium	Bewertung
TEC 1.3 Qualität der Gebäudehülle	Kann Gesamtbewertung positiv beeinflussen
Nachweis: We offer some products with higher insulation properties with various glazings and an addition of various accessories	
Bewertungsdatum: 25.03.2025	

Kriterium	Bewertung
TEC 1.4 Einsatz und Integration von Gebäudetechnik	Kann Gesamtbewertung positiv beeinflussen
Nachweis: we offer products which can integrate automation systems.	
Bewertungsdatum: 25.03.2025	

Kriterium	Pos. / Relevante Bauteile / Bau-Materialien / Flächen	Betrachtete Stoffe / Aspekte	Qualitätsstufe
ENV 1.2 Risiken für die lokale Umwelt	32 Sämtliche Aluminium und Edelstahlbauteile	Chrom-VI	Qualitätsstufe: 4
Nachweis: Herstellererklärung vom 01.02.2025			
Bewertungsdatum: 03.04.2025			



Holzanteil

Kriterium	Pos. / Relevante Bauteile / Bau-Materialien / Flächen	Betrachtete Stoffe / Aspekte	Qualitätsstufe
ENV 1.2 Risiken für die lokale Umwelt	30a Masshaltige Holzbauteile: Außentüren und Außenfenster	Holzschutzmittel (Produktart 8 nach 528/2012/EG)	Qualitätsstufe: 3

Nachweis: Herstellererklärung zu Bioziden vom Februar 2025

Bewertungsdatum: 03.04.2025

Kriterium	Qualitätsstufe
ENV 1.3 Verantwortungsbewusste Ressourcengewinnung	Kann Gesamtbewertung positiv beeinflussen

Nachweis: PEFC zertifiziert

Bewertungsdatum: 03.04.2025



Produkt:

**VELUX Modular rooflights UVL, UFL,
UVM, UFM**

SHI Produktpass-Nr.:

15305-10-1004

VELUX®

DGNB Neubau 2018

Das DGNB-System (Deutsche Gesellschaft für Nachhaltiges Bauen) bewertet die Nachhaltigkeit von Gebäuden verschiedener Art. Das System ist sowohl anwendbar für private und gewerbliche Großprojekte als auch für kleinere Wohngebäude.

Allgemeine Anwendung

Kriterium	Pos. / Relevante Bauteile / Bau-Materialien / Flächen	Betrachtete Stoffe / Aspekte	Qualitätsstufe
ENV 1.2 Risiken für die lokale Umwelt	32 Sämtliche Aluminium- und Edelstahlbauteile der Hülle. Nicht betrachtet werden Sonnenschutzlamellen, Rolladenkästen sowie Edelstahlgeländer	Chrom-VI	Qualitätsstufe: 4
Nachweis: Herstellererklärung vom 01.02.2025			
Bewertungsdatum: 03.04.2025			

Holzanteil

Kriterium	Pos. / Relevante Bauteile / Bau-Materialien / Flächen	Betrachtete Stoffe / Aspekte	Qualitätsstufe
ENV 1.2 Risiken für die lokale Umwelt	30a Masshaltige Holzbauteile: Außentüren und Außenfenster		Qualitätsstufe: 3
Nachweis: Herstellererklärung zu Bioziden vom Februar 2025			
Bewertungsdatum: 03.04.2025			



Produkt:

SHI Produktpass-Nr.:

**VELUX Modular rooflights UVL, UFL,
UVM, UFM**

15305-10-1004

VELUX®

BNB-BN Neubau V2015

Das Bewertungssystem Nachhaltiges Bauen ist ein Instrument zur Bewertung von Büro- und Verwaltungsgebäuden, Unterrichtsgebäuden, Laborgebäuden sowie Außenanlagen in Deutschland. Das BNB wurde vom damaligen Bundesministerium für Umwelt, Naturschutz, Bau und Reaktorsicherheit (BMUB) entwickelt und unterliegt heute dem Bundesministerium für Wohnen, Stadtentwicklung und Bauwesen.

Allgemeine Anwendung

Kriterium	Pos. / Bauprodukttyp	Betrachtete Schadstoffgruppe	Qualitätsniveau
1.1.6 Risiken für die lokale Umwelt	27 eloxierte Aluminium- und passivierte Edelstahloberflächen	Schwermetalle (Chrom-VI)	Qualitätsniveau 5

Nachweis: Herstellererklärung vom 01.02.2025

Bewertungsdatum: 03.04.2025

Holzanteil

Kriterium	Pos. / Bauprodukttyp	Betrachtete Schadstoffgruppe	Qualitätsniveau
1.1.6 Risiken für die lokale Umwelt	26 Chemische Imprägnierung nichttragender Bauteile	Biozide	Qualitätsniveau 3

Nachweis: Herstellererklärung vom 01.02.2025 und Herstellererklärung zu Bioziden vom Februar 2025

Bewertungsdatum: 03.04.2025

Kriterium	Bewertung
1.1.7 Nachhaltige Materialgewinnung	Kann Gesamtbewertung positiv beeinflussen

Nachweis: PEFC zertifiziert

Bewertungsdatum: 03.04.2025



Produkt:

SHI Produktpass-Nr.:

**VELUX Modular rooflights UVL, UFL,
UVM, UFM**

15305-10-1004

VELUX®

BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) ist ein britisches Gebäudebewertungssystem, welches die Nachhaltigkeit von Neubauten, Sanierungsprojekten und Umbauten einstuft. Das Bewertungssystem wurde vom Building Research Establishment (BRE) entwickelt und zielt darauf ab, ökologische, ökonomische und soziale Auswirkungen von Gebäuden zu bewerten und zu verbessern.

Kriterium	Produktkategorie	Betrachtete Stoffe	Qualitätsstufe
Hea 02 Qualität der Innenraumluft			nicht bewertungsrelevant
Bewertungsdatum: 03.04.2025			



Produkt:

**VELUX Modular rooflights UVL, UFL,
UVM, UFM**

SHI Produktpass-Nr.:

15305-10-1004

VELUX®

Produktsiegel

In der Baubranche spielt die Auswahl qualitativ hochwertiger Materialien eine zentrale Rolle für die Gesundheit in Gebäuden und deren Nachhaltigkeit. Produktlabels und Zertifikate bieten Orientierung, um diesen Anforderungen gerecht zu werden. Allerdings besitzt jedes Zertifikat und Label eigene Prüfkriterien, die genau betrachtet werden sollten, um sicherzustellen, dass sie den spezifischen Bedürfnissen eines Bauvorhabens entsprechen.



Produkte mit dem QNG-ready Siegel des Sentinel Holding Instituts eignen sich für Projekte, für welche das Qualitätssiegel Nachhaltiges Gebäude (QNG) angestrebt wird. QNG-ready Produkte erfüllen die Anforderungen des QNG Anhangdokument 3.1.3 "Schadstoffvermeidung in Baumaterialien". Das KfW-Kreditprogramm Klimafreundlichen Neubau mit QNG kann eine höhere Fördersumme ermöglichen.



Produkt:

**VELUX Modular rooflights UVL, UFL,
UVM, UFM**

SHI Produktpass-Nr.:

15305-10-1004

VELUX®

Rechtliche Hinweise

(*) Die Kriterien dieses Steckbriefs beziehen sich auf das gesamte Bauobjekt. Die Bewertung erfolgt auf der Ebene des Gebäudes. Im Rahmen einer sachgemäßen Planung und fachgerechten Installation können einzelne Produkte einen positiven Beitrag zum Gesamtergebnis der Bewertung leisten. Das Sentinel Holding Institut stützt sich einzig auf die Angaben des Herstellers.

Alle Kriterien finden Sie unter:

<https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren/kriterien%20f%C3%BCr%20Produkte>

Wir sind stolz darauf, dass die SHI-Datenbank, die erste und einzige Datenbank für Bauprodukte ist, die ihre umfassenden Prozesse sowie die Aktualität regelmäßig von dem unabhängigen Prüfunternehmen SGS-TÜV Saar überprüfen lässt.

SGS

**SGS
TÜV
SAAR**

Herausgeber

Sentinel Holding Institut GmbH
Bötzingen Str. 38
79111 Freiburg im Breisgau
Tel.: +49 761 59048170
info@sentinel-holding.eu
www.sentinel-holding.eu

To whom it may concern



VELUX A/S
Ådalsvej 99
DK-2970 Hørsholm
Denmark
Telephone +45 45 16 40 00
www.velux.com

Date: 01 February 2025

Sentinel Haus criteria

VOC content

We can confirm that the plants performing the factory coating of our products are operated in accordance with or (for smaller companies) in accordance with the 31st Ordinance of the Federal Emission Control Act or by the Europe-wide regulation Regulation 2010/75/EU - Industrial Emissions Directive (IED), (formerly Regulation 1999/13/EU).

We are working with our supplier base to investigate means of reducing the VOC content of the applied coating materials.

We are continuously working on reducing our negative social and environmental impact. Information on this work can be found in our Sustainability Report 2023 ([link](#)).

Chemical content

We hereby declare that all products comply with the following criteria.

- No use of halogenated blowing agents
- No use of brominated flame retardants (HBCD)
- No use of reproduction toxic boron compounds in quantities of more than 0.1% (w/w)
- No use of chrome VI oxide surface treatment (passivation)
- No use of lead, cadmium compounds in quantities of more than 0,1% in our windows. Our accessories MSL awning blind and KFX smoke ventilation control unit, both contains lead ((CAS no 743-92-1) in quantities of more than 0,1%.
- No use of chrome VI compounds
- None of our products contain any substances (incl. reproductive-toxic phthalates) of very high concern or substances from the candidate list in quantities of more than 0.1 % (w/w)

Yours sincerely,

Birthe Uldahl Kjeldsen

Senior manager, Technical Values
Standardisation and Technical Performance

To Whom it May Concern



Ådalsvej 99
DK-2970 Hørsholm
Denmark
+45 45 16 40 00 Telephone
+45 45 16 40 01 Telefax

Valid: 22 January 2025 – 21 January 2026

VELUX A/S is aware of REACH regulation and acknowledge the obligations which derive from the regulation.

We can confirm that none of the VELUX products, packaging etc. are covered by the obligation to register in accordance to REACH.

Furthermore, we can confirm that none¹ of our products contain any Substances of Very High Concern or substances at the Candidate list in quantities of more than 0,1% (w/w).

We can also confirm that we are in contact with our suppliers to ensure that they are aware of REACH.

Birthe Uldahl Kjeldsen

A handwritten signature in black ink, appearing to read "Birthe Kjeldsen", is written over the printed name.

Senior manager

Technical Values

Standardisation & Technical Performance

VELUX A/S

Ådalsvej 99, DK 2970 Hørsholm

¹ Apart from backup batteries for smoke ventilation products (KFX) and small PV modules used in VELUX MSL awning blinds, please see separate certificate.

CHAIN OF CUSTODY CERTIFICATE

Certificate no.:
DNVFI-PEFC-COC-000075

Initial certification date:
25 August 2008

Valid:
19 September 2022 – 09 January 2027

This is to certify that

VELUX A/S

Platinvej 14, 6000 Kolding, Denmark

and the sites as mentioned in the appendix accompanying this certificate

meets the requirements of following international PEFC standards:

PEFC ST 2002:2020, PEFC ST 2001:2020

This certificate is valid for the following product or service ranges:

Manufacturing, sales and distribution of wooden roof windows.

The validity of this certificate shall be verified on www.pefc.org.

Place and date:
Espoo, 19 September 2022



For the issuing office:
DNV - Business Assurance
Keilaranta 1, 02150 Espoo, Finland



Kimmo Haarala
Management Representative

Appendix to Certificate

VELUX A/S

Locations included in the certification are as follows:

Site Name	Site Address	Site Scope
JTJ Sonneborn Industrie GmbH	Am Arzbach 13, DE-99869 Sonneborn, Germany	Manufacturing of wooden roof windows and windows components
NB Polska Sp. z o.o.	Ul. Sloneczna 29, PL-62-200 Gniezno, Poland	Manufacturing of roof windows and components for windows
NM Polska Sp. z o.o.	Ul. Olesnicka 12, PL-46-100 Namyslow, Poland	Manufacturing, sales and distribution of wooden roof windows
Østbirk Bygningsindustri A/S	Ryvej 21, 8752 Østbirk, Denmark	Manufacturing of wooden roof windows and windows components
Partizánske Building Components-SK s.r.o	Malobielska 1/215, 95804 Partizanske, Slovak Republic	Manufacturing of wooden roof windows and windows components
Thyregod Bygningsindustri A/S	Nordre Ringvej 9, 7323 Give, Denmark	Manufacturing of wooden roof windows and windows components
VELUX A/S	Platinvej 14, 6000 Kolding, Denmark	Logistics HQ
VELUX A/S - DC Portugal	Travessa do Areiro 272, PT-2440-05, Batalha, Portugal	Distribution and warehousing of wooden roof windows
VELUX A/S - European Central Warehouse CEE	H-9431 Fertod, Malom Köz 1, Hungary	Distribution and warehousing of wooden roof windows
VELUX A/S - Feuquières	Zone Industrielle, F-80210, Feuquières en Vimeu, France	Manufacturing of wooden roof windows and windows components
VELUX A/S - JTJ-D Sonneborn	Am Arzbach 13, DE-99869 Sonneborn, Germany	Distribution and warehousing of wooden roof windows
VELUX A/S - Kolding	Jupitervej 4, 6000 Kolding, Denmark	Central Purchasing
VELUX A/S - LOG-V	Platinvej 14, 6000 Kolding, Denmark	Manufacturing, sales and distribution of wooden roof windows.
VELUX A/S - NB PL Gniezno	Ul. Sloneczna 29, PL-62-200 Gniezno, Poland	Distribution and warehousing of wooden roof windows
VELUX A/S - NM PL Namyslow	Ul. Olesnicka 12, PL-46-100 Namyslow, Poland	Distribution and warehousing of wooden roof windows
VELUX A/S - Nordic DC FWH	Platinvej 14, 6000 Kolding, Denmark	Distribution and warehousing of wooden roof windows
VELUX A/S - PBC SK	Malobielská 1/225, SK-958 04 Partizánske, Slovak Republic	Distribution and warehousing of wooden roof windows
VELUX A/S V-LOG	Platinvej 14, 6000 Kolding, Denmark	Sales of wooden roof windows
VELUX Belgium	Boulevard de l'europe 121, B-1300 Wavre, Belgium	Sales of wooden roof windows
VELUX Company Ltd.	Woodside Way, Glenrothes East, GB-KY7 4ND, United Kingdom	Sales of wooden roof windows
VELUX Danmark A/S	Breeltevej 20, 2970 Hørsholm, Denmark	Sales of wooden roof windows
VELUX Deutschland GmbH	Gazellenkamp 168, DE-22527 Hamburg, Germany	Sales of wooden roof windows

Site Name	Site Address	Site Scope
VELUX France SAS	1, rue Paul Cézanne, F-91421, Morangis Cédex, France	Sales of wooden roof windows
VELUX Italia S.p.a.	Via Strà 152 - I-37030 Colognola ai Colli (VR) - Italy	Sales of wooden roof windows
VELUX Magyarország LKR Korlátolt Felelősségű TársaságS	H-9431 Fertod, Malom köz 1, Hungary	Manufacturing of wooden roof windows and windows components
VELUX Nederland B.V	Molensteijn 2, NL-3454 ZJ De Meern, Netherlands	Sales of wooden roof windows
VELUX Norway AS	Gjerdrumsvej 10 D, NO-0484 Oslo, Norway	Sales of wooden roof windows
VELUX Romania SRL	Coresi Business Park, 5 Turnului Street, RO-500152, Brasov, Romania	Sales of wooden roof windows
VELUX Schweiz AG	Industristrasse 7, CH-4632 Trimbach, Switzerland	Sales of wooden roof windows
VELUX Spain, S. A.	Ctra. de La Coruña 18, 150, E-28231, Las Rozas de Madrid, Spain	Sales of wooden roof windows
VELUX Svenska AB	Karbingatan 22, SE-254 67, Helsingborg, Sweden	Sales of wooden roof windows
VKR France (Feuquières-en-Vimeu)	ul. Krakowiaków 34, PL-02-255 Warszawa, Poland	Sales of wooden roof windows
VKR France (Feuquières-en-Vimeu)	Zone Industrielle, 80210, Feuquières-en-Vimeu, France	Distribution and warehousing of wooden roof windows

Appendix to Certificate

Multi-site certificate

Product category:	08031 (Windows)
Material category:	PEFC certified
Applied chain of custody method:	Percentage
Tree species:	Pinus sylvestris, Picea abies, Pinus pinaster, Quercus robur, Betula spp



To Whom it May Concern



Ådalsvej 99
DK-2970 Hørsholm
Denmark
+45 45 16 40 00 Telephone
+45 45 16 40 01 Telefax

February 2025
Renewal date: February 2027

VELUX A/S is aware of the Biocidal Product Regulation (528/2012/EU) (BPR) and Biocidal Product Regulation, implementing regulation (2023/2596 (EU)) and acknowledge the obligations which derive from the regulations.

VELUX wooden windows and wooden upstands for flat roof windows are considered treated articles containing wood preservatives. All biocidal products used in our products are covered by the obligation to register in accordance with BPR.

We can confirm that all biocidal products used in our VELUX products are registered in accordance with BPR.

We can also confirm that we are in contact with our suppliers to ensure that they are aware of BPR.

One of the active substances (propiconazole) used in the wood preservation of VELUX wooden roof windows (PT8) triggers a labelling requirement, which entails that all VELUX roof wooden windows from 1 July 2024 has a label on with the text: "This product contains wood treated with propiconazole" in English. Furthermore the following information is available online through the QR code from the product data plate:

VELUX sloped roof windows:

This product contains wood treated with propiconazole. It must not be used for furniture and play structures such as playgrounds.

Use and Maintenance

VELUX wooden windows are treated with propiconazole and a topcoat to protect the product. In the case of sanding during repair on topcoat, dust must be collected and disposed of appropriately and respiration equipment must be worn. After grinding we recommend that a new topcoat is applied over the sanded area.

Disposal of product

It's important to note that the product is not suitable for use as furniture or play structures, as per Biocidal Product Regulation, implementing regulation 2023/2596 (EU).
Treated or painted wood must be disposed of according to local regulations.

A handwritten signature in black ink, reading "Birthe Kjeldsen". The script is cursive and fluid, with the first letters of the first and last names being capitalized and prominent.

Birthe Kjeldsen
Manager, Technical Values
Ådalsvej 99, DK 2970 Hørsholm