



SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

1828-10-1009

**JOKA Sockelleiste Massivholz weiß lackiert RAL 9010
/ RAL 9016**

Product group: Skirting boards

JOKA®

W. & L. Jordan GmbH
Horst-Dieter-Jordan-Straße 7-10
34134 Kassel



Product qualities:



Köttner









Helmut Köttner
Scientific Director

Freiburg, 09 April 2026



JOKA®

Contents

 SHI Product Assessment 2024	1
 QNG - Qualitätssiegel Nachhaltiges Gebäude	2
 DGNB New Construction 2023	3
 DGNB New Construction 2018	4
 BNB-BN Neubau V2015	5
 EU taxonomy	6
 BREEAM DE Neubau 2018	7
 LEED v4.1	8
Product labels	9
Legal notices	10
Technical data sheet/attachments	11

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

JOKA Sockelleiste Massivholz weiß lackiert RAL 9010 / RAL 9016

SHI Product Passport no.:

1828-10-1009

JOKA[®]

SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Harmful substance limit	Assessment
SHI Product Assessment	Wood materials	TVOC $\leq 300 \mu\text{g}/\text{m}^3$ Formaldehyd $\leq 36 \mu\text{g}/\text{m}^3$	Indoor Air Quality Certified
Valid untill: 26 January 2028			



Product:

JOKA Sockelleiste Massivholz weiß lackiert RAL 9010 / RAL 9016

SHI Product Passport no.:

1828-10-1009

JOKA[®]

QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	9.2 Wood-based materials (blockboard, fibreboard, veneer, and solid wood panels)	Formaldehyde / VOC / emissions / hazardous substances / SVHC: boron compounds	QNG ready

Verification: Prüfbericht eco-Institut Nr. 60624-A001-L vom 26.01.2026 in Verbindung mit Konformitätserklärung.



Product:

JOKA Sockelleiste Massivholz weiß lackiert RAL 9010 / RAL 9016

SHI Product Passport no.:

1828-10-1009

JOKA®

DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)			Not relevant for assessment

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)			Not relevant for assessment



Product:

JOKA Sockelleiste Massivholz weiß lackiert RAL 9010 / RAL 9016

SHI Product Passport no.:

1828-10-1009

JOKA®

DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact			Not relevant for assessment



Product:

JOKA Sockelleiste Massivholz weiß lackiert RAL 9010 / RAL 9016

SHI Product Passport no.:

1828-10-1009

JOKA®

BNB-BN Neubau V2015

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt			Not relevant for assessment



Product:

JOKA Sockelleiste Massivholz weiß lackiert RAL 9010 / RAL 9016

SHI Product Passport no.:

1828-10-1009

JOKA[®]

EU taxonomy

The EU Taxonomy classifies economic activities and products according to their environmental impact. At the product level, the EU regulation defines clear requirements for harmful substances, formaldehyde and volatile organic compounds (VOCs). The Sentinel Holding Institut GmbH labels qualified products that meet this standard.

Criteria	Product type	Considered substances	Assessment
DNSH - Pollution prevention and control		Substances according to Annex C	EU taxonomy compliant

Verification: Herstellererklärung vom 02.02.2026



Product:

JOKA Sockelleiste Massivholz weiß lackiert RAL 9010 / RAL 9016

SHI Product Passport no.:

1828-10-1009

JOKA[®]

BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea 02 Indoor Air Quality			Not relevant for assessment



Product:

JOKA Sockelleiste Massivholz weiß lackiert RAL 9010 / RAL 9016

SHI Product Passport no.:

1828-10-1009

JOKA[®]

LEED v4.1

LEED (Leadership in Energy and Environmental Design) is an internationally recognised building certification system developed by the U.S. Green Building Council. It is one of the most widely used sustainability standards for buildings worldwide and is particularly applied in internationally oriented projects. LEED assesses buildings holistically across categories such as energy efficiency, resource conservation, material selection, indoor environmental quality and site sustainability. Depending on the number of points achieved, projects are awarded one of the certification levels: LEED Certified, Silver, Gold or Platinum.

Criteria	Product category	Assessment
EQ Credit: Low-Emitting Materials		Not relevant for assessment



Product:

JOKA Sockelleiste Massivholz weiß lackiert RAL 9010 / RAL 9016

SHI Product Passport no.:

1828-10-1009

JOKA[®]

Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



This product is SHI Indoor Air Quality certified and recommended by Sentinel Holding Institut. Indoor-air-focused construction, renovation, and operation of buildings is made possible by transparent and verifiable criteria thanks to the Sentinel Holding concept.



Product:

JOKA Sockelleiste Massivholz weiß lackiert RAL 9010 / RAL 9016

SHI Product Passport no.:

1828-10-1009

JOKA®

Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren/kriterien%20of%20Pr%C3%BCfverfahren%20Produkte>

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar

SGS

SGS
TÜV
S A A R

Publisher

Sentinel Holding Institut GmbH
Bötzingen Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

W. & L. Jordan GmbH • Horst-Dieter-Jordan-Straße 7 – 10 • 34134 Kassel

W. & L. Jordan GmbH
www.joka.de
www.jordan-kassel.de

34134 Kassel • Horst-Dieter-Jordan-Straße 7 – 10

Münster, 19.03.2025

**Produkt: JOKA Sockelleiste Massivholz weiß lackiert RAL 9010 / RAL 9016
PAR19016WL, PAR19020WL**

Sehr geehrte Damen und Herren,

hiermit bestätigen wir:

- Dass die Lackierung keinerlei toxische sowie krebserregende Stoffe der KAT 1A und 1B emittiert, welche über den Nachweisgrenzen liegen.
- Dass die Lackierung mit einem gemessenen Formaldehydgehalt von 0,02 ppm unter dem Grenzwert liegt.
- Dass die Lackierung den Anforderungen der EN 71-3:2019+A1:2021 entspricht, welche auch die Grenzwerte für Kinderspielzeug festlegt und somit einen der höchsten Standards hinsichtlich der Emissionseigenschaften definiert.
- Dass der eingesetzte wasserlösliche Lack keinen TVOC-Wert emittiert, der über dem Grenzwert von 1,0 mg/m² liegt
- Dass keine SVHC > 0,1% enthalten sind
 - Das schließt ein: Reproduktionstoxische Borverbindungen < 0,10%

Entsprechend dem eingesetzten wasserlöslichen und absolut lösemittelfreien Lack entsprechen wir nicht nur der REACH-Verordnung, sondern erfüllen auch die Anforderungen der DGNB in allen Punkten sowie den Anforderungen an RAL UZ12a.

Bei Fragen stehen wir Ihnen gerne zur Verfügung.

Mit freundlichen Grüßen



i.A. Mirjam Mörtel
Qualitätsmanagement - Produktnachhaltigkeit

Bankverbindungen: Commerzbank Kassel IBAN: DE95 5204 0021 0271 4772 00, Swift-BIC: COBA DEFF XXX
Deutsche Bank Kassel IBAN: DE75 5207 0012 0025 7006 00, Swift-BIC: DEUT DEFF 520
Kasseler Sparkasse IBAN: DE06 5205 0353 0201 0021 66, Swift-BIC: HELA DEF1 KAS
Kasseler Bank eG: IBAN: DE09 5209 0000 0000 4810 09, Swift-BIC: GENO DE51 KS1
Postbank Frankfurt/M. IBAN: DE04 5001 0060 4166 01, Swift-BIC: PBNK DEFF XXX
Sparkasse Werra Meißner IBAN: DE85 5225 0030 0000 0372 34, Swift-BIC: HELA DEF1 ESW
Rheinland-Pfalz Bank/LBBW IBAN: DE25 6005 0101 7401 5519 17, Swift-BIC: SOLA DEST XXX

Für sämtliche Abschlüsse gelten unsere allgemeinen Geschäftsbedingungen.
AG Kassel HRB 4697 • W. & L. Jordan GmbH • Geschäftsführer: Jörg Ludwig Jordan (geschäftsführender Gesellschafter),
Thomas Peter, Fred Himmelmann, Robert Horst

Bankverbindungen: Commerzbank Kassel IBAN: DE95 5204 0021 0271 4772 00, Swift-BIC: COBA DEFF XXX
Deutsche Bank Kassel IBAN: DE75 5207 0012 0025 7006 00, Swift-BIC: DEUT DEFF 520
Kasseler Sparkasse IBAN: DE06 5205 0353 0201 0021 66, Swift-BIC: HELA DEF1 KAS
Kasseler Bank eG: IBAN: DE09 5209 0000 0000 4810 09, Swift-BIC: GENO DE51 KS1
Postbank Frankfurt/M. IBAN: DE04 5001 0060 4166 01, Swift-BIC: PBNK DEFF XXX
Sparkasse Werra Meißner IBAN: DE85 5225 0030 0000 0372 34, Swift-BIC: HELA DEF1 ESW
Rheinland-Pfalz Bank/LBBW IBAN: DE25 6005 0101 7401 5519 17, Swift-BIC: SOLA DEST XXX

Für sämtliche Abschlüsse gelten unsere allgemeinen Geschäftsbedingungen.
AG Kassel HRB 4697 • W. & L. Jordan GmbH • Geschäftsführer: Jörg Ludwig Jordan (geschäftsführender Gesellschafter),
Thomas Peter, Fred Himmelmann, Robert Horst