



SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

14206-10-1002

DesignLoc Expert 2.0 MILO 2.0

Product group: Design floors - Vinyl



W. Schneck sen. GmbH & Co. KG
Alte Eisenstraße 45
57258 Freudenberg



Product qualities:



Köttner

Helmut Köttner
Scientific Director

Freiburg, 02 February 2026



Contents

 SHI Product Assessment 2024	1
 QNG - Qualitätssiegel Nachhaltiges Gebäude	2
 DGNB New Construction 2023	3
 DGNB New Construction 2018	4
 BNB-BN Neubau V2015	5
 EU taxonomy	6
 BREEAM DE Neubau 2018	7
Product labels	8
Legal notices	9
Technical data sheet/attachments	10

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

DesignLoc Expert 2.0 MILO 2.0

SHI Product Passport no.:

14206-10-1002



SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Harmful substance limit	Assessment
SHI Product Assessment	Other floor coverings	TVOC $\leq 160 \mu\text{g}/\text{m}^3$ Formaldehyd $\leq 10 \mu\text{g}/\text{m}^3$	Indoor Air Quality Certified
Valid until: 14 October 2026			



Product:

DesignLoc Expert 2.0 MILO 2.0

SHI Product Passport no.:

14206-10-1002



QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	2.2 Resilient floor coverings – including multilayer systems	VOC / Emissions / hazardous substances / polycyclic aromatic hydrocarbons (PAH) / SVHC / heavy metals	QNG ready

Verification: Prüfbericht des Instituts Eurofins vom 19.08.2022 (Nr. 392-2022-00123001_A_EN). Materielle Übereinstimmung bestätigt durch Konformitätserklärung vom 30.10.2024. Herstellererklärung vom 07.11.2024



Product:

DesignLoc Expert 2.0 MILO 2.0

SHI Product Passport no.:

14206-10-1002



DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	7 Floor coverings (Resilient floor coverings)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 3

Verification: Prüfbericht des Instituts Eurofins vom 19.08.2022 (Nr. 392-2022-00123001_A_EN).
Materielle Übereinstimmung bestätigt durch Konformitätserklärung vom 30.10.2024.

Criteria	Assessment
SOC1.2 Indoor air quality (*)	May positively contribute to the overall building score

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	7 Floor coverings for indoor use (elastic floor coverings)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 3

Verification: Prüfbericht des Instituts Eurofins vom 19.08.2022 (Nr. 392-2022-00123001_A_EN).
Materielle Übereinstimmung bestätigt durch Konformitätserklärung vom 30.10.2024.



Product:

DesignLoc Expert 2.0 MILO 2.0

SHI Product Passport no.:

14206-10-1002



DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	7 Floor coverings (Resilient floor coverings)	VOC / SVOC / hazardous substances	Quality level 4
Verification: Prüfbericht des Instituts Eurofins vom 19.08.2022 (Nr. 392-2022-00123001_A_EN). Materielle Übereinstimmung bestätigt durch Konformitätserklärung vom 30.10.2024. SHI-schadstoffgeprüft.			



Product:

DesignLoc Expert 2.0 MILO 2.0

SHI Product Passport no.:

14206-10-1002



BNB-BN Neubau V2015

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt	2a Elastic floor coverings – with and without bonded underlay or insulation layer	VOC / hazardous substances / heavy metals	Quality level 3

Verification: Prüfbericht des Instituts Eurofins vom 19.08.2022 (Nr. 392-2022-00123001_A_EN).
Materielle Übereinstimmung bestätigt durch Konformitätserklärung vom 30.10.2024.
Herstellererklärung vom 07.11.2024

Product:

DesignLoc Expert 2.0 MILO 2.0

SHI Product Passport no.:

14206-10-1002

schneck 
DIE KOMPETENZ IN BODENBELÄGEN

EU taxonomy

The EU Taxonomy classifies economic activities and products according to their environmental impact. At the product level, the EU regulation defines clear requirements for harmful substances, formaldehyde and volatile organic compounds (VOCs). The Sentinel Holding Institut GmbH labels qualified products that meet this standard.

Criteria	Product type	Considered substances	Assessment
DNSH - Pollution prevention and control	Floor coverings (including associated adhesives and sealants)	Substances according to Annex C	EU taxonomy compliant
Verification: Prüfbericht des Instituts Eurofins vom 19.08.2022 (Nr. 392-2022-00123001_A_EN). Materielle Übereinstimmung bestätigt durch Konformitätserklärung vom 30.10.2024. Herstellererklärung vom 07.11.2024			



Product:

DesignLoc Expert 2.0 MILO 2.0

SHI Product Passport no.:

14206-10-1002



BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea 02 Indoor Air Quality	Flooring materials (including floor levelling compounds and resin flooring)	Emissions: Formaldehyde, TVOC, TSVOC, carcinogens	Exemplary quality

Verification: Prüfbericht des Instituts Eurofins vom 19.08.2022 (Nr. 392-2022-00123001_A_EN). Materielle Übereinstimmung bestätigt durch Konformitätserklärung vom 30.10.2024.



Product:

DesignLoc Expert 2.0 MILO 2.0

SHI Product Passport no.:

14206-10-1002



Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



This product is SHI Indoor Air Quality certified and recommended by Sentinel Holding Institut. Indoor-air-focused construction, renovation, and operation of buildings is made possible by transparent and verifiable criteria thanks to the Sentinel Holding concept.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



Product:

DesignLoc Expert 2.0 MILO 2.0

SHI Product Passport no.:

14206-10-1002



Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren/C3%BCr%20Produkte>

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



Publisher

Sentinel Holding Institut GmbH
Bötzingen Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

Technische Daten

Beschreibung

Artikelname			Milo 2.0	Resa 2.0
Gesamtdicke	ISO 24346	mm	5,0	2,0
Dicke Nutzschicht	ISO 24340	mm	0,3	0,3
Flächengewicht	ISO 23997	kg/m²	7,68	3,62
Format		mm	1210 x 228	1219,2 x 228,6
Fase / Fuge			4V	4V
Verpackungseinheit		m²	2,21	3,34

Klassifizierung

Produkt Norm			ISO 10582	ISO 10582
Europäische Klassifizierung	ISO 10582	Klasse	 	 
Brandverhalten	EN 13 501-1	Klasse		
Stuhlrolleneignung/Typ W	ISO 4918		ja (w)	ja (w)
Trittschalldämmung	ISO 10140-1	dB	13	4
Rutschhemmung	EN 13893	Klasse	 R9	 R9

Technische Eigenschaften

Maßstabilität	ISO 23999	%	0,01	0,05
Resteindruck	ISO 24343-1	mm	0,08	-0,02
Fußbodenheizung (nur wasserbasierend)		bis 28 °C		
Lichtechtheit	EN ISO 105-B02	Grad	 6-8	 6-8
Verhalten gegenüber Chemikalien	ISO 26987	beständig gegenüber nicht färbenden alkoholhaltigen Haushaltschemikalien, Handdesinfektionsmitteln und verdünnten Säuren und Laugen bei kurzfristiger Einwirkung Klasse 0- Gut		
Oberflächenvergütung			PU	PU

CE-Kennzeichnung für alle Produkte vorhanden.
Die CE-Nummer erhalten Sie auf Anfrage bei Ihrem Händler.

Im Bereich der Stuhlrollen wird der Einsatz von Bodenschutzmatten empfohlen, um die Langlebigkeit des Belages um ein Vielfaches zu erhöhen.

Bei den angegebenen Werten sind durch technische Weiterentwicklung bedingte Änderungen unter Beibehaltung der Gebrauchseigenschaften vorbehalten. Die Muster / Fotos sind nur Ausschnitte des jeweiligen Produktes. Sie geben nur einen kleinen Teil des gesamten Belags wieder. Farbgleichheit nur bei Zuschnitt aus einer Warenbreite, bei gleicher Charge. Technisch unvermeidbare Farbabweichungen bleiben vorbehalten

Wilh. Schneck sen. GmbH & Co. KG · Alte Eisenstraße 45 · 57258 Freudenberg · Germany

Wilh. Schneck sen. GmbH & Co. KG

Standort Freudenberg / Zentrale:

Alte Eisenstraße 45
57258 Freudenberg · Germany

Fon +49 2734 2846 - 140

Fax +49 2734 2846 - 199

info@schneck-bodenbelag.de

www.schneck-bodenbelag.de

Standort Köln:

Robert-Perthel-Straße 58
50739 Köln · Germany

Fon +49 221 53457759

koeln@schneck-bodenbelag.de

Freudenberg, den 07.11.2024

Herstellererklärung

Sehr geehrte Damen und Herren,

hiermit bestätigen wir, dass bei der Produktion der Produkte unserer Designboden Eigenmarkenkollektion DesignLoc Expert 2.0

- Milo 2.0
- Resa 2.0

von folgenden Inhaltsstoffen abgesehen wird:

1. SVHC und CMR-Stoffe der Kategorie 1A und 1B < 0,1 %
2. Reproduktionstoxische Phthalate < 0,1 % und Cadmium- und Bleistabilisatoren
3. Chlorparaffine (SCCPs + MCCPs + LCCPs) < 0,1 %

Mit freundlichen Grüßen

W. Schneck sen. GmbH & Co. KG



Alexander Jarosch
Geschäftsführer



André Neuser
Geschäftsführer