



SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

14206-10-1003

DesignLoc Master

Product group: Design floors - Vinyl



W. Schneck sen. GmbH & Co. KG
Alte Eisenstraße 45
57258 Freudenberg



Product qualities:



Köttner

Helmut Köttner
Scientific Director

Freiburg, 02 February 2026



Contents

 SHI Product Assessment 2024	1
 QNG - Qualitätssiegel Nachhaltiges Gebäude	2
 DGNB New Construction 2023	3
 DGNB New Construction 2018	4
 BNB-BN Neubau V2015	5
 EU taxonomy	6
 BREEAM DE Neubau 2018	7
Product labels	8
Legal notices	9
Technical data sheet/attachments	10

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

DesignLoc Master

SHI Product Passport no.:

14206-10-1003



SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Harmful substance limit	Assessment
SHI Product Assessment	Other floor coverings	TVOC $\leq 160 \mu\text{g}/\text{m}^3$ Formaldehyd $\leq 10 \mu\text{g}/\text{m}^3$	Indoor Air Quality Certified
Valid until: 13 October 2028			



Product:

DesignLoc Master

SHI Product Passport no.:

14206-10-1003



QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	2.2 Resilient floor coverings – including multilayer systems	VOC / Emissions / hazardous substances / polycyclic aromatic hydrocarbons (PAH) / SVHC / heavy metals	QNG ready

Verification: Herstellererklärung vom 19.02.2025. Eurofins Indoor Air Comfort Gold Zertifikat vom 13.10.2023 (Nr. IACG-396-01-02-2023). Konformitätserklärung vom 24.02.2025 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt.



Product:

DesignLoc Master

SHI Product Passport no.:

14206-10-1003



DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	7 Floor coverings (Resilient floor coverings)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 3
Verification: Herstellererklärung vom 19.02.2025. Eurofins Indoor Air Comfort Gold Zertifikat vom 13.10.2023 (Nr. IACG-396-01-02-2023). Konformitätserklärung vom 24.02.2025 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt.			

Criteria	Assessment
SOC1.2 Indoor air quality (*)	May positively contribute to the overall building score
Verification: SHI Schadstoffprüfung.	

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	7 Floor coverings for indoor use (elastic floor coverings)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 3
Verification: Herstellererklärung vom 19.02.2025. Eurofins Indoor Air Comfort Gold Zertifikat vom 13.10.2023 (Nr. IACG-396-01-02-2023). Konformitätserklärung vom 24.02.2025 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt.			



Product:

DesignLoc Master

SHI Product Passport no.:

14206-10-1003



DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	7 Floor coverings (Resilient floor coverings)	VOC / SVOC / hazardous substances	Quality level 4
Verification: Herstellererklärung vom 19.02.2025. Eurofins Indoor Air Comfort Gold Zertifikat vom 13.10.2023 (Nr. IACG-396-01-02-2023). Konformitätserklärung vom 24.02.2025 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt.			



Product:

DesignLoc Master

SHI Product Passport no.:

14206-10-1003



BNB-BN Neubau V2015

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt	2a Elastic floor coverings – with and without bonded underlay or insulation layer	VOC / hazardous substances / heavy metals	Quality level 3

Verification: Herstellererklärung vom 19.02.2025, Eurofins Indoor Air Comfort Gold Zertifikat vom 13.10.2023 (Nr. IACG-396-01-02-2023). Konformitätserklärung vom 24.02.2025 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt.



Product:

DesignLoc Master

SHI Product Passport no.:

14206-10-1003



EU taxonomy

The EU Taxonomy classifies economic activities and products according to their environmental impact. At the product level, the EU regulation defines clear requirements for harmful substances, formaldehyde and volatile organic compounds (VOCs). The Sentinel Holding Institut GmbH labels qualified products that meet this standard.

Criteria	Product type	Considered substances	Assessment
DNSH - Pollution prevention and control	Floor coverings (including associated adhesives and sealants)	Substances according to Annex C, formaldehyde, carcinogenic VOCs category 1A/1B	EU taxonomy compliant

Verification: Herstellererklärung vom 19.02.2025. Eurofins Indoor Air Comfort Gold Zertifikat vom 13.10.2023 (Nr. IACG-396-01-02-2023). Konformitätserklärung vom 24.02.2025 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt.



Product:

DesignLoc Master

SHI Product Passport no.:

14206-10-1003



BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea 02 Indoor Air Quality	Flooring materials (including floor levelling compounds and resin flooring)	Emissions: Formaldehyde, TVOC, TSVOC, carcinogens	Exemplary quality

Verification: Prüfbericht des Instituts Eurofins vom 19.08.2022 (Nr. 392-2022-00123001_A_EN). Konformitätserklärung vom 24.02.2025 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt.



Product:

DesignLoc Master

SHI Product Passport no.:

14206-10-1003



Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



This product is SHI Indoor Air Quality certified and recommended by Sentinel Holding Institut. Indoor-air-focused construction, renovation, and operation of buildings is made possible by transparent and verifiable criteria thanks to the Sentinel Holding concept.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



Product:

DesignLoc Master

SHI Product Passport no.:

14206-10-1003



Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren/C3%BCr%20Produkte>

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar



Publisher

Sentinel Holding Institut GmbH
Bötzingen Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu



Herstellereklärung

19.02.2025

Sehr geehrte Damen und Herren,

hiermit bestätigen wir, dass bei der Produktion der Designbodenkollektion DesignLoc Master unter Einhaltung des AgBB-Schemas von folgenden Inhaltsstoffen abgesehen wird:

- 1) SVHC und CMR-Stoffe der Kategorie 1A und 1B < 0,1%
- 2) Reproduktionstoxische Phthalate < 0,1% und Cadmium-, Zinn- und Bleistabilisatoren
- 3) Chlorparaffine (SCCPs + MCCPs + LCCPs) < 0,1%

Mit freundlichen Grüßen

A handwritten signature in blue ink, appearing to read "Ulfig".

Produktmanagement Boden

Technische Daten



solidLOCK silent 65-05 Modern Concrete

Technische Daten	Norm	solidLOCK silent 65-05
Belagsart	ISO 10582	Resilient floor coverings
Format Planke	-	907,00 x 450,00 mm
Verpackungsinhalt	-	4 Fliesen / 1,63 m ²
Nutzschichtstärke	ISO 24340	0,55 mm
Gesamtstärke	ISO 24346	6,5 mm (inkl. 1,0 mm IXPE)
Flächengewicht	ISO 23997	+/- 10,260 kg/m ²
Fase	-	4V
Dimensionsstabilität	ISO 23999	≤ 0,15 %
Maximale Schalldämmung	ISO 10140-3	bis zu 19 dB
Wärmedurchlasswiderstand	EN 12667 / ISO 8302	0,030 m ² K/W
Brandverhalten	EN 13501-1 - 1:2007	Bfl-s1
Resteindruck	ISO 24343-1	≤ 0,20 mm
Stuhlrollenbeanspruchung	ISO 4918	ja (Typ W)
Rutschhemmung	DIN 51130	≥ R9
Nutzungsklasse	ISO 10582	
Chemikalienbeständigkeit	EN 423	ja
Phthalatfrei	-	ja
Lichtechtheit	EN ISO 105 B02	≥ 6 abhg. vom Design
Fußbodenheizung	-	28 °C



Technische Daten



solidLOCK silent 65-05 Prime Oak

Technische Daten	Norm	solidLOCK silent 65-05
Belagsart	ISO 10582	Resilient floor coverings
Format Planke	-	1210,00 x 228,00 mm
Verpackungsinhalt	-	6 Planken / 1,66 m ²
Nutzschichtstärke	ISO 24340	0,55 mm
Gesamtstärke	ISO 24346	6,5 mm (inkl. 1,0 mm IXPE)
Flächengewicht	ISO 23997	+/- 10,260 kg/m ²
Fase	-	4V
Dimensionsstabilität	ISO 23999	≤ 0,15 %
Maximale Schalldämmung	ISO 10140-3	bis zu 19 dB
Wärmedurchlasswiderstand	EN 12667 / ISO 8302	0,030 m ² K/W
Brandverhalten	EN 13501-1 - 1:2007	Bfl-s1
Resteindruck	ISO 24343-1	≤ 0,20 mm
Stuhlrollenbeanspruchung	ISO 4918	ja (Typ W)
Rutschhemmung	DIN 51130	≥ R9
Nutzungsklasse	ISO 10582	 
Chemikalienbeständigkeit	EN 423	ja
Phthalatfrei	-	ja
Lichtechtheit	EN ISO 105 B02	≥ 6 abhg. vom Design
Fußbodenheizung	-	28 °C

