

MSDS *Material Safety Data Sheet*

Zhejiang Hoy Technology Co., Ltd.

PVC FLOORING

Page 1 of 3

MSDS Number: HY0023

Revision Date: 10/3/22

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Zhejiang Hoy Technology Co., Ltd.

Liuli Industrial Park, Ganpu Town, Haiyan county

Zhejiang China

Contact Information

Info Phone Number: 86-18357303193

Emergency Phone Number: 86-18357303193

E-Mail: sales@hoy-tech.com.cn

Web: www.hoyflooring.com

Product Name: PVC FLOORING
Revision Date: 10/3/22
MSDS Number: HY0023
Common Name: PVC FLOORING
CAS Number: Applicable
EPA Number: Not Applicable
RCRA Number: Not Applicable
Chemical Family: Mixture
Chemical Formula: NA
Synonyms: NA
Internal ID: SJ0025

Product code list.
HY0023

2

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	Content (WT.%)
Polyvinyl Chloride	20-30%
Chlorinated Polyethylene	1-2%
PE-WAX	0.2-5%
Acrylic ester	1-2%
Calcium Compound	62-72%
Calcium-zinc Stabilizer	1-2%
Carbon Black	0.1%-1%

MSDS *Material Safety Data Sheet*

Zhejiang Hoy Technology Co., Ltd.

PVC FLOORING

Page 2 of 3

MSDS Number: HY0023

Revision Date: 10/3/22

3 HAZARDS IDENTIFICATION

Route of Entry: Unlikely.
Target Organs: Unlikely.
Inhalation: Unlikely.
Skin Contact: Unlikely.
Eye Contact: Unlikely.
Ingestion: Unlikely.

4 FIRST AID MEASURES

Inhalation: Unlikely
Skin Contact: Unlikely
Eye Contact: Unlikely
Ingestion: Unlikely

5 FIRE FIGHTING MEASURES

Flash Point: Not Available
LEL: Not Available
UEL: Not Available

In the event of a fire, wear NIOSH approved, positive pressure, self-contained breathing apparatus (SCBA) and full protective clothing. Use dry chemical, foam, water or carbon dioxide to extinguish fire.

Decomposition gases include carbon monoxide, carbon dioxide, and hydrogen chloride gas.

6 ACCIDENTAL RELEASE MEASURES

Not Applicable

7 HANDLING AND STORAGE

Handling Precautions: Not Applicable
Storage Requirements: Not Applicable

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Not Applicable
Protective Equipment: Not Applicable
Exposure Guidelines/Other: Not Applicable

MSDS Material Safety Data Sheet

Zhejiang Hoy Technology Co., Ltd.

PVC FLOORING

Page 3 of 3

MSDS Number: HY0023

Revision Date: 10/3/22

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	PU coating	Boiling Point:	N/A
Physical State:	Solid	Freezing/Melting Pt.:	N/A
Odor:	No	Solubility:	Insoluble
pH:	N/A	Spec Grav./Density:	APPROX 2.00
Vapor Pressure:	N/A		
Vapor Density:	N/A		

10 STABILITY AND REACTIVITY

Stability:	Stable.
Conditions to avoid:	Not applicable.
Materials to avoid (incompatibility):	Not applicable.
Hazardous Decomposition products:	Hydrogen chloride gas, carbon monoxide, carbon dioxide.
Hazardous Polymerization:	Will not occur.

11 TOXICOLOGICAL INFORMATION

No data is available on this product.

12 ECOLOGICAL INFORMATION

No data is available on this product.

13 DISPOSAL CONSIDERATIONS

Dispose in accordance with local and regulations.

14 TRANSPORT INFORMATION

Before shipment, packaging is intact or not should be checked, and ensure that pallets have no collapse, no damage during transport.

15 OTHER INFORMATION

The information and recommendations contained in this Material Safety Data Sheet have been compiled from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the MSDS was prepared.

No Warranty, guaranty or representation is made as to the correctness or sufficiency of the information. The user of this product must decide what safety measures are necessary to safely use this product, either alone or in combination with other products, and determine its environmental regulatory compliance under any laws.

END OF MSDS DOCUMENT