



SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

14693-10-1026

B!Design SPC 4.3/0.3

Product group: Design floors

b!design

b!design / BAUHAUS
Gutenbergstraße 21
68167 Mannheim



Product qualities:










Köttner

Helmut Köttner
Scientific Director
Freiburg, 17 April 2026



Contents

 SHI Product Assessment 2024	1
 QNG - Qualitätssiegel Nachhaltiges Gebäude	2
 DGNB New Construction 2023	3
 DGNB New Construction 2018	4
 BNB-BN Neubau V2015	5
 BREEAM DE Neubau 2018	6
 LEED v4.1	7
Product labels	8
Legal notices	9
Technical data sheet/attachments	10

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Product:

B!Design SPC 4.3/0.3

SHI Product Passport no.:

14693-10-1026



SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Harmful substance limit	Assessment
SHI Product Assessment	Other floor coverings	TVOC $\leq 160 \mu\text{g}/\text{m}^3$ Formaldehyd $\leq 10 \mu\text{g}/\text{m}^3$	Indoor Air Quality Certified



Product:

B!Design SPC 4.3/0.3

SHI Product Passport no.:

14693-10-1026



QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	2.2 Resilient floor coverings – including multilayer systems	VOC / Emissions / hazardous substances / polycyclic aromatic hydrocarbons (PAH) / SVHC / heavy metals	QNG ready

Verification: Prüfbericht des Instituts Eco-Institut vom 21.12.2020 Prüfberichts Nr. 55793-001 & 55793-004. Konformitätserklärung vom 16.04.2026 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt. Herstellererklärungen vom 15.04.2026.



Product:

B!Design SPC 4.3/0.3

SHI Product Passport no.:

14693-10-1026



DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	7 Floor coverings (Resilient floor coverings)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 1
Verification: Prüfbericht des Instituts Eco-Institut vom 21.12.2020 Prüfberichts Nr. 55793-001 & 55793-004. Konformitätserklärung vom 16.04.2026 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt.			

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	7 Floor coverings for indoor use (elastic floor coverings)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 1
Verification: Prüfbericht des Instituts Eco-Institut vom 21.12.2020 Prüfberichts Nr. 55793-001 & 55793-004. Konformitätserklärung vom 16.04.2026 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt.			



Product:

B!Design SPC 4.3/0.3

SHI Product Passport no.:

14693-10-1026



DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	7 Floor coverings (Resilient floor coverings)	VOC / SVOC / hazardous substances	Quality level 1
Verification: Prüfbericht des Instituts Eco-Institut vom 21.12.2020 Prüfberichts Nr. 55793-001 & 55793-004. Konformitätserklärung vom 16.04.2026 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt.			



Product:

B!Design SPC 4.3/0.3

SHI Product Passport no.:

14693-10-1026



BNB-BN Neubau V2015

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt	2a Elastic floor coverings – with and without bonded underlay or insulation layer	VOC / hazardous substances / heavy metals	Quality level 3

Verification: Prüfbericht des Instituts Eco-Institut vom 21.12.2020 Prüfberichts Nr. 55793-001 & 55793-004. Konformitätserklärung vom 16.04.2026 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt. Herstellererklärungen vom 15.04.2026.



Product:

B!Design SPC 4.3/0.3

SHI Product Passport no.:

14693-10-1026



BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea 02 Indoor Air Quality	Flooring materials (including floor levelling compounds and resin flooring)	Emissions: Formaldehyde, TVOC, TSVOC, carcinogens	Exemplary quality

Verification: Prüfbericht des Instituts Eco-Institut vom 21.12.2020 Prüfberichts Nr. 55793-001 & 55793-004. Konformitätserklärung vom 16.04.2026 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt.



Product:

B!Design SPC 4.3/0.3

SHI Product Passport no.:

14693-10-1026



LEED v4.1

LEED (Leadership in Energy and Environmental Design) is an internationally recognised building certification system developed by the U.S. Green Building Council. It is one of the most widely used sustainability standards for buildings worldwide and is particularly applied in internationally oriented projects. LEED assesses buildings holistically across categories such as energy efficiency, resource conservation, material selection, indoor environmental quality and site sustainability. Depending on the number of points achieved, projects are awarded one of the certification levels: LEED Certified, Silver, Gold or Platinum.

Criteria	Product category	Considered substances	Assessment
EQ Credit: Low-Emitting Materials	Bodenbeläge	Emissionen: Formaldehyd, VOC, Krebserregende Stoffe	compliant

Verification: Prüfbericht des Instituts Eco-Institut vom 21.12.2020 Prüfberichts Nr. 55793-001 & 55793-004. Konformitätserklärung vom 16.04.2026 bestätigt die materielle Übereinstimmung mit dem geprüften Produkt.



Product:

B!Design SPC 4.3/0.3

SHI Product Passport no.:

14693-10-1026



Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



This product is SHI Indoor Air Quality certified and recommended by Sentinel Holding Institut. Indoor-air-focused construction, renovation, and operation of buildings is made possible by transparent and verifiable criteria thanks to the Sentinel Holding concept.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



Product:

B!Design SPC 4.3/0.3

SHI Product Passport no.:

14693-10-1026



Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: <https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfverfahren/Pr%C3%BCfverfahren%20f%C3%BCr%20Produkte>

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar





Publisher

Sentinel Holding Institut GmbH
Bötzingen Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

Technische Spezifikationen

Technical specifications

Kollektion Collection		4.3/0.3
Typ Type	Dielen Planks	
Format Size (mm)	1220 x 182	
Stärke Thickness (mm)	4,3	
Nutzschicht Wear layer (mm)	0,3	
Vergütung Coating	UV	
Struktur Surface	Geprägt Embossed	
Gefaste Kanten Bevelled edge	Ja Yes	
Verbindung Connection	2G / **Uniclic	
Trittschalldämmung Impact sound insulation	Bis 19 dB Up to 19 dB	
1 Karton box 	Stück pieces	12
	m ²	2,664
	kg	19,5 / **19,6
1 Palette pallet 	kartons boxes	36
	m ²	95,904
	kg netto net	702 / **705.6
Rutschhemmstufe Slip resistance	DIN 51130	R10
Rutschfestigkeitsklasse Slip resistance class	EN 14041	DS
Resteindruck Residual indentation	EN 433	Erfüllt Pass
Wärmeleitfähigkeit Thermal conductivity	EN 12667:2001	0,100 / **0,114
Brandverhalten Flammability	BS EN 13501	B _{fl} -s1
Formaldehyd Formaldehyde		E1
Fussbodenheizung Underfloor heating	EN 649	Geeignet zum Verlegen auf Warmwasser und elektrischer Fussbodenheizung* Suitable for hot water and electric heating systems*
Nutzungsklasse Utilization class		23/31
Herstellergarantie Warranty of the producer	Wohnen Residential	25 Jahre years
	Gewerblich Commercial	5 Jahre years

* Beachten Sie die Verlegeanleitung für weitere Details: bdesign-floors.com
See the installation instructions for more details: bdesign-floors.com

** Eiche Avignon, Eiche Natural, Eiche Western, Eiche Cognac

Für die Vollversion der DoP (Leistungserklärung) besuchen Sie: hwzi.ch/downloads
For the full version of the DoP (Declaration of Performance) visit: hwzi.ch/downloads



Herstellereklärung - HWZI1

Name: **HWZ Int. AG**

Adresse: **Untere Gründlistrasse 23, 6055 Alpnach Dorf, Schweiz**

erklärt in eigener Verantwortung, dass die an die Bauhaus gelieferten Produkte:

Bezeichnung Original-Artikelnummer

b!design SPC 3.5/0.2 (Eiche Polaris)

b!design SPC 3.5/0.2

b!design SPC 3.8/0.3

b!design SPC 4.0/0.3

b!design SPC 4.2/0.3, Uniclic

b!design SPC Silent 4.8/0.3

b!design SPC 6.5/0.5

b!design SPC 4.3/0.3

Position & Bauproduktgruppe: 2.2 Elastische Bodenbeläge - auch mehrschichtige Systeme

Betrachtete Stoffe: VOC / Emissionen / gefährliche Stoffe / Polyzyklische Aromatische Kohlenwasserstoffe (PAK) / SVHC / Schwermetalle

QNG-Anforderungen: Einhaltung AgBB-Schema, Kautschukbeläge

Schadstoffvermeidung: krebserzeugende Nitrosamine $\leq 0,011$ mg/kg oder $\leq 0,0002$ mg/m³; PVC-Bodenbeläge: reproduktiontoxische Phalate $\leq 0,10$ %; keine Zinn-, Cadmium- und Bleistabilisatoren

Obenstehende Produkte erfüllen die Kriterien für Schadstoffvermeidung in Baumaterialien vorgegeben durch das Qualitätssiegel Nachhaltiges Gebäude (QNG).

Alpnach Dorf, 15. April 2026

Jaime Iglesias



Herstellereklärung - HWZI2

Name: **HWZ Int. AG**

Adresse: **Untere Gründlistrasse 23, 6055 Alpnach Dorf, Schweiz**

erklärt in eigener Verantwortung, dass die an die Bauhaus gelieferten Produkte:

Bezeichnung Original-Artikelnummer

b!design SPC 4.3/0.2
b!design SPC 4.8/0.5
b!design SPC 4.2/0.3, I4F Drop Down
B!design SPC 3.8/0.3
B!design SPC 3.5/0.2
b!design SPC 4.3/0.3

Position & Bauproduktgruppe: 2.2 Elastische Bodenbeläge - auch mehrschichtige Systeme

Betrachtete Stoffe: VOC / Emissionen / gefährliche Stoffe / Polyzyklische Aromatische Kohlenwasserstoffe (PAK) / SVHC / Schwermetalle

QNG-Anforderungen: Einhaltung AgBB-Schema, Kautschukbeläge

Schadstoffvermeidung: krebserzeugende Nitrosamine $\leq 0,011$ mg/kg oder $\leq 0,0002$ mg/m³; PVC-Bodenbeläge: reproduktiontoxische Phalate $\leq 0,10$ %; keine Zinn-, Cadmium- und Bleistabilisatoren

Obenstehende Produkte erfüllen die Kriterien für Schadstoffvermeidung in Baumaterialien vorgegeben durch das Qualitätssiegel Nachhaltiges Gebäude (QNG).

Alpnach Dorf, 15. April 2026

Jaime Iglesias

